ISO/IEC 18000-2:2009-10 (E)

Information technology - Radio frequency identification for item management - Par t 2: Parameters for air interface communications below 135 kHz

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Conformance 1
2.1 RF emissions general population 2
2.2 RF emissions and susceptibility health care setting 2

3 Normative references 2

4 Terms and definitions 2

5 Symbols and abbreviated terms 4
5.1 Symbols 4
5.2 Abbreviated terms 5

6 Physical layer 6
6.1 Type A (FDX) 6
6.1.1 Power transfer 6
6.1.2 Frequency 6
6.1.3 Communication signal interface interrogator to tag 6
6.1.4 Communication signal interface tag to interrogator 9
6.1.5 General Protocol Timing Specifications 10
6.2 Type B (HDX) 12
6.2.1 Power transfer 12
6.2.2 Communication signal interface interrogator to tag 12
6.2.3 Communication Signal Interface tag to interrogator 15
6.2.4 General protocol Timing Specification 17
6.3 Physical and Media Access Control (MAC) Parameters 19
6.3.1 Interrogator to tag link 19
6.3.2 Tag to interrogator link 21
6.3.3 Protocol parameters 24
6.3.4 Anti-collision parameters 25

7 Transmission Protocol 26
7.1 Basic elements 26
7.2 IC Identifier and Unique Item Identifier (UII) 26
7.3 Request format 27
7.4 Response format 27
7.5 Request flags 28
7.5.1 AFI flag 29
7.5.2 NOS flag 29
7.5.3 SEL flag and ADR flag 29
7.5.4 CRCT flag 30
7.5.5 PEXT flag 30
7.6 Error flag 30
7.7 Error handling 31
7.8 Block security status 32
7.9 Start of frame pattern (SOF) 32

7.9.1 Interrogator request ... 32
7.9.2 Tag response ... 32
7.10 End of frame pattern (EOF) ... 32
7.10.1 Interrogator request ... 32
7.10.2 Tag response ... 32
7.11 CRC ... 32
7.12 Application family identifier (AFI) ... 33
7.13 Data storage format identifier (DSFID) ... 36

8 User memory organisation ... 36
8.1 User memory organisation (Page 0) ... 36
8.2 Extended User memory organisation (Page 1) ... 36

9 Tag states ... 37
9.1 RF-Off State ... 37
9.2 Ready State ... 37
9.3 Quiet State ... 37
9.4 Selected state ... 38
9.5 State diagram ... 38

10 Anti-collision ... 39
10.1 Request parameters ... 39
10.2 Request processing by the tag ... 39
10.3 Explanation of anti-collision sequences ... 42
10.3.1 Anti-collision sequence with 1 slot ... 42
10.3.2 Anti-collision sequence with 16 slots ... 42
10.3.3 Mixed population with tags of type A and B ... 44
11 Commands ... 44
11.1 Command classification ... 44
11.1.1 General ... 44
11.1.2 Mandatory commands ... 45
11.1.3 Optional commands ... 45
11.1.4 Custom commands ... 45
11.1.5 Proprietary commands ... 45
11.2 Command code structure ... 45
11.3 Command list ... 46
11.4 Mandatory commands ... 47
11.4.1 INVENTORY ... 47
11.4.2 READ UII ... 47
11.4.3 READ MULTIPLE BLOCKS ... 48
11.4.4 STAY QUIET ... 48
11.4.5 WRITE SINGLE BLOCK ... 49
11.4.6 LOCK BLOCK ... 49
11.5 Optional commands ... 50
11.5.1 READ SINGLE BLOCK ... 50
11.5.2 READ SINGLE BLOCK WITH SECURITY STATUS ... 50
11.5.3 READ MULTIPLE BLOCKS WITH SECURITY STATUS ... 51
11.5.4 WRITE MULTIPLE BLOCKS ... 51
11.5.5 GET SYSTEM INFORMATION ... 52
11.5.6 SELECT ... 53
11.5.7 RESET TO READY ... 54
11.5.8 WRITE SYSTEM DATA ... 54
11.5.9 LOCK SYSTEM DATA ... 55
11.5.10 READ EXTENDED MULTIPLE BLOCKS ... 56
11.5.11 WRITE EXTENDED MULTIPLE BLOCK ... 56
11.5.12 LOCK EXTENDED BLOCK ... 57
11.5.13 Optional command execution in Inventory mode ... 58
11.6 Custom commands ... 59
11.7 Proprietary commands ... 59

Annex A (informative) CRC Check for Error Detection ... 60

A.1 Description 60
A.2 CRC check source code example 61

Annex B (informative) Description of a typical anti-collision sequence with tags of types A and B ... 62

Annex C (informative) Optional anti-collision mechanism 63

C.1 Introduction 63
C.2 Description 63
C.3 Physical layer for the Multi-read command 63
C.3.1 Power transfer 64
C.3.2 Frequency 64
C.3.3 Interrogator to tag 64
C.3.4 Tag to interrogator 64
C.3.5 Parameters for optional Multi-read command 65
C.4 Multi-read command 68
C.4.1 Multi-read request format 68
C.4.2 Request flags 69
C.5 Anti-collision mechanism 70
C.5.1 Acknowledgement by the interrogator 70
C.5.2 Acknowledgement by the tag 70
C.5.3 Timing 70
C.5.4 Explanation of an anti-collision sequence 71
C.6 Protocol and anti-collision Parameters 76
C.6.1 Protocol Parameters 76
C.6.2 Anti-collision Protocol 78

Bibliography 79