

# ISO/IEC 6429:1992-12 (E)

## Information technology; control functions for coded character sets

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Conformance</b> .....	<b>1</b>
2.1	Types of conformance .....	1
2.2	Conformance of information interchange .....	1
2.3	Conformance of devices.....	2
2.3.1	Device description .....	2
2.3.2	Originating devices .....	2
2.3.3	Receiving devices .....	2
<b>3</b>	<b>Normative references</b> .....	<b>2</b>
<b>4</b>	<b>Notation and definitions</b> .....	<b>3</b>
4.1	Notation .....	3
4.2	Definitions .....	3
<b>5</b>	<b>Coded representation</b> .....	<b>6</b>
5.1	General .....	6
5.2	Elements of the CO set .....	6
5.3	Elements of the C1 set.....	7
5.4	Control sequences .....	8
5.4.1	Parameter representation.....	10
5.4.2	Parameter string format.....	10
5.4.3	Types of parameters .....	11
5.5	Independent control functions.....	11
5.6	Control strings.....	12
<b>6</b>	<b>Device concepts</b> .....	<b>12</b>
6.1	Components.....	12
6.1.1	Presentation component .....	13
6.1.2	The active presentation Position .....	13
6.1.3	Data component .....	13
6.1.4	The active data Position .....	14
6.1.5	Relationship between active data position and active presentation position .....	14
6.1.6	Implicit movement .....	14
6.1.7	Explicit movement.....	15
6.1.8	Indirect movement .....	15
6.2	The data stream .....	16
6.2.1	Data Organization.....	16
6.3	The graphic image output .....	16
6.4	Formator functions and editor functions.....	16
6.4.1	Formator functions.....	16
6.4.2	Composite graphic characters.....	17
6.4.3	Editor functions .....	17
6.5	Selected and qualified areas .....	17
6.5.1	Selected areas .....	17
6.5.2	Qualified areas.....	17
6.6	Auxiliary input/output devices .....	18
6.7	Tabulation and fields .....	18
<b>7</b>	<b>Modes</b> .....	<b>18</b>
7.1	The concept of modes .....	18
7.2	Definition of modes .....	19

7.2.1	BDSM - BI-DIRECTIONAL SUPPORT MODE .....	21
7.2.2	CRM -CONTROL REPRESENTATION MODE .....	21
7.2.3	DGSM -DEVICE COMPONENT SELECT MODE.....	21
7.2.4	ERM-ERASUREMODE .....	21
7.2.5	FEAM- FORMAT EFFECTOR ACTION MODE.....	21
7.2.6	FETM - FORMAT EFFECTOR TRANSFER MODE .....	22
7.2.7	GATM - GUARDED AREA TRANSFER MODE .....	22
7.2.8	GRCM- GRAPHIC RENDITION COMBINATION MODE .....	22
7.2.9	HEM - CHARACTER EDITING MODE .....	22
7.2.10	IRM- INSERTION REPLACEMENT MODE .....	23
7.2.11	KAM- KEYBOARD ACTION MODE .....	23
7.2.12	MATM- MULTIPLE AREA TRANSFER MODE .....	23
7.2.13	PUM-POSITONING UNIT MODE.....	23
7.2.14	SATM - SELECTED AREA TRANSFER MODE .....	23
7.2.15	SRM-SEND/RECEIVEMODE .....	23
7.2.16	SRTM- STATUS REPORT TRANSFER MODE .....	23
7.2.17	TSM-TABULATION STOP MODE .....	24
7.2.18	TTM-TRANSFR TERMINATION MODE .....	24
7.2.19	VEM- LINE EDITING MODE .....	24
7.2.20	ZDM-ZERODH^AULTMODE .....	24
7.3	Interaction between modes .....	24
7.3.1	GUARDED AREA TRANSFER MODE (GATM), MULTIPLE AREA TRANSFER MODE (MATM), SEUECTED AREA TRANSFER MODE (S ATM), and TRANSFER TERMINATION MODE (TTM) .....	25
7.3.2	CONTROL REPRESENTATION MODE (CRM) and FORMAT EFFECTOR ACTION MODE (FEAM) .....	25
7.3.3	CHARACTER EDITING MODE (HEM) and INSERTION REPLACEMENT MODE (IRM) .....	25
7.3.4	BI-DIRECTIONAL SUPPORT MODE (BDSM) and DEVICE COMPONENT SELECT MODE (DCSM).....	26
7.4	Private modes .....	26
8	Control functions .....	26
8.1	Types of control functions.....	26
8.2	Categories of control functions .....	27
8.2.1	Delimiters.....	27
8.2.2	Introducers .....	27
8.2.3	Shift functions.....	27
8.2.4	Format effectors .....	27
8.2.5	Presentation control functions.....	28
8.2.6	Editor functions .....	29
8.2.7	Cursor control functions.....	30
8.2.8	Display control functions.....	30
8.2.9	Device control functions.....	30
8.2.10	Information separators.....	30
8.2.11	Area definition.....	31
8.2.12	Mode setting.....	31
8.2.13	Transmission control functions .....	31
8.2.14	Miscellaneous control functions.....	31
8.3	Definition of control functions .....	32
8.3.1	ACK - ACKNOWLEDGE.....	32
8.3.2	APC - APPLICATION PROGRAM COMMAND .....	32
8.3.3	BEL - BHJL .....	33
8.3.4	BPH - BREAK PERMTITED HERE .....	33
8.3.5	BS -BACKSPACE .....	33
8.3.6	CAN-CANCEL .....	33
8.3.7	CBT - CURSOR BACKWARD TABULATION .....	33
8.3.8	CCH - CANCEL CHARACTER.....	33
8.3.9	CHA - CURSOR CHARACTER ABSOLUTE .....	34
8.3.10	CHT - CURSOR FORWARD TABULATION .....	34
8.3.11	CMD-CODINGMETHODDELIMITER.....	34
8.3.12	CNL- CURSOR NEXT LINE.....	34
8.3.13	CPL- CURSOR PRECEDING LINE .....	34

8.3.14	CPR-ACTIVE POSITION REPORT .....	34
8.3.15	GR-CARRIAGERETURN.....	35
8.3.16	CSI- CONTROL SEQUENCE INTRODUCER .....	35
8.3.17	CTC- CURSOR TABULATION CONTROL .....	35
8.3.18	CUB- CURSOR LEFT .....	36
8.3.19	CUD- CURSOR DOWN .....	36
8.3.20	CUF- CURSOR RIGHT .....	36
8.3.21	CUP -CURSOR POSITION.....	36
8.3.22	CUU- CURSOR UP.....	36
8.3.23	CVT- CURSOR LINE TABULAHON .....	36
8.3.24	DA - DEVICE ATTRIBUTES.....	37
8.3.25	DAQ-DEFINEAREAQUALIFICATION .....	37
8.3.26	DCH-DELETE CHARACTER .....	37
8.3.27	DCS- DEVICE CONTROL STRING.....	38
8.3.28	DC1 - DEVICE CONTROL ONE.....	38
8.3.29	DC2- DEVICE CONTROL TWO .....	38
8.3.30	DCS -DEVICE CONTROLTHREE .....	38
8.3.31	DC4- DEVICE CONTROL FOUR.....	39
8.3.32	DEL - DBLETE.....	39
8.3.33	DL-DELETELINE .....	39
8.3.34	DLE- DATA LINK ESCAPE.....	39
8.3.35	DMI-DISABLE MANUAL INPUT .....	39
8.3.36	DSR- DEVICE STATUS RH<JRT .....	40
8.3.37	DTA- DIMENSION TEXT AREA.....	40
8.3.38	EA-ERASEINAREA .....	40
8.3.39	ECH-ERASE CHARACTER .....	41
8.3.40	ED-ERASE IN PAGE .....	41
8.3.41	EP - BRASE IN FBELD .....	42
8.3.42	EL -BRASE IN LINE .....	42
8.3.43	EM - END OF MEDIUM.....	43
8.3.44	BMI -ENABLE MANUAL INPUT .....	43
8.3.45	ENQ-ENQUIRY .....	43
8.3.46	BOT- BND OF TRANSMISSION .....	43
8.3.47	EPA- END OFGUARDBDAREA.....	43
8.3.48	ESA - END OF SELECTED AREA.....	43
8.3.49	ESC-ESCAPE .....	44
8.3.50	ETB - END OF TRANSMISSION BLOCK.....	44
8.3.51	BTX - BND OF TEXT .....	44
8.3.52	FF-FORMFEED.....	44
8.3.53	FNK- FUNCTION KEY .....	44
8.3.54	FNT-FONT SELECTION.....	44
8.3.55	GCC - GRAPHIC CHARACTER COMBINATION.....	45
8.3.56	GSM -GRAPHIC SEE MODMCATION.....	45
8.3.57	GSS - GRAPHIC SIZE SELBCTION .....	45
8.3.58	HPA-CHARACTER POSITION ABSOLUTE.....	45
8.3.59	HPB - CHARACTER POSITION BACKWARD.....	46
8.3.60	HPR- CHARACTER POSITION FORWARD.....	46
8.3.61	HT- CHARACTER TABULATION .....	46
8.3.62	HTJ- CHARACTER TABULATION WITHJUSTMCATION.....	46
8.3.63	HTS- CHARACTER TABULATION SET.....	46
8.3.64	HVP- CHARACTER AND LINE POSITION.....	46
8.3.65	ICH -INSERT CHARACTER .....	47
8.3.66	IDCS - IDBNTIFY DEVICE CONTROL STRING .....	47
8.3.67	IGS - IDBNTIFY GRAPHIC SUBREPERTOIRE.....	47
8.3.68	IL -INSERT LINE.....	48
8.3.69	INT - INTERRUPT .....	48
8.3.70	IS 1 - INFORMATION SEPARATOR ONE (US - UNIT SEPARATOR).....	48
8.3.71	IS2 - INFORMATION SEPARATOR TWO (RS - RECORD SEPARATOR).....	48
8.3.72	IS3 - INFORMATION SEPARATOR THREB (GS - GROUP SEPARATOR).....	48
8.3.73	IS4- INFORMATION SEPARATORFOUR (FS -FILE SEPARATOR).....	49
8.3.74	JFY-JUSTIFY .....	49
8.3.75	LF - UNE FEED.....	49

8.3.76	LSO - LOCKING-SHIFT ZERO .....	49
8.3.77	LSI - LOCKING-SHIFTONE .....	50
8.3.78	LSIR-LOCKING-SHIFT ONE RIGHT .....	50
8.3.79	LS2- LOCKING-SHIFT TWO .....	50
8.3.80	LS2R- LOCKING-SHIFT TWO RIGHT .....	50
8.3.81	LSS-LOCKING-SHEFTTHREE.....	50
8.3.82	LS3R - LOCKING-SHIFT THREE RIGHT.....	50
8.3.83	MC - MEDL\ COPY.....	51
8.3.84	MW- MESSAGEWATTING .....	51
8.3.85	NAK - NEGATIVE ACKNOWLEDGE .....	51
8.3.86	NBH- NO BREAK HERE.....	51
8.3.87	NEL - NEXT LINE.....	51
8.3.88	NP - NEXT PAGE.....	52
8.3.89	NUL-NULL.....	52
8.3.90	OSC - OPERATENG SYSTEM COMMAND.....	52
8.3.91	PEC- PRESENTATION EXPANDORCONTRACT .....	52
8.3.92	PFS - PAGE FORMAT SELECHON .....	53
8.3.93	HLD - PARTIAL LINE FORWARD.....	53
8.3.94	PLU- PARTIAL UNE BACKWARD .....	53
8.3.95	PM-PRIVACY MESSAGE .....	54
8.3.96	PP-PRECEDINGPAGE .....	54
8.3.97	PPA- PAGE POSITION ABSOLUTE.....	54
8.3.98	PPB- PAGE POSITION BACKWARD .....	54
8.3.99	PPR- PAGE POSITION FORWARD .....	54
8.3.100	PTX- PARALLEL TEXTS.....	54
8.3.101	PU1- PRIVATE USE ONE.....	55
8.3.102	PU2- PRIVATE USE TWO .....	55
8.3.103	QUAD-QUAD .....	55
8.3.104	REP-REPEAT .....	56
8.3.105	RI - REVERSE LINE FEED .....	56
8.3.106	RIS - RESET TO INITIAL STATE .....	56
8.3.107	RM - RESET MODE .....	56
8.3.108	SACS - SET ADDITIONAL CHARACIER SEPARATION.....	57
8.3.109	SAPV - SELECT ALTERNATIVE PRESENTATION VARIANTS .....	57
8.3.110	Sa - SINGLE CHARACTERINTRODUCER.....	58
8.3.111	SCO - SELECT CHARACTER ORENTATION.....	58
8.3.112	SCP - SELECT CHARACTER PATH .....	59
8.3.113	SCS - SET CHARACTER SPAQNG.....	59
8.3.114	SD - SCROLL DOWN .....	60
8.3.115	SDS- START DIRECTED STRING .....	60
8.3.116	SEE - SELECT EDITING EXTENT .....	60
8.3.117	SEF- SHEET EJECT AND FEED .....	61
8.3.118	SGR- SELECT GRAPHIC RENDITION .....	61
8.3.119	SHS - SELECT CHARACTER SPAONG .....	63
8.3.120	SI-SHIFT-IN.....	63
8.3.121	SIMD- SELECT IMPLICIT MOVEMENT DIRECTION .....	63
8.3.122	SL - SCROLL LEFT .....	63
8.3.123	SLH - SET LINE HOME .....	64
8.3.124	SLL - SET LINE LIMIT .....	64
8.3.125	SLS - SET LINE SPACING.....	64
8.3.126	SM - SET MODE .....	65
8.3.127	SO - SHIFT-OUT .....	65
8.3.128	SOH- STARTOFHEADING .....	65
8.3.129	SOS - START OF STRING .....	66
8.3.130	SPASTART OF GUARDED AREA.....	66
8.3.131	SPD - SH.ECT PRESENTATION DIRECTIONS .....	66
8.3.132	SPH - SET PAGE HOME .....	67
8.3.133	SPI - SPACING INCREMENT.....	67
8.3.134	SM. - SET PAGE LIMIT.....	68
8.3.135	SPQR - SELECT PRINT QUALITY AND RAPIDITY.....	68
8.3.136	SR-SCROLLRIGHT.....	68
8.3.137	SRCS- SET REDUCED CHARACTER SEPARATION .....	68

8.3.138	SRS - START REVERSED STRING .....	69
8.3.139	SSASTART OF SELECTED AREA.....	69
8.3.140	SSU- SELECT SIZE UNIT .....	69
8.3.141	SSW - SET SPACE WIDTH.....	70
8.3.142	SS2-SINGLE.SHIFTTWO .....	70
8.3.143	SS3-SINGLE-SHIFTTHREE .....	70
8.3.144	ST -STRING TERMINATOR.....	70
8.3.145	STAB - SELECTIVE TABULATION.....	71
8.3.146	STS- SET TRANSMIT STATE.....	71
8.3.147	STX- START OFTEXT .....	71
8.3.148	SU - SCROLL UP .....	71
8.3.149	SUB - SUBSTITUTE .....	71
8.3.150	SVS - SELECT LINE SPACING .....	71
8.3.151	SYN - SYNCHRONOUS IDLE .....	72
8.3.152	TAC - TABULATION ALIGHN) CENTRED.....	72
8.3.153	TALE- TABULATION ALIGNED LEADINGEDGE.....	72
8.3.154	TÄTE- TABULATION ALIGNEDTRAILINGEDGE.....	72
8.3.155	TBC - TABULATION CLEAR.....	73
8.3.156	TCC- TABULATION CENTRED ON CHARACTER.....	73
8.3.157	TSR -TABULATION STOP REMOVE .....	73
8.3.158	TSS - THIN SPACE SPECIFICATION .....	74
8.3.159	VPA - LINE POSITION ABSOLUTE.....	74
8.3.160	VPB- LINE POSITION BACKWARD.....	74
8.3.161	VPR - LINE POSITION FORWARD.....	74
8.3.162	VT - LINE TABULATION .....	74
8.3.163	VTS- LINE TABULATION SET.....	75

## Annexes

A - Formator functions and editor functions .....	77
B - Coding examples .....	79
C • Text composition considerations .....	81
D • Implementation-dependent features.....	82
E - Text area formats .....	83
F - Differences between the third and the second edition of ISO/IEC 6429 .....	85
G - Bibliography.....	88