

ISO/IEC 6429:1992-12 (E)

Information technology; control functions for coded character sets

Contents		Page
1	Scope	1
2	Conformance	1
2.1	Types of conformance	1
2.2	Conformance of information interchange	1
2.3	Conformance of devices.....	2
2.3.1	Device description	2
2.3.2	Originating devices	2
2.3.3	Receiving devices	2
3	Normative references	2
4	Notation and definitions	3
4.1	Notation	3
4.2	Definitions	3
5	Coded representation	6
5.1	General	6
5.2	Elements of the CO set	6
5.3	Elements of the C1 set.....	7
5.4	Control sequences	8
5.4.1	Parameter representation.....	10
5.4.2	Parameter string format.....	10
5.4.3	Types of parameters	11
5.5	Independent control functions.....	11
5.6	Control strings.....	12
6	Device concepts	12
6.1	Components.....	12
6.1.1	Presentation component	13
6.1.2	The active presentation Position	13
6.1.3	Data component	13
6.1.4	The active data Position	14
6.1.5	Relationship between active data position and active presentation position	14
6.1.6	Implicit movement	14
6.1.7	Explicit movement.....	15
6.1.8	Indirect movement	15
6.2	The data stream	16
6.2.1	Data Organization.....	16
6.3	The graphic image output	16
6.4	Formator functions and editor functions.....	16
6.4.1	Formator functions.....	16
6.4.2	Composite graphic characters.....	17
6.4.3	Editor functions	17
6.5	Selected and qualified areas	17
6.5.1	Selected areas	17
6.5.2	Qualified areas.....	17
6.6	Auxiliary input/output devices	18
6.7	Tabulation and fields	18
7	Modes	18
7.1	The concept of modes	18
7.2	Definition of modes	19

7.2.1	BDSM - BI-DIRECTIONAL SUPPORT MODE	21
7.2.2	CRM -CONTROL REPRESENTATION MODE	21
7.2.3	DGSM -DEVICE COMPONENT SELECT MODE.....	21
7.2.4	ERM-ERASUREMODE	21
7.2.5	FEAM- FORMAT EFFECTOR ACTION MODE.....	21
7.2.6	FETM - FORMAT EFFECTOR TRANSFER MODE	22
7.2.7	GATM - GUARDED AREA TRANSFER MODE	22
7.2.8	GRCM- GRAPHIC RENDITION COMBINATION MODE	22
7.2.9	HEM - CHARACTER EDITING MODE	22
7.2.10	IRM- INSERTION REPLACEMENT MODE	23
7.2.11	KAM- KEYBOARD ACTION MODE	23
7.2.12	MATM- MULTIPLE AREA TRANSFER MODE	23
7.2.13	PUM-POSITONING UNIT MODE.....	23
7.2.14	SATM - SELECTED AREA TRANSFER MODE	23
7.2.15	SRM-SEND/RECEIVEMODE	23
7.2.16	SRTM- STATUS REPORT TRANSFER MODE	23
7.2.17	TSM-TABULATION STOP MODE	24
7.2.18	TTM-TRANSFR TERMINATION MODE	24
7.2.19	VEM- LINE EDITING MODE	24
7.2.20	ZDM-ZERODH^AULTMODE	24
7.3	Interaction between modes	24
7.3.1	GUARDED AREA TRANSFER MODE (GATM), MULTIPLE AREA TRANSFER MODE (MATM), SEUECTED AREA TRANSFER MODE (S ATM), and TRANSFER TERMINATION MODE (TTM)	25
7.3.2	CONTROL REPRESENTATION MODE (CRM) and FORMAT EFFECTOR ACTION MODE (FEAM)	25
7.3.3	CHARACTER EDITING MODE (HEM) and INSERTION REPLACEMENT MODE (IRM)	25
7.3.4	BI-DIRECTIONAL SUPPORT MODE (BDSM) and DEVICE COMPONENT SELECT MODE (DCSM).....	26
7.4	Private modes	26
8	Control functions	26
8.1	Types of control functions.....	26
8.2	Categories of control functions	27
8.2.1	Delimiters.....	27
8.2.2	Introducers	27
8.2.3	Shift functions.....	27
8.2.4	Format effectors	27
8.2.5	Presentation control functions.....	28
8.2.6	Editor functions	29
8.2.7	Cursor control functions.....	30
8.2.8	Display control functions.....	30
8.2.9	Device control functions.....	30
8.2.10	Information separators.....	30
8.2.11	Area definition.....	31
8.2.12	Mode setting.....	31
8.2.13	Transmission control functions	31
8.2.14	Miscellaneous control functions.....	31
8.3	Definition of control functions	32
8.3.1	ACK - ACKNOWLEDGE.....	32
8.3.2	APC - APPLICATION PROGRAM COMMAND	32
8.3.3	BEL - BHJL	33
8.3.4	BPH - BREAK PERMTITED HERE	33
8.3.5	BS -BACKSPACE	33
8.3.6	CAN-CANCEL	33
8.3.7	CBT - CURSOR BACKWARD TABULATION	33
8.3.8	CCH - CANCEL CHARACTER.....	33
8.3.9	CHA - CURSOR CHARACTER ABSOLUTE	34
8.3.10	CHT - CURSOR FORWARD TABULATION	34
8.3.11	CMD-CODINGMETHODDELIMITER.....	34
8.3.12	CNL- CURSOR NEXT LINE.....	34
8.3.13	CPL- CURSOR PRECEDING LINE	34

8.3.14	CPR-ACTIVE POSITION REPORT	34
8.3.15	GR-CARRIAGERETURN.....	35
8.3.16	CSI- CONTROL SEQUENCE INTRODUCER	35
8.3.17	CTC- CURSOR TABULATION CONTROL	35
8.3.18	CUB- CURSOR LEFT	36
8.3.19	CUD- CURSOR DOWN	36
8.3.20	CUF- CURSOR RIGHT	36
8.3.21	CUP -CURSOR POSITION.....	36
8.3.22	CUU- CURSOR UP.....	36
8.3.23	CVT- CURSOR LINE TABULAHON	36
8.3.24	DA - DEVICE ATTRIBUTES.....	37
8.3.25	DAQ-DEFINEAREAQUALIFICATION	37
8.3.26	DCH-DELETE CHARACTER	37
8.3.27	DCS- DEVICE CONTROL STRING.....	38
8.3.28	DC1 - DEVICE CONTROL ONE.....	38
8.3.29	DC2- DEVICE CONTROL TWO	38
8.3.30	DCS -DEVICE CONTROLTHREE	38
8.3.31	DC4- DEVICE CONTROL FOUR.....	39
8.3.32	DEL - DBLETE.....	39
8.3.33	DL-DELETELINE	39
8.3.34	DLE- DATA LINK ESCAPE.....	39
8.3.35	DMI-DISABLE MANUAL INPUT	39
8.3.36	DSR- DEVICE STATUS RH<JRT	40
8.3.37	DTA- DIMENSION TEXT AREA.....	40
8.3.38	EA-ERASEINAREA	40
8.3.39	ECH-ERASE CHARACTER	41
8.3.40	ED-ERASE IN PAGE	41
8.3.41	EP - BRASE IN FBELD	42
8.3.42	EL -BRASE IN LINE	42
8.3.43	EM - END OF MEDIUM.....	43
8.3.44	BMI -ENABLE MANUAL INPUT	43
8.3.45	ENQ-ENQUIRY	43
8.3.46	BOT- BND OF TRANSMISSION	43
8.3.47	EPA- END OFGUARDBDAREA.....	43
8.3.48	ESA - END OF SELECTED AREA.....	43
8.3.49	ESC-ESCAPE	44
8.3.50	ETB - END OF TRANSMISSION BLOCK.....	44
8.3.51	BTX - BND OF TEXT	44
8.3.52	FF-FORMFEED.....	44
8.3.53	FNK- FUNCTION KEY	44
8.3.54	FNT-FONT SELECTION.....	44
8.3.55	GCC - GRAPHIC CHARACTER COMBINATION.....	45
8.3.56	GSM -GRAPHIC SEE MODMCATION.....	45
8.3.57	GSS - GRAPHIC SIZE SELBCTION	45
8.3.58	HPA-CHARACTER POSITION ABSOLUTE.....	45
8.3.59	HPB - CHARACTER POSITION BACKWARD.....	46
8.3.60	HPR- CHARACTER POSITION FORWARD.....	46
8.3.61	HT- CHARACTER TABULATION	46
8.3.62	HTJ- CHARACTER TABULATION WITHJUSTMCATION.....	46
8.3.63	HTS- CHARACTER TABULATION SET.....	46
8.3.64	HVP- CHARACTER AND LINE POSITION.....	46
8.3.65	ICH -INSERT CHARACTER	47
8.3.66	IDCS - IDBNTIFY DEVICE CONTROL STRING	47
8.3.67	IGS - IDBNTIFY GRAPHIC SUBREPERTOIRE.....	47
8.3.68	IL -INSERT LINE.....	48
8.3.69	INT - INTERRUPT	48
8.3.70	IS 1 - INFORMATION SEPARATOR ONE (US - UNIT SEPARATOR).....	48
8.3.71	IS2 - INFORMATION SEPARATOR TWO (RS - RECORD SEPARATOR).....	48
8.3.72	IS3 - INFORMATION SEPARATOR THREB (GS - GROUP SEPARATOR).....	48
8.3.73	IS4- INFORMATION SEPARATORFOUR (FS -FILE SEPARATOR).....	49
8.3.74	JFY-JUSTIFY	49
8.3.75	LF - UNE FEED.....	49

8.3.76	LSO - LOCKING-SHIFT ZERO	49
8.3.77	LSI - LOCKING-SHIFTONE	50
8.3.78	LSIR-LOCKING-SHIFT ONE RIGHT	50
8.3.79	LS2- LOCKING-SHIFT TWO	50
8.3.80	LS2R- LOCKING-SHIFT TWO RIGHT	50
8.3.81	LSS-LOCKING-SHEFTTHREE.....	50
8.3.82	LS3R - LOCKING-SHIFT THREE RIGHT.....	50
8.3.83	MC - MEDL\ COPY.....	51
8.3.84	MW- MESSAGEWATTING	51
8.3.85	NAK - NEGATIVE ACKNOWLEDGE	51
8.3.86	NBH- NO BREAK HERE.....	51
8.3.87	NEL - NEXT LINE.....	51
8.3.88	NP - NEXT PAGE.....	52
8.3.89	NUL-NULL.....	52
8.3.90	OSC - OPERATENG SYSTEM COMMAND.....	52
8.3.91	PEC- PRESENTATION EXPANDORCONTRACT	52
8.3.92	PFS - PAGE FORMAT SELECHON	53
8.3.93	HLD - PARTIAL LINE FORWARD.....	53
8.3.94	PLU- PARTIAL UNE BACKWARD	53
8.3.95	PM-PRIVACY MESSAGE	54
8.3.96	PP-PRECEDINGPAGE	54
8.3.97	PPA- PAGE POSITION ABSOLUTE.....	54
8.3.98	PPB- PAGE POSITION BACKWARD	54
8.3.99	PPR- PAGE POSITION FORWARD	54
8.3.100	PTX- PARALLEL TEXTS.....	54
8.3.101	PU1- PRIVATE USE ONE.....	55
8.3.102	PU2- PRIVATE USE TWO	55
8.3.103	QUAD-QUAD	55
8.3.104	REP-REPEAT	56
8.3.105	RI - REVERSE LINE FEED	56
8.3.106	RIS - RESET TO INITIAL STATE	56
8.3.107	RM - RESET MODE	56
8.3.108	SACS - SET ADDITIONAL CHARACIER SEPARATION.....	57
8.3.109	SAPV - SELECT ALTERNATIVE PRESENTATION VARIANTS	57
8.3.110	Sa - SINGLE CHARACTERINTRODUCER.....	58
8.3.111	SCO - SELECT CHARACTER ORENTATION.....	58
8.3.112	SCP - SELECT CHARACTER PATH	59
8.3.113	SCS - SET CHARACTER SPAQNG.....	59
8.3.114	SD - SCROLL DOWN	60
8.3.115	SDS- START DIRECTED STRING	60
8.3.116	SEE - SELECT EDITING EXTENT	60
8.3.117	SEF- SHEET EJECT AND FEED	61
8.3.118	SGR- SELECT GRAPHIC RENDITION	61
8.3.119	SHS - SELECT CHARACTER SPAONG	63
8.3.120	SI-SHIFT-IN.....	63
8.3.121	SIMD- SELECT IMPLICIT MOVEMENT DIRECTION	63
8.3.122	SL - SCROLL LEFT	63
8.3.123	SLH - SET LINE HOME	64
8.3.124	SLL - SET LINE LIMIT	64
8.3.125	SLS - SET LINE SPACING.....	64
8.3.126	SM - SET MODE	65
8.3.127	SO - SHIFT-OUT	65
8.3.128	SOH- STARTOFHEADING	65
8.3.129	SOS - START OF STRING	66
8.3.130	SPASTART OF GUARDED AREA.....	66
8.3.131	SPD - SH.ECT PRESENTATION DIRECTIONS	66
8.3.132	SPH - SET PAGE HOME	67
8.3.133	SPI - SPACING INCREMENT.....	67
8.3.134	SM. - SET PAGE LIMIT.....	68
8.3.135	SPQR - SELECT PRINT QUALITY AND RAPIDITY.....	68
8.3.136	SR-SCROLLRIGHT.....	68
8.3.137	SRCS- SET REDUCED CHARACTER SEPARATION	68

8.3.138	SRS - START REVERSED STRING	69
8.3.139	SSASTART OF SELECTED AREA.....	69
8.3.140	SSU- SELECT SIZE UNIT	69
8.3.141	SSW - SET SPACE WIDTH.....	70
8.3.142	SS2-SINGLE.SHIFTTWO	70
8.3.143	SS3-SINGLE-SHIFTTHREE	70
8.3.144	ST -STRING TERMINATOR.....	70
8.3.145	STAB - SELECTIVE TABULATION.....	71
8.3.146	STS- SET TRANSMIT STATE.....	71
8.3.147	STX- START OFTEXT	71
8.3.148	SU - SCROLL UP	71
8.3.149	SUB - SUBSTITUTE	71
8.3.150	SVS - SELECT LINE SPACING	71
8.3.151	SYN - SYNCHRONOUS IDLE	72
8.3.152	TAC - TABULATION ALIGHN) CENTRED.....	72
8.3.153	TALE- TABULATION ALIGNED LEADINGEDGE.....	72
8.3.154	TÄTE- TABULATION ALIGNEDTRAILINGEDGE.....	72
8.3.155	TBC - TABULATION CLEAR.....	73
8.3.156	TCC- TABULATION CENTRED ON CHARACTER.....	73
8.3.157	TSR -TABULATION STOP REMOVE	73
8.3.158	TSS - THIN SPACE SPECIFICATION	74
8.3.159	VPA - LINE POSITION ABSOLUTE.....	74
8.3.160	VPB- LINE POSITION BACKWARD.....	74
8.3.161	VPR - LINE POSITION FORWARD.....	74
8.3.162	VT - LINE TABULATION	74
8.3.163	VTS- LINE TABULATION SET.....	75

Annexes

A - Formator functions and editor functions	77
B - Coding examples	79
C • Text composition considerations	81
D • Implementation-dependent features.....	82
E - Text area formats	83
F - Differences between the third and the second edition of ISO/IEC 6429	85
G - Bibliography.....	88