

Table of Contents

SECTION 1 SCORM® SEQUENCING AND NAVIGATION (SN).....	1-1
1.1. INTRODUCTION TO THE SCORM SEQUENCING AND NAVIGATION (SN) BOOK	1-3
1.1.1. What is Covered in the SCORM Sequencing and Navigation Book?	1-3
1.1.2. Using the SCORM Sequencing and Navigation Book	1-4
1.1.3. Relationship with other SCORM Books.....	1-5
1.2. SCORM SEQUENCING OVERVIEW	1-7
1.3. SCORM NAVIGATION OVERVIEW	1-8
SECTION 2 SEQUENCING CONCEPTS	2-1
2.1. CONTENT STRUCTURE AND THE ACTIVITY TREE	2-3
2.1.1. Deriving an Activity Tree from a Content Package.....	2-4
2.1.2. Using Sequencing Collections.....	2-5
2.1.3. Cluster	2-6
2.1.4. Using (Sub) Manifests in a Content Package	2-7
2.1.5. Learning Activity.....	2-8
2.1.6. Attempts	2-9
2.2. STARTING AND STOPPING A SEQUENCING SESSION.....	2-10
2.3. ACTIVITY STATUS TRACKING	2-11
2.3.1. Communicative and Non-communicative Content.....	2-11
2.3.2. Suspending and Resuming Activities	2-11
2.3.3. Data Persistence.....	2-11
2.3.4. Learning Objectives.....	2-12
SECTION 3 THE SEQUENCING DEFINITION MODEL	3-1
3.1. SEQUENCING DEFINITION MODEL OVERVIEW.....	3-3
3.2. SEQUENCING CONTROL MODES	3-4
3.2.1. Sequencing Control Choice.....	3-5
3.2.2. Sequencing Control Choice Exit	3-7
3.2.3. Sequencing Control Flow	3-8
3.2.4. Sequencing Control Forward Only.....	3-9
3.2.5. Use Current Attempt Objective Information	3-10
3.2.6. Use Current Attempt Progress Information.....	3-11
3.3. CONSTRAIN CHOICE CONTROLS.....	3-13
3.3.1. Constrain Choice	3-13
3.3.2. Prevent Activation	3-14
3.4. SEQUENCING RULE DESCRIPTION	3-16
3.4.1. Condition Combination	3-16
3.4.2. Rule Conditions	3-17
3.4.3. Rule Condition Referenced Objective	3-18
3.4.4. Rule Condition Measure Threshold.....	3-19
3.4.5. Rule Condition Operator	3-19
3.4.6. Rule Action.....	3-20
3.5. LIMIT CONDITIONS.....	3-23
3.5.1. Attempt Limits	3-23
3.5.2. Attempt Absolute Duration	3-24
3.6. AUXILIARY RESOURCES.....	3-26
3.7. ROLLUP RULE DESCRIPTION	3-27
3.7.1. Condition Combination	3-27
3.7.2. Rollup Conditions.....	3-28
3.7.3. Rollup Condition Operator	3-29
3.7.4. Rollup Child Activity Set	3-29

3.7.5.	Rollup Actions	3-32
3.8.	ROLLUP CONTROLS	3-33
3.8.1.	Rollup Objective Satisfied	3-33
3.8.2.	Rollup Objective Measure Weight.....	3-33
3.8.3.	Rollup Progress Completion	3-34
3.9.	ROLLUP CONSIDERATION CONTROLS	3-35
3.9.1.	Measure Satisfaction If Active.....	3-37
3.9.2.	Required For Rollup Elements.....	3-38
3.10.	OBJECTIVE DESCRIPTION.....	3-40
3.10.1.	Local Objectives vs. Shared Global Objectives	3-42
3.10.2.	Objectives Global to System.....	3-43
3.10.3.	Objective Map	3-44
3.11.	SELECTION CONTROLS	3-46
3.12.	RANDOMIZATION CONTROLS.....	3-48
3.13.	DELIVERY CONTROLS.....	3-49
3.13.1.	Tracked	3-49
3.13.2.	Completion Set by Content.....	3-50
3.13.3.	Objective Set by Content	3-50
SECTION 4	SEQUENCING BEHAVIORS	4-1
4.1.	SEQUENCING BEHAVIOR OVERVIEW	4-3
4.2.	TRACKING MODEL	4-4
4.2.1.	Tracking Model Overview	4-4
4.3.	OVERALL SEQUENCING PROCESS	4-19
4.3.1.	Sequencing Loop	4-21
4.4.	NAVIGATION BEHAVIOR.....	4-24
4.4.1.	Navigation Events.....	4-24
4.4.2.	Navigation Controls.....	4-24
4.4.3.	Navigation Requests	4-25
4.4.4.	Navigation Request Process.....	4-26
4.5.	TERMINATION BEHAVIOR.....	4-28
4.5.1.	Termination Requests	4-28
4.5.2.	Evaluating Post Condition and Exit Action Rules	4-29
4.5.3.	Termination Request Process.....	4-30
4.5.4.	End Attempt Process.....	4-32
4.6.	ROLLUP BEHAVIOR	4-35
4.6.1.	Overall Rollup Process	4-36
4.6.2.	Evaluating Rollup Rules	4-37
4.6.3.	Measure Rollup Process.....	4-39
4.6.4.	Objective Rollup Process.....	4-40
4.6.5.	Activity Progress Rollup Process.....	4-44
4.7.	SELECTION AND RANDOMIZATION BEHAVIOR.....	4-47
4.7.1.	Select Child Process.....	4-47
4.7.2.	Randomize Children Process	4-48
4.8.	SEQUENCING BEHAVIOR.....	4-49
4.8.2.	Sequencing Request Process.....	4-50
4.8.3.	Evaluating Limit Conditions.....	4-51
4.8.4.	Evaluating Precondition Sequencing Rules	4-51
4.8.5.	Flow Subprocess	4-52
4.8.6.	Overall Sequencing Process.....	4-54
4.9.	DELIVERY BEHAVIOR	4-57
4.9.1.	Delivery Request Process	4-58
4.9.2.	Content Delivery Environment Process	4-58
4.9.3.	Launching a Content Object	4-59
SECTION 5	THE SCORM® NAVIGATION MODEL	A-1
5.1.	NAVIGATION MODEL OVERVIEW	A-3

5.2.	TRIGGERING NAVIGATION REQUESTS	A-4
5.3.	PROCESSING NAVIGATION REQUESTS	A-7
5.4.	TERMINATION OF A CONTENT OBJECT THROUGH NAVIGATION	A-9
5.5.	NAVIGATION AND AUXILIARY RESOURCES	A-10
5.6.	USER INTERFACE (UI) DEVICES FOR NAVIGATION	A-11
5.6.1.	Providing UI Devices for Navigation	A-11
5.6.2.	Using the invisible Attribute	A-11
5.6.3.	Presentation Information Model	A-12
5.6.4.	Run-Time Communication of Navigation Requests	A-13
5.6.5.	The SCORM Run-Time Navigation Data Model	A-14
5.6.6.	Request	A-15
5.6.7.	Request Valid	A-18
	APPENDIX A ACRONYM LISTING	A-1
	ACRONYM LISTING	A-3
	APPENDIX B REFERENCES	B-1
	REFERENCES	B-3
	APPENDIX C SEQUENCING BEHAVIOR PSEUDO CODE	C-1
	SEQUENCING BEHAVIOR PSEUDO CODE	C-3
	APPENDIX D SEQUENCING EXCEPTION CODES	D-1
	SEQUENCING EXCEPTION CODES	D-3
	APPENDIX E DOCUMENT REVISION HISTORY	E-1
	DOCUMENT REVISION HISTORY	E-3

List of Figures

Figure 1.1a	The Sequencing and Navigation Book as Part of the SCORM Bookshelf	1-3
Figure 2.1a:	An Example of an Activity Tree	2-3
Figure 2.1.1a:	Relationship between a Content Organization and an Activity Tree	2-4
Figure 2.1.2a:	Cluster Example	2-7
Figure 2.2a:	Sample Learning Activity	2-8
Figure 3.2.1a:	Default Sequencing Control Choice Behavior	3-5
Figure 3.2.1b:	Choosing a Cluster Activity with Flow Enabled	3-6
Figure 3.2.1c:	Choosing a Cluster Activity with Flow Disabled	3-7
Figure 3.2.2a:	Choice Exit Example	3-8
Figure 3.2.3a:	Sequencing Control Flow Behavior	3-9
Figure 3.2.4a:	Sequencing Control Forward Only Example	3-10
Figure 3.3.1a:	Constrain Choice Example	3-14
Figure 3.3.2a:	Prevent Activation Example	3-15
Figure 3.4a:	Sequencing Rule Conditions and Actions	3-16
Figure 3.7a:	Rollup Rule Child Activity Set, Conditions and Actions	3-27
Figure 3.9.1a:	Measure Satisfaction If Active Example	3-37
Figure 3.10a:	Objective Description and Objective Progress Information Relationship	3-41
Figure 3.10.1a:	Sharing Objectives Example	3-43
Figure 4.2.1a:	Relationship between the Run-Time Environment Data Model and the Tracking Model ...	4-5
Figure 4.2.1.1a:	Tracking Model	4-6
Figure 4.2.6.1a	Current Activity State Model	4-16
Figure 4.3a -	Conceptual Model of the Overall Sequencing Process	4-20
Figure 4.6a:	Activity Status Information Used During Rollup	4-35
Figure 4.6.3a:	Example Of the Measure Rollup Process	4-40

Figure 4.6.4a: Objective Rollup Using Measure	4-41
Figure 4.6.4b: Objective Rollup Using Rules.....	4-42
Figure 4.6.4c: Objective Rollup Using Default Rule.....	4-43
Figure 4.6.4d: Objective Rollup Ignoring Measure Using Default Rules.....	4-44
Figure 4.6.5a: Activity Progress Status Rollup Using Rules	4-45
Figure 4.6.5b: Activity Progress Rollup Using Default Rule	4-46
Figure 4.8.5a: Relative Order of “Flowing” Through an Activity Tree.....	4-53
Figure 5.3a: Choosing a Cluster Activity with Flow Disabled.....	A-7

List of Tables

Table 3.2a: Description of Sequencing Control Modes.....	3-4
Table 3.2.5a: Evaluation of Tracking Information based on Use Current Objective Information.....	3-11
Table 3.2.6a: Evaluation of Tracking Information based on Use Current Attempt Progress Information.....	3-12
Table 3.3a: Description of Constrain Choice Controls.....	3-13
Table 3.4.1a: Condition Combination Description.....	3-16
Table 3.4.2a: Description of Rule Conditions	3-17
Table 3.4.3a: Description of Rule Condition Referenced Objective.....	3-18
Table 3.4.4a: Description of Rule Condition Measure Threshold	3-19
Table 3.4.5a: Description of Rule Condition Operator.....	3-20
Table 3.4.6a: Precondition Rule Actions	3-20
Table 3.4.6b: Post Condition Rule Actions	3-21
Table 3.4.6c: Exit Rule Actions.....	3-21
Table 3.5.1a: Description of Attempt Limit.....	3-23
Table 3.5.2a: Description of Attempt Absolute Duration Limit	3-24
Table 3.7.1a: Description of Condition Combination.....	3-28
Table 3.7.2a: Description of Rollup Conditions	3-28
Table 3.7.3a: Description of Rollup Condition Operator.....	3-29
Table 3.7.4a: Description of Rollup Child Activity Set.....	3-30
Table 3.7.5a: Description of Rollup Actions	3-32
Table 3.8a: Description of Rollup Controls.....	3-33
Table 3.9a: Description of Rollup Consideration Controls.....	3-35
Table 3.10a: Description of Objective Description	3-40
Table 3.10.3a: Description of Objective Map.....	3-44
Table 3.11a: Description of Selection Controls	3-46
Table 3.12a: Description of Randomization Controls	3-48
Table 3.13a: Description of Delivery Controls.....	3-49
Table 4.2.1.2a: Objective Progress Information	4-7
Table 4.2.1.3a: Activity Progress Information.....	4-9
Table 4.2.1.4.a: - Attempt Progress Information	4-10
Table 4.2.1.5a: Activity State Information	4-13
Table 4.2.1.6a: Global State Information	4-14
Table 4.4.3a: SCORM 2004 Navigation Requests	4-25
Table 4.5.1a: SCORM 2004 Termination Requests	4-28
Table 4.5.2a: Post Condition and Exit Action Rules - NOT Truth Table	4-29
Table 4.5.2b: Post Condition and Exit Action Rules - AND Truth Table	4-29
Table 4.5.2c: Post Condition and Exit Action Rules - OR Truth Table.....	4-29
Table 4.5.4a: Run-Time Data to Sequencing Tracking Data Mapping Summary	4-33
Table 4.6.2a: Rollup Rules - NOT Truth Table	4-38
Table 4.6.2b: Rollup Rules - AND Truth Table	4-38
Table 4.6.2c: Rollup Rules - OR Truth Table.....	4-38
Table 4.8.1.1a: SCORM 2004 Sequencing Requests.....	4-49
Table 4.8.4a: Precondition Rules - NOT Truth Table.....	4-51

Table 4.8.4b: Precondition Rules - AND Truth Table.....	4-51
Table 4.8.4b: Precondition Rules - OR Truth Table.....	4-52
Table 4.9.2a: Sequencing Tracking Data Mapping to SCO Run-Time Data Summary	4-58
Table 5.2a: Navigation Events and Descriptions.....	A-4
Table 5.6.3.a: Presentation Information Model.....	A-12
Table 5.6.3b: Run-Time User Interface Device Vocabulary	A-12
Table 5.6.4a: SCORM Navigation Data Model	A-13
Table 5.6.5a: Data Model Element Table Explanation.....	A-14
Table 5.6.6a: Dot-notation Binding for the Request Data Model Element	A-16
Table 5.6.7a: Dot-notation Binding for the Request Valid Data Model Element.....	A-19
Table Appendix D – Sequencing Behavior Pseudo Code Exceptions.....	D-3