ISO/IEC TR 29163-4:2009-12 (E)

Information technology_- Sharable Content Object Reference Model (SCORM®) 2004 3rd Edition_- Part_4: Sequencing and Navigation Version 1.1

Table of Contents

SECTION 1 SCORM® SEQUENCING AND NAVIGATION (SN) 1-1
1.1. INTRODUCTION TO THE SCORM SEQUENCING AND NAVIGATION (SN) BOOK 1-3
1.1.1. What is Covered in the SCORM Sequencing and Navigation Book? 1-3
1.1.2. Using the SCORM Sequencing and Navigation Book 1-4
1.1.3. Relationship with other SCORM Books 1-5
1.2. SCORM SEQUENCING OVERVIEW 1-7
1.3. SCORM NAVIGATION OVERVIEW 1-8
SECTION 2 SEQUENCING CONCEPTS 2-1
2.1. CONTENT STRUCTURE AND THE ACTIVITY TREE 2-3
2.1.1. Deriving an Activity Tree from a Content Package 2-4
2.1.2. Using Sequencing Collections 2-5
2.1.3. Cluster 2-6
2.1.4. Using (Sub) Manifests in a Content Package 2-7
2.1.5. Learning Activity 2-8
2.1.6. Attempts 2-9
2.2. STARTING AND STOPPING A SEQUENCING SESSION 2-10
2.3. ACTIVITY STATUS TRACKING 2-11
2.3.1. Communicative and Non-communicative Content 2-11
2.3.2. Suspending and Resuming Activities 2-11
2.3.3. Data Persistence 2-11
2.3.4. Learning Objectives 2-12
SECTION 3 THE SEQUENCING DEFINITION MODEL 3-1
3.1. SEQUENCING DEFINITION MODEL OVERVIEW 3-3
3.2. SEQUENCING CONTROL MODES 3-4
3.2.1. Sequencing Control Choice 3-5
3.2.2. Sequencing Control Choice Exit 3-7
3.2.3. Sequencing Control Flow 3-8
3.2.4. Sequencing Control Forward Only 3-9
3.2.5. Use Current Attempt Objective Information 3-10
3.2.6. Use Current Attempt Progress Information 3-11
3.3. CONSTRAIN CHOICE CONTROLS 3-13
3.3.1. Constrain Choice 3-13
3.3.2. Prevent Activation 3-14
3.4. SEQUENCING RULE DESCRIPTION 3-16
3.4.1. Condition Combination 3-16
3.4.2. Rule Conditions 3-17
3.4.3. Rule Condition Referenced Objective 3-18
3.4.4. Rule Condition Measure Threshold 3-19
3.4.5. Rule Condition Operator 3-19
3.4.6. Rule Action 3-20
3.5. LIMIT CONDITIONS 3-23
3.5.1. Attempt Limits 3-23
3.5.2. Attempt Absolute Duration 3-24
3.6. AUXILIARY RESOURCES 3-26
3.7. ROLLUP RULE DESCRIPTION 3-27
3.7.1. Condition Combination 3-27
3.7.2. Rollup Conditions 3-28
3.7.3. Rollup Condition Operator 3-29
3.7.4. Rollup Child Activity Set 3-29

3.7.5. Rollup Actions 3-32
3.8. ROLLUP CONTROLS 3-33
3.8.1. Rollup Objective Satisfied 3-33
3.8.2. Rollup Objective Measure Weight 3-33
3.8.3. Rollup Progress Completion 3-34
3.9. ROLLUP CONSIDERATION CONTROLS 3-35
3.9.1. Measure Satisfaction If Active 3-37
3.9.2. Required For Rollup Elements 3-38
3.10. OBJECTIVE DESCRIPTION 3-40
3.10.1. Local Objectives vs. Shared Global Objectives 3-42
3.10.2. Objectives Global to System 3-43
3.10.3. Objective Map 3-44
3.11. SELECTION CONTROLS 3-46
3.12. RANDOMIZATION CONTROLS 3-48
3.13. DELIVERY CONTROLS 3-49
3.13.1. Tracked 3-49
3.13.2. Completion Set by Content 3-50
3.13.3. Objective Set by Content 3-50
SECTION 4 SEQUENCING BEHAVIORS 4-1
4.1. SEQUENCING BEHAVIOR OVERVIEW 4-3
4.2. TRACKING MODEL 4-4
4.2.1. Tracking Model Overview 4-4
4.3. OVERALL SEQUENCING PROCESS 4-19
4.3.1. Sequencing Loop 4-21
4.4. NAVIGATION BEHAVIOR 4-24
4.4.1. Navigation Events 4-24
4.4.2. Navigation Controls 4-24
4.4.3. Navigation Requests 4-25
4.4.4. Navigation Request Process 4-26
4.5. TERMINATION BEHAVIOR 4-28
4.5.1. Termination Requests 4-28
4.5.2. Evaluating Post Condition and Exit Action Rules 4-29
4.5.3. Termination Request Process 4-30
4.5.4. End Attempt Process 4-32
4.6. ROLLUP BEHAVIOR 4-35
4.6.1. Overall Rollup Process 4-36
4.6.2. Evaluating Rollup Rules 4-37
4.6.3. Measure Rollup Process 4-39
4.6.4. Objective Rollup Process 4-40
4.6.5. Activity Progress Rollup Process 4-44
4.7. SELECTION AND RANDOMIZATION BEHAVIOR 4-47
4.7.1. Select Child Process 4-47
4.7.2. Randomize Children Process 4-48
4.8. SEQUENCING BEHAVIOR 4-49
4.8.2. Sequencing Request Process 4-50
4.8.3. Evaluating Limit Conditions 4-51
4.8.4. Evaluating Precondition Sequencing Rules 4-51
4.8.5. Flow Subprocess 4-52
4.8.6. Overall Sequencing Process 4-54
4.9. DELIVERY BEHAVIOR 4-57
4.9.1. Delivery Request Process 4-58
4.9.2. Content Delivery Environment Process 4-58
4.9.3. Launching a Content Object 4-59
SECTION 5 THE SCORM® NAVIGATION MODEL A-1
5.1. NAVIGATION MODEL OVERVIEW A-3

5.2. TRIGGERING NAVIGATION REQUESTS A-4
5.3. PROCESSING NAVIGATION REQUESTS A-7
5.4. TERMINATION OF A CONTENT OBJECT THROUGH NAVIGATION A-9
5.5. NAVIGATION AND AUXILIARY RESOURCES A-10
5.6. USER INTERFACE (UI) DEVICES FOR NAVIGATION A-11
5.6.1. Providing UI Devices for Navigation A-11
5.6.2. Using the isvisible Attribute A-11
5.6.3. Presentation Information Model A-12
5.6.4. Run-Time Communication of Navigation Requests A-13
5.6.5. The SCORM Run-Time Navigation Data Model A-14
5.6.6. Request A-15
5.6.7. Request Valid A-18
APPENDIX A ACRONYM LISTING A-1
ACRONYM LISTING A-3
APPENDIX B REFERENCES B-1
REFERENCES B-3
APPENDIX C SEQUENCING BEHAVIOR PSEUDO CODE C-1
SEQUENCING BEHAVIOR PSEUDO CODE C-3
APPENDIX D SEQUENCING EXCEPTION CODES D-1
SEQUENCING EXCEPTION CODES D-3
APPENDIX E DOCUMENT REVISON HISTORY E-1
DOCUMENT REVISION HISTORY E-3

List of Figures

Figure 1.1a The Sequencing and Navigation Book as Part of the SCORM Bookshelf 1-3
Figure 2.1a: An Example of an Activity Tree 2-3
Figure 2.1.1a: Relationship between a Content Organization and an Activity Tree 2-4
Figure 2.1.2a: Cluster Example 2-7
Figure 2.2a: Sample Learning Activity 2-8
Figure 3.2.1a: Default Sequencing Control Choice Behavior 3-5
Figure 3.2.1b: Choosing a Cluster Activity with Flow Enabled 3-6
Figure 3.2.1c: Choosing a Cluster Activity with Flow Disabled 3-7
Figure 3.2.2a: Choice Exit Example 3-8
Figure 3.2.3a: Sequencing Control Flow Behavior 3-9
Figure 3.2.4a: Sequencing Control Forward Only Example 3-10
Figure 3.3.1a: Constrain Choice Example 3-14
Figure 3.3.2a: Prevent Activation Example 3-15
Figure 3.4a: Sequencing Rule Conditions and Actions 3-16
Figure 3.7a: Rollup Rule Child Activity Set, Conditions and Actions 3-27
Figure 3.9.1a: Measure Satisfaction If Active Example 3-37
Figure 3.10a: Objective Description and Objective Progress Information Relationship 3-41
Figure 3.10.1a: Sharing Objectives Example 3-43
Figure 4.2.1a: Relationship between the Run-Time Environment Data Model and the Tracking Model 4-5
Figure 4.2.1.1a: Tracking Model 4-6
Figure 4.2.6.1a Current Activity State Model 4-16
Figure 4.3a - Conceptual Model of the Overall Sequencing Process 4-20
Figure 4.6a: Activity Status Information Used During Rollup 4-35
Figure 4.6.3a: Example Of the Measure Rollup Process 4-40

Figure 4.6.4a: Objective Rollup Using Measure 4-41
Figure 4.6.4b: Objective Rollup Using Rules 4-42
Figure 4.6.4c: Objective Rollup Using Default Rule 4-43
Figure 4.6.4d: Objective Rollup Ignoring Measure Using Default Rules 4-44
Figure 4.6.5a: Activity Progress Status Rollup Using Rules 4-45
Figure 4.6.5b: Activity Progress Rollup Using Default Rule 4-46
Figure 4.8.5a: Relative Order of "Flowing" Through an Activity Tree 4-53
Figure 5.3a: Choosing a Cluster Activity with Flow Disabled A-7

List of Tables

Table 3.2a: Description of Sequencing Control Modes 3-4
Table 3.2.5a: Evaluation of Tracking Information based on Use Current Objective Information 3-11
Table 3.2.6a: Evaluation of Tracking Information based on Use Current Attempt Progress Information 3-12
Table 3.3a: Description of Constrain Choice Controls 3-13
Table 3.4.1a: Condition Combination Description 3-16
Table 3.4.2a: Description of Rule Conditions 3-17
Table 3.4.3a: Description of Rule Condition Referenced Objective 3-18
Table 3.4.4a: Description of Rule Condition Measure Threshold 3-19
Table 3.4.5a: Description of Rule Condition Operator 3-20
Table 3.4.6a: Precondition Rule Actions 3-20
Table 3.4.6b: Post Condition Rule Actions 3-21
Table 3.4.6c: Exit Rule Actions 3-21
Table 3.5.1a: Description of Attempt Limit 3-23
Table 3.5.2a: Description of Attempt Absolute Duration Limit 3-24
Table 3.7.1a: Description of Condition Combination 3-28
Table 3.7.2a: Description of Rollup Conditions 3-28
Table 3.7.3a: Description of Rollup Condition Operator 3-29
Table 3.7.4a: Description of Rollup Child Activity Set 3-30
Table 3.7.5a: Description of Rollup Actions 3-32
Table 3.8a: Description of Rollup Controls 3-33
Table 3.9a: Description of Rollup Consideration Controls 3-35
Table 3.10a: Description of Objective Description 3-40
Table 3.10.3a: Description of Objective Map 3-44
Table 3.11a: Description of Selection Controls 3-46
Table 3.12a: Description of Randomization Controls 3-48
Table 3.13a: Description of Delivery Controls 3-49
Table 4.2.1.2a: Objective Progress Information 4-7
Table 4.2.1.3a: Activity Progress Information 4-9
Table 4.2.1.4.a: - Attempt Progress Information 4-10
Table 4.2.1.5a: Activity State Information 4-13
Table 4.2.1.6a: Global State Information 4-14
Table 4.4.3a: SCORM 2004 Navigation Requests 4-25
Table 4.5.1a: SCORM 2004 Termination Requests 4-28
Table 4.5.2a: Post Condition and Exit Action Rules - NOT Truth Table 4-29
Table 4.5.2b: Post Condition and Exit Action Rules - AND Truth Table 4-29
Table 4.5.2c: Post Condition and Exit Action Rules - OR Truth Table 4-29
Table 4.5.4a: Run-Time Data to Sequencing Tracking Data Mapping Summary 4-33
Table 4.6.2a: Rollup Rules - NOT Truth Table 4-38
Table 4.6.2b: Rollup Rules - AND Truth Table 4-38
Table 4.6.2c: Rollup Rules - OR Truth Table 4-38
Table 4.8.1.1a: SCORM 2004 Sequencing Requests 4-49
Table 4.8.4a: Precondition Rules - NOT Truth Table 4-51

Table 4.8.4b: Precondition Rules - AND Truth Table 4-51
Table 4.8.4b: Precondition Rules - OR Truth Table 4-52
Table 4.9.2a: Sequencing Tracking Data Mapping to SCO Run-Time Data Summary 4-58
Table 5.2a: Navigation Events and Descriptions A-4
Table 5.6.3.a: Presentation Information Model A-12
Table 5.6.3b: Run-Time User Interface Device Vocabulary A-12
Table 5.6.4a: SCORM Navigation Data Model A-13
Table 5.6.5a: Data Model Element Table Explanation A-14
Table 5.6.6a: Dot-notation Binding for the Request Data Model Element A-16
Table 5.67a: Dot-notation Binding for the Request Valid Data Model Element A-19
Table Appendix D – Sequencing Behavior Pseudo Code Exceptions D-3