

# ISO/IEC 14496-16:2009-12 (E)

## Information technology - Coding of audio-visual objects - Part 16: Animation Framework eXtension (AFX)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Symbols and abbreviated terms .....</b>	<b>1</b>
3.1	Introduction .....	2
3.2	The AFX place within computer animation framework .....	3
3.3	Geometry tools .....	5
3.3.1	Non-Uniform Rational B-Spline (NURBS) .....	5
3.3.2	Subdivision surfaces .....	8
3.3.3	MeshGrid representation .....	28
3.3.4	MorphSpace .....	34
3.3.5	MultiResolution FootPrint-Based Representation .....	35
3.3.6	Solid representation .....	39
3.4	Texture tools .....	49
3.4.1	Depth Image-Based Representation .....	49
3.4.2	Depth Image-based Representation Version 2 .....	53
3.4.3	Multitexturing .....	57
3.5	Animation tools .....	62
3.5.1	Deformation tools .....	62
3.5.2	Generic skeleton, muscle and skin-based model definition and animation .....	64
3.6	Rendering tools .....	74
3.6.1	Shadows .....	74
<b>4</b>	<b>AFX bitstream specification - 3D Graphics compression tools .....</b>	<b>76</b>
4.1	Introduction .....	76
4.2	Geometry tools .....	77
4.2.1	3DMC Extension .....	77
4.2.2	Wavelet Subdivision Surfaces .....	134
4.2.3	MeshGrid stream .....	137
4.2.4	MultiResolution FootPrint-Based Representation .....	174
4.3	Texture tools .....	182
4.3.1	Depth Image-Based Representation .....	182
4.3.2	PointTexture stream .....	187
4.4	Animation tools .....	197
4.4.1	Bone-based animation .....	197
4.4.2	Frame-based Animated Mesh Compression (FAMC) stream .....	211
4.5	Generic tools .....	234
4.5.1	Multiplexing of 3D Compression Streams: the MPEG-4 3D Graphics stream (.m3d) syntax .....	234
4.5.2	AFX Generic Backchannel .....	238
<b>5</b>	<b>AFX object codes .....</b>	<b>249</b>
<b>6</b>	<b>3D Graphics Profiles .....</b>	<b>250</b>
6.1	Introduction .....	250
6.2	"Graphics" Dimension .....	251
6.2.1	MPEG-4 X3D Interactive Graphics Profiles and Levels .....	251
6.2.2	MPEG-4 "Basic AFX" Graphics Profiles and Levels .....	254

6.3	"Scene Graph" Dimension .....	256
6.3.1	MPEG-4 X3D Interactive Scene Graph Profile and Levels .....	256
6.3.2	PEG-4 "Basic AFX" Scene Graph Profile and Levels .....	259
6.4	"3D Compression" Dimension .....	261
6.4.1	"Core 3D Compression" Profile and Levels .....	262
6.4.2	3D Multiresolution Compression Profile and Levels .....	265
7	XMT representation for AFX tools .....	269
7.1	AFX nodes .....	269
7.2	AFX encoding hints .....	269
7.2.1	WaveletSubdivision encoding hints .....	269
7.2.2	MeshGrid encoding hints .....	269
7.2.3	OctreelImage encoding hints .....	270
7.2.4	PointTexture encoding hints .....	270
7.2.5	BBA encoding hints .....	270
7.3	AFX encoding parameters .....	270
7.3.1	WaveletSubdivisionEncodingParameters .....	270
7.3.2	MeshGridEncodingParameters .....	271
7.3.3	PointTextureEncodingParameters .....	272
7.3.4	BBAEncodingParameters .....	272
7.4	AFX decoder specific info .....	273
7.4.1	WaveletSubdivision decoder specific info .....	273
7.4.2	MeshGrid decoder specific info .....	273
7.5	XMT for Bone-based Animation .....	274
7.5.1	BBA .....	274
7.5.2	BBA_header .....	274
7.5.3	BBA_encoding .....	275
7.5.4	BBA_body .....	275
7.5.5	BBA_frame .....	275
7.5.6	BBA_frameMask .....	275
7.5.7	BoneMask .....	276
7.5.8	MuscleMask .....	277
7.5.9	MorphMask .....	277
7.5.10	BBA_frameValues .....	278
<b>Annex A (normative) Wavelet Mesh Decoding Process .....</b>		<b>279</b>
A.1	Overview .....	279
A.2	Base mesh .....	279
A.3	Definitions and notations .....	279
A.4	Bitplanes extraction .....	280
A.5	Zero-tree decoder .....	281
A.6	Synthesis filters and mesh reconstruction .....	281
A.7	Basis change .....	282
<b>Annex B (normative) MeshGrid Representation .....</b>		<b>283</b>
B.1	The hierarchical multi-resolution MeshGrid .....	283
B.1.1	Building MeshGrid multi-resolution levels .....	283
B.1.2	Relation between the resolution level of the mesh and the number of reference-surfaces .....	284
B.1.3	Relation between the resolution level of the grid and the number of reference-surfaces .....	284
B.1.4	Region Of Interest (ROI): Computation of the ROIs size and position .....	285
B.2	Scalability Modes .....	287
B.2.1	Scalability types .....	287
B.2.2	The mesh resolution scalability .....	288
B.2.3	The scalability in shape precision .....	288
B.2.4	The vertex position scalability .....	289
B.3	Animation Possibilities .....	290
B.3.1	Introduction .....	290
B.3.2	Vertex-based animation .....	290
B.3.3	Rippling effects, changing the offsets .....	291
B.3.4	Animation of the reference-grid points .....	291

<b>Annex C (informative) MeshGrid representation</b>	<b>293</b>
<b>C.1 Representing Quadrilateral meshes in the MeshGrid format</b>	<b>293</b>
<b>C.2 IndexedFaceSet models represented by the MeshGrid format</b>	<b>294</b>
<b>C.3 Computation of the number of ROIs at the highest resolution level given an optimal ROI size</b>	<b>294</b>
<b>Annex D (informative) Solid representation</b>	<b>296</b>
<b>D.1 Overview</b>	<b>296</b>
<b>D.2 Solid Primitives</b>	<b>296</b>
<b>D.3 Arithmetics of Forms</b>	<b>297</b>
<b>D.3.1 Introduction</b>	<b>297</b>
<b>D.3.2 General Arithmetic Operators on Densities</b>	<b>298</b>
<b>D.3.3 Ternary Logic: The Kleene Operators</b>	<b>300</b>
<b>D.3.4 Densities Filtering</b>	<b>302</b>
<b>Annex E (informative) Face and Body animation: XMT compliant animation and encoding parameter file format</b>	<b>303</b>
<b>E.1 XSD for FAP file format</b>	<b>303</b>
<b>E.2 XSD for BAP file format</b>	<b>304</b>
<b>E.3 XSD for EPF</b>	<b>305</b>
<b>Annex F (normative) Local refinements for MultiResolution FootPrint-Based Representation</b>	<b>309</b>
<b>Annex G (informative) Partition Encoding for FAMC</b>	<b>311</b>
<b>Annex H (informative) Animation Weights Encoding for FAMC</b>	<b>312</b>
<b>Annex I (normative) Layered decomposition for FAMC</b>	<b>313</b>
<b>I.1 Obtaining the layered decomposition</b>	<b>313</b>
<b>I.2 Deriving layers <math>Id[I]</math>, <math>I&gt;0</math> using decoded data and connectivity (layeredDecompositionIsEncoded equals 1)</b>	<b>314</b>
<b>I.3 Deriving layers <math>Id[I]</math>, <math>I&gt;0</math> using only connectivity (default option, layeredDecompositionIsEncoded equals 0)</b>	<b>314</b>
<b>I.4 Deriving layer <math>Id[0]</math></b>	<b>317</b>
<b>I.5 Mesh simplification</b>	<b>319</b>
<b>Annex J (normative) Reconstruction of values from decoded prediction errors with LD technique for FAMC</b>	<b>321</b>
<b>Annex K (normative) CABAC definitions, basic functions, and binarizations (as used for FAMC)</b>	<b>324</b>
<b>K.1 CABAC definitions</b>	<b>324</b>
<b>K.1.1 Definition of the term CabacContext</b>	<b>324</b>
<b>K.1.2 Definition of the term DecodingEnvironment</b>	<b>324</b>
<b>K.2 CABAC basic functions</b>	<b>324</b>
<b>K.2.1 Definition of the function cabac.biari_init_context( ctx, preCtxState )</b>	<b>324</b>
<b>K.2.2 Definition of the function cabac.arideco_start_decoding( dec_env )</b>	<b>324</b>
<b>K.2.3 Definition of the function cabac.biari_decode_symbol( dec_env, ctx )</b>	<b>325</b>
<b>K.2.4 Definition of the function cabac.biari_decode_symbol_eq_prob( dec_env )</b>	<b>327</b>
<b>K.2.5 Definition of the function cabac.biari_decode_final( dec_env )</b>	<b>328</b>
<b>K.3 CABAC binarization functions</b>	<b>328</b>
<b>K.3.1 Definition of the function cabac.exp_golomb_decode_eq_prob( dec_env, k )</b>	<b>328</b>
<b>K.3.2 Definition of the function cabac.unary_exp_golomb_decode( dec_env, ctx, exp_start )</b>	<b>328</b>
<b>Annex L (normative) Node coding tables</b>	<b>330</b>
<b>L.1 Node Coding tables</b>	<b>330</b>

<b>L.2</b>	<b>Node Definition Type tables .....</b>	<b>330</b>
	<b>Annex M (informative) Patent statements .....</b>	<b>331</b>
	<b>Bibliography .....</b>	<b>332</b>