ISO/IEC 29500-1 Technical Corrigendum 1:2010-05 (E)

Information technology_- Document description and processing languages_- Office Open XML File Formats_- Part_1: Fundamentals and Markup Language Reference; Technical Corrigendum_1

Contents

Changes 1

1. §3, “Normative References”, p. 8 1
2. §3, “Normative References”, p. 10 1
3. §3, “Normative References”, p. 10 1
4. §3, “Normative References”, p. 11 1
5. §4, “Terms and Definitions”, p. 12 1
6. §4, “Terms and Definitions”, p. 13 1
7. §5, “Notational Conventions”, p. 14 1
8. §7, “General Description”, p. 16 2
9. §8.1, “Packages and Parts”, p. 17 2
10. §9.2, “Relationships in Office Open XML”, p. 23 2
11. §10.1.2, “Office Open XML Native Extensibility Constructs”, p. 28 2
12. §11.3.1, “Alternative Format Import Part”, p. 32 2
13. §11.3.11, “Numbering Definitions Part”, p. 55 2
14. §11.3.11, “Numbering Definitions Part”, p. 55 3
15. §11.3.11, “Numbering Definitions Part”, p. 55 3
16. §11.3.12, “Style Definitions Part”, p. 55 3
17. §11.3.12, “Style Definitions Part”, p. 56 3
18. §11.6, “Master Documents and Subdocuments”, p. 59 3
19. §12.3.7, “Dialogsheet Part”, p. 76 4
20. §12.3.7, “Dialogsheet Part”, p. 76 4
21. §12.3.9, “External Workbook References Part”, p. 79 4
22. §12.3.10, “Metadata Part”, pp. 82–83 4
23. §12.3.12, “Pivot Table Cache Definition Part”, p. 85 4
24. §12.3.20, “Styles Part”, p. 94 4
25. §12.3.23, “Workbook Part”, p. 98 5
26. §12.3.24, “Worksheet Part”, p. 101 5
27. §15.2.15, “Printer Settings Part”, p. 162 5
28. §17.2.1, “background (Document Background)”, p. 193, attribute color 5
29. §17.3.1.12, “ind (Paragraph Indentation)”, p. 226 5
30. §17.3.1.13, “jc (Paragraph Alignment)”, p. 231 5

31. §17.3.1.27, “pStyle (Referenced Paragraph Style)”, p. 253 5
32. §17.3.1.27, “pStyle (Referenced Paragraph Style)”, p. 253, attribute val 6
33. §17.3.1.30, “rPr (Previous Run Properties for the Paragraph Mark)”, p. 258 6
34. §17.3.1.37, “tab (Custom Tab Stop)”, p. 269 6
35. §17.3.1.37, “tab (Custom Tab Stop)”, p. 270, attribute pos 6
36. §17.3.1.37, “tab (Custom Tab Stop)”, p. 270, attribute val 6
37. §17.3.1.38, “tabs (Set of Custom Tab Stops)”, p. 271 6
38. §17.3.1.39, “textAlignment (Vertical Character Alignment on Line)”, p. 272, attribute val 7
39. §17.3.1.40, “textboxTightWrap (Allow Surrounding Paragraphs to Tight Wrap to Text Box Contents)”, p. 273 7
40. §17.3.1.41, “textDirection (Paragraph Text Flow Direction)”, p. 275 7
41. §17.3.1.41, “textDirection (Paragraph Text Flow Direction)”, p. 275, attribute val 7
42. §17.3.2.5, “caps (Display All Characters As Capital Letters)”, p. 285 8
43. §17.3.2.26, “rFonts (Run Fonts)”, p. 317, attribute cs 8
44. §17.3.2.26, “rFonts (Run Fonts)”, p. 318, attribute cstheme 8
45. §17.3.2.27, “rPr (Previous Run Properties)”, p. 321 8
46. §17.3.2.28, “rPr (Run Properties)”, p. 323 8
47. §17.3.2.29, “rStyle (Referenced Character Style)”, p. 326, attribute val 9
48. §17.3.2.33, “smallCaps (Small Caps)”, p. 330 9
49. §17.3.3.18, “noBreakHyphen (Non Breaking Hyphen Character)”, pp. 363–364 9
50. §17.3.3.20, “objectEmbed (Embedded Object Properties)”, p. 366, attribute fieldCodes 11
51. §17.3.3.21, “objectLink (Linked Object Properties)”, p. 368, attribute fieldCodes 12
52. §17.3.3.23, “ptab (Absolute Position Tab Character)”, p. 371 12
53. §17.3.3.32, “tab (Tab Character)”, p. 383 12
54. §17.3.4, “Border Properties (CT_Border)”, p. 388, attribute themeShade 12
55. §17.4, “Tables”, p. 399 12
56. §17.4.18, “header (Header Cell Reference)”, p. 431, attribute val 13
57. §17.4.22, “hMerge (Horizontally Merged Cell)”, p. 436 13
58. §17.4.22, “hMerge (Horizontally Merged Cell)”, p. 436, attribute val 13
59. §17.4.27, “jc (Table Alignment Exception)”, p. 441 14
60. §17.4.28, “jc (Table Row Alignment)”, p. 442 14
61. §17.4.29, “jc (Table Alignment)”, p. 443 14
62. §17.4.31, “shd (Table Shading Exception)”, p. 446 14

63. §17.4.38, “tbl (Table)”, p. 453 14
64. §17.4.39, “tblBorders (Table Borders)”, p. 455 14
65. §17.4.40, “tblBorders (Table Borders Exceptions)”, p. 457 15
66. §17.4.41, “tblCaption (Table Caption)”, p. 458, attribute val 15
67. §17.4.42, “tblCellMar (Table Cell Margin Exceptions)”, p. 459 15
68. §17.4.43, “tblCellMar (Table Cell Margin Defaults)”, p. 460 15
69. §17.4.47, “tblDescription (Table Description)”, p. 465, attribute val 16
70. §17.4.51, “tblInd (Table Indent from Leading Margin)”, p. 469 16
71. §17.4.59, “tblPr (Previous Table Properties)”, p. 483 16
72. §17.4.60, “tblPr (Table Properties)”, p. 485 16
73. §17.4.61, “tblPrEx (Table-Level Property Exceptions)”, p. 487 17
74. §17.4.62, “tblPrEx (Previous Table-Level Property Exceptions)”, p. 489 17
75. §17.4.63, “tblStyle (Referenced Table Style)”, p. 491, attribute val 18
76. §17.4.65, “tblW (Preferred Table Width Exception)”, p. 493 18
77. §17.4.66, “tc (Table Cell)”, pp. 494–495 18
78. §17.4.67, “tcBorders (Table Cell Borders)”, p. 499 18
79. §17.4.69, “tcMar (Single Table Cell Margins)”, p. 501 19
80. §17.4.70, “tcPr (Table Cell Properties)”, p. 502 19
81. §17.4.73, “textDirection (Table Cell Text Flow Direction)”, p. 507 19
82. §17.4.73, “textDirection (Table Cell Text Flow Direction)”, p. 508, attribute val 20
83. §17.4.79, “tr (Table Row)”, pp. 512–513 20
84. §17.4.85, “vMerge (Vertically Merged Cell)”, pp. 523–524 21
85. §17.4.85, “vMerge (Vertically Merged Cell)”, pp. 523–524, attribute val 22
86. §17.4.88, “Table Measurement (CT_TblWidth)”, p. 527 22
87. §17.5, “Custom Markup”, p. 528 22
88. §17.5.1, “Custom XML and Smart Tags”, p. 529 22
89. §17.5.1, “Custom XML and Smart Tags”, p. 529 22
90. §17.5.1, “Custom XML and Smart Tags”, p. 530 22
91. §17.5.1.1, “attr (Custom XML Attribute)”, p. 531 22
92. §17.5.1.1, “attr (Custom XML Attribute)”, p. 531 23
93. §17.5.1.3, “customXml, Inline-Level Custom XML Element”, p. 534 23
94. §17.5.1.8, “placeholder (Custom XML Element Placeholder Text)”, p. 545–546, attribute val 23

95. §17.5.1.9, “SmartTag, Inline-Level Smart Tag”, p. 547 23
96. §17.5.2.1, “alias (Friendly Name)”, p. 551, attribute val 24
97. §17.5.2.5, “comboBox (Combo Box Structured Document Tag)”, p. 554 24
98. §17.5.2.5, “comboBox (Combo Box Structured Document Tag)”, pp. 555–556 24
99. §17.5.2.8, “dateFormat (Date Display Mask)”, p. 562, attribute val 25
100. §17.5.2.9, “docPart (Document Part Reference)”, p. 563, attribute val 25
101. §17.5.2.10, “docPartCategory (Document Part Category Filter)”, p. 564–565, attribute val 25
102. §17.5.2.11, “docPartGallery (Document Part Gallery Filter)”, p. 566, attribute val 26
103. §17.5.2.15, “dropDownList (Drop-Down List Structured Document Tag)”, p. 570 26
104. §17.5.2.31, “sdt, Inline-Level Structured Document Tag”, p. 590 26
105. §17.5.2.42, “tag (Programmatic Tag)”, p. 606, attribute val 27
106. §17.6.11, “pgMar (Page Margins)”, p. 641 27
107. §17.6.2, “bottom (Bottom Border)”, p. 617, attribute themeShade 27
108. §17.6.5, “docGrid (Document Grid)”, p. 623 27
109. §17.6.5, “docGrid (Document Grid)”, p. 626, attribute value type 27
110. §17.6.7, “left (Left Border)”, p. 632, attribute themeShade 27
111. §17.6.15, “right (Right Border)”, p. 655, attribute themeShade 28
112. §17.6.20, “textDirection (Text Flow Direction)”, p. 667 28
113. §17.6.20, “textDirection (Text Flow Direction)”, p. 667, attribute val 28
114. §17.6.21, “top (Top Border)”, p. 673, attribute themeShade 28
115. §17.7.4, “General Style Properties”, p. 683 29
116. §17.7.4, “General Style Properties”, p. 683 29
117. §17.7.4.1, “aliases (Alternate Style Names)”, p. 684, attribute val 29
118. §17.7.4.3, “basedOn (Parent Style ID)”, p. 688, attribute val 30
119. §17.7.4.6, “link (Linked Style Reference)”, p. 694, attribute val 30
120. §17.7.4.9, “name (Primary Style Name)”, p. 699, attribute val 30
121. §17.7.4.10, “next (Style For Next Paragraph)”, p. 701, attribute val 31
122. §17.7.4.17, “style (Style Definition)”, pp. 706–707 31
123. §17.7.4.17, “style (Style Definition)”, p. 707 31
124. §17.7.4.17, “style (Style Definition)”, p. 708 32
125. §17.7.5, “Document Defaults”, p. 715 32
126. §17.7.5.1, “docDefaults (Document Default Paragraph and Run Properties)”, p. 716 32

127. §17.7.5.1, “docDefaults (Document Default Paragraph and Run Properties)”, p. 716 32
128. §17.7.6, “Table Styles”, p. 724 33
129. §17.7.6, “Table Styles”, p. 725 33
130. §17.7.6.8, “tcPr (Table Style Conditional Formatting Table Cell Properties)”, p. 736 34
131. §17.7.8, “Paragraph Styles”, p. 742 34
132. §17.7.8.1, “Numbering in Paragraph Styles”, p. 744 34
133. §17.7.9, “Run (Character) Styles”, p. 747 34
134. §17.8.3.1, “altName (Alternate Names for Font)”, p. 752, attribute val 35
135. §17.8.3.13, “panose1 (Panose-1 Typeface Classification Number)”, p. 766 35
136. §17.9, “Numbering”, p. 773 35
137. §17.9, “Numbering”, p. 773 35
138. §17.9.1, “abstractNum (Abstract Numbering Definition)”, p. 774 35
139. §17.9.1, “abstractNum (Abstract Numbering Definition)”, pp. 774–775 36
140. §17.9.1, “abstractNum (Abstract Numbering Definition)”, p. 775, attribute abstractNumId 36
141. §17.9.5, “legacy (Legacy Numbering Level Properties)”, p. 780 36
142. §17.9.5, “legacy (Legacy Numbering Level Properties)”, p. 780 36
143. §17.9.6, “lvl (Numbering Level Override Definition)”, p. 782 36
144. §17.9.6, “lvl (Numbering Level Override Definition)”, pp. 782–783 37
145. §17.9.6, “lvl (Numbering Level Override Definition)”, p. 783 37
146. §17.9.8, “lvlJc (Justification)”, p. 788 37
147. §17.9.9, “lvlOverride (Numbering Level Definition Override)”, p. 790 37
148. §17.9.9, “lvlOverride (Numbering Level Definition Override)”, pp. 790–791 38
149. §17.9.9, “lvlOverride (Numbering Level Definition Override)”, p. 791 38
150. §17.9.9, “lvlOverride (Numbering Level Definition Override)”, pp. 791–792, attribute ilvl 38
151. §17.9.11, “lvlRestart (Restart Numbering Level Symbol)”, pp. 793-794 38
152. §17.9.11, “lvlRestart (Restart Numbering Level Symbol)”, pp. 793–794 39
153. §17.9.14, “name (Abstract Numbering Definition Name)”, p. 799, attribute val 39
154. §17.9.16, “num (Numbering Definition Instance)”, p. 802 39
155. §17.9.18, “num (Numbering Definition Instance)”, p. 802 40
156. §17.9.18, “numFmt (Numbering Format)”, p. 804 40
157. §17.9.18, “numFmt (Numbering Format)”, p. 804 40
158. §17.9.18, “numFmt (Numbering Format)”, p. 804 40

159. §17.9.22, “numStyleLink (Numbering Style Reference)”, p. 809, attribute val 41
160. §17.9.23, “pPr (Numbering Level Associated Paragraph Properties)”, p. 810 41
161. §17.9.24, “pStyle (Paragraph Style's Associated Numbering Level)”, p. 812 41
162. §17.9.24, “pStyle (Paragraph Style's Associated Numbering Level)”, p. 813, attribute val 42
163. §17.9.28, “styleLink (Numbering Style Definition)”, p. 819, attribute val 42
164. §17.11.4, “endnotePr (Document-Wide Endnote Properties)”, p. 845 42
165. §17.11.6, “endnoteRef (Endnote Reference Mark)”, p. 848 42
166. §17.11.17, “numFmt (Endnote Numbering Format)”, p. 866 43
167. §17.11.18, “numFmt (Footnote Numbering Format)”, p. 867 43
168. §17.12.4, “description (Description for Entry)”, p. 881, attribute val 43
169. §17.12.9, “gallery (Gallery Associated With Entry)”, p. 888 43
170. §17.12.12, “name (Category Associated With Entry)”, p. 891 43
171. §17.12.12, “name (Category Associated With Entry)”, p. 891, attribute val 44
172. §17.12.14, “style (Associated Paragraph Style Name)”, p. 894, attribute val 44
173. §17.13.4.2, “comment (Comment Content)”, p. 905, attribute initials 44
174. §17.13.4.2, “comment (Comment Content)”, p. 905, attribute initials 44
175. §17.13.5.13, “del (Deleted Math Control Character)”, p. 949 44
176. §17.13.5.16, “ins (Inserted Math Control Character)”, p. 957 45
177. §17.13.5.34, “tblPrChange (Revision Information for Table Properties)”, p. 1014 45
178. §17.13.5.36, “tcPrChange (Revision Information for Table Cell Properties)”, p. 1018 45
179. §17.14.3, “addressFieldName (Column Containing E-mail Address)”, p. 1050, attribute val 46
180. §17.14.8, “connectString (Data Source Connection String)”, p. 1056, attribute val 46
181. §17.14.21, “mailSubject (Merged E-mail or Fax Subject Line)”, p. 1070, attribute val 46
182. §17.14.23, “mappedName (Predefined Merge Field Name)”, p. 1072 47
183. §17.14.23, “mappedName (Predefined Merge Field Name)”, p. 1073, attribute val 47
184. §17.14.24, “name (Data Source Name for Column)”, p. 1074, attribute val 47
185. §17.14.26, “query (Query For Data Source Records To Merge)”, p. 1077, attribute val 48
186. §17.14.31, “table (Data Source Table Name)”, p. 1084, attribute val 48
187. §17.14.34, “udl (UDL Connection String)”, p. 1088, attribute val 48
188. §17.15.1.1, “activeWritingStyle (Grammar Checking Settings)”, p. 1091 48
189. §17.15.1.5, “attachedSchema (Attached Custom XML Schema)”, p. 1096, attribute val 49
190. §17.15.1.7, “autoCaption (Single Automatic Captioning Setting)”, p. 1098 49

191. §17.15.1.8, “autoCaptions (Automatic Captioning Settings)”, p. 1101 49
192. §17.15.1.11, “bookFoldPrinting (Book Fold Printing)”, p. 1104 50
193. §17.15.1.13, “bookFoldRevPrinting (Reverse Book Fold Printing)”, p. 1108 50
194. §17.15.1.16, “caption (Single Caption Type Definition)”, p. 1114, attribute chapNum 50
195. §17.15.1.16, “caption (Single Caption Type Definition)”, p. 1115, attribute heading 50
196. §17.15.1.18, “captions (Caption Settings)”, p. 1122 50
197. §17.15.1.19, “clickAndTypeStyle (Paragraph Style Applied to Automatically Generated Paragraphs)”, p. 1125, attribute val 51
198. §17.15.1.23, “decimalSymbol (Radix Point for Field Code Evaluation)”, p. 1133, attribute val 51
199. §17.15.1.24, “defaultTableStyle (Default Table Style for Newly Inserted Tables)”, p. 1134, attribute val 51
200. §17.15.1.29, “documentProtection (Document Editing Restrictions)”, p. 1144 52
201. §17.15.1.44, “drawingGridHorizontalOrigin (Drawing Grid Horizontal Origin Point)”, p. 1158 52
202. §17.15.1.46, “drawingGridVerticalOrigin (Drawing Grid Vertical Origin Point)”, p. 1160 52
203. §17.15.1.54, “ignoreMixedContent (Ignore Mixed Content When Validating Custom XML Markup)”, p. 1168 53
204. §17.15.1.56, “listSeparator (List Separator for Field Code Evaluation)”, p. 1169, attribute val 54
205. §17.15.1.57, “mirrorMargins (Mirror Page Margins)”, p. 1170 54
206. §17.15.1.64, “printTwoOnOne (Print Two Pages Per Sheet)”, p. 1177 54
207. §17.15.1.74, “saveInvalidXml (Allow Saving Document As XML File When Custom XML Markup Is Invalid)”, p. 1191 55
208. §17.15.1.77, “saveXmlDataOnly (Only Save Custom XML Markup)”, p. 1194 55
209. §17.15.1.77, “saveXmlDataOnly (Only Save Custom XML Markup)”, p. 1194 55
210. §17.15.1.93, “writeProtection (Write Protection)”, p. 1213 55
211. §17.15.2, “Web Page Settings”, p. 1219 56
212. §17.15.2.13, “doNotUseLongFileNames”, p. 1237 56
213. §17.15.2.14, “encoding (Output Encoding When Saving as Web Page)”, p. 1239, attribute val 57
214. §17.15.2.17, “frameLayout (Frameset Layout)”, p. 1244, attribute val 57
215. §17.15.2.30, “name (Frame Name)”, p. 1265, attribute val 57
216. §17.15.2.40, “sz (Frame Size)”, p. 1280, attribute val 57
217. §17.15.2.41, “sz (Nested Frameset Size)”, p. 1281, attribute val 58
218. §17.15.2.43, “title (Frame or Frameset Title)”, p. 1284, attribute val 58
219. §17.15.2.46, “webSettings (Web Page Settings)”, p. 1288 58
220. §17.16.1, “Syntax”, p. 1301 58
221. §17.16.1, “Syntax”, p. 1303 59

222. §17.16.1, “Syntax”, p. 1304 59
223. §17.16.5, “Field definitions”, p. 1341, category User Information 59
224. §17.16.5.1, “ADDRESSBLOCK”, p. 1342, switch \d 59
225. §17.16.5.1, “ADDRESSBLOCK”, p. 1342, switch \f 59
226. §17.16.5.1, “ADDRESSBLOCK”, p. 1343, switch \l 59
227. §17.16.5.13, “DATE”, p. 1353, switch \l 59
228. §17.16.5.18, “FILESIZE”, p. 1358 59
229. §17.16.5.33, “LISTNUM”, p. 1369 60
230. §17.16.5.49, “QUOTE”, p. 1382 60
231. §17.16.10, “default (Default Text Box Form Field String)”, p. 1406, attribute val 60
232. §17.16.17, “ffData (Form Field Properties)”, p. 1413 60
233. §17.16.18, “fldChar (Complex Field Character)”, p. 1415 60
234. §17.16.18, “fldChar (Complex Field Character)”, p. 1416, attribute dirty 61
235. §17.16.18, “fldChar (Complex Field Character)”, p. 1417, attribute fldLock 61
236. §17.16.19, “fldSimple, Simple Field”, p. 1418 61
237. §17.16.20, “format (Text Box Form Field Formatting)”, p. 1421, attribute val 61
238. §17.16.22, “hyperlink, Hyperlink”, p. 1424 61
239. §17.16.25, “listEntry (Drop-Down List Entry)”, p. 1432, attribute val 62
240. §17.18.3, “ST_BrClear (Line Break Text Wrapping Restart Location)”, pp. 1508–1509 62
241. §17.18.3, “ST_BrClear (Line Break Text Wrapping Restart Location)”, p. 1509 63
242. §17.18.14, “ST_DocGrid (Document Grid Types)”, p. 1520 63
243. §17.18.14, “ST_DocGrid (Document Grid Types)”, p. 1521, enumeration snapTOCars 64
244. §17.18.16, “ST_DocPartGallery (Entry Gallery Types)”, p. 1523 64
245. §17.18.25, “ST_FFHelpTextVal”, p. 1534 64
246. §17.18.26, ST_FFName, p. 1535 64
247. §17.18.44, “ST_Jc (Horizontal Alignment Type)”, p. 1554 64
248. §17.18.51, “ST_MacroName”, p. 1563 64
249. §17.18.57, “ST_Merge (Merged Cell Type)”, pp. 1569–1570 65
250. §17.18.59, “ST_NumberFormat (Numbering Format)”, p. 1574, enumeration value arabicAlpha 65
251. §17.18.59, “ST_NumberFormat (Numbering Format)”, p. 1584, enumeration value decimalFullWidth2 66
252. §17.18.59, “ST_NumberFormat (Numbering Format)”, p. 1587, enumeration value hebrew1 66
253. §17.18.59, “ST_NumberFormat (Numbering Format)”, p. 1590, enumeration value hindiConsonants 66

254. §17.18.59, “ST_NumberFormat (Numbering Format)”, p. 1591, enumeration value hindiNumbers 66
255. §17.18.59, “ST_NumberFormat (Numbering Format)”, p. 1592, enumeration value hindiVowels 66
256. §17.18.59, “ST_NumberFormat (Numbering Format)”, p. 1613, enumeration value thaiLetters 67
257. §17.18.78, “ST_Shd (Shading Patterns)”, p. 1633 67
258. §17.18.84, “ST_TabJc (Custom Tab Stop Type)”, p. 1651 67
259. §17.18.93, “ST_TextDirection (Text Flow Direction)”, p. 1665 67
260. §17.18.93, “ST_TextDirection (Text Flow Direction)”, p. 1665 67
261. §17.18.93, “ST_TextDirection (Text Flow Direction)”, p. 1666 67
262. §17.18.98, “ST_UcharHexNumber (Two Digit Hexadecimal Value)”, p. 1672 68
263. §18.2.3, “customWorkbookView (Custom Workbook View)”, p. 1709–1710, attribute autoUpdate 68
264. §18.2.5, “definedName (Defined Name)”, p. 1719, new attribute 68
265. §18.2.20, “sheets (Sheets)”, p. 1733 68
266. §18.2.24, “webPublishing”, p. 1736 68
267. §18.2.27, “workbook (Workbook)”, p. 1739 69
268. §18.3.1.2, “autoFilter (AutoFilter Settings)”, p. 1758 69
269. §18.3.1.3, “brk (Break)”, p. 1759, attribute man 69
270. §18.3.1.10, “cfRule (Conditional Formatting Rule)”, pp. 1765–1766, various attributes 69
271. §18.3.1.11, “cfvo (Conditional Format Value Object)”, p. 1768, attribute gte 70
272. §18.3.1.25, “customSheetView (Custom Sheet View)”, p. 1786 70
273. §18.3.1.29, “dataConsolidate (Data Consolidate)”, p. 1790, new attribute 70
274. §18.3.1.32, “dataValidation (Data Validation)”, p. 1791, attribute allowBlank 70
275. §18.3.1.38, “evenFooter (Even Page Footer)”, p. 1802, new attribute 71
276. §18.3.1.39, “evenHeader”, p. 1804 71
277. §18.3.1.40, “f (Formula)”, p. 1806, attribute aca 71
278. §18.3.1.40, “f (Formula)”, p. 1807, attribute r2 71
279. §18.3.1.40, “f (Formula)”, p. 1808, new attribute 71
280. §18.3.1.41, “firstFooter (First Page Footer)”, p. 1808 71
281. §18.3.1.41, “firstFooter (First Page Footer)”, p. 1808, new attribute 72
282. §18.3.1.42, “firstHeader (First Page Header)”, p. 1808 72
283. §18.3.1.42, “firstHeader (First Page Header)”, p. 1809, new attribute 72
284. §18.3.1.43, “formula (Formula)”, p. 1809, new attribute 72
285. §18.3.1.44, “formula1 (Formula 1)”, p. 1809, new attribute 73

286. §18.3.1.45, “formula2 (Formula 2)”, p. 1810, new attribute 73
287. §18.3.1.49, “iconSet (Icon Set)”, p. 1813, attribute reverse 73
288. §18.3.1.57, “oddFooter (Odd Page Footer)”, p. 1823, new attribute 73
289. §18.3.1.58, “oddHeader (Odd Header)”, p. 1823, new attribute 74
290. §18.3.1.63, “pageSetup (Page Setup Settings)”, p. 1827 74
291. §18.3.1.63, “pageSetup (Page Setup Settings)”, p. 1830 74
292. §18.3.1.63, “pageSetup (Page Setup Settings)”, p. 1830, attribute paperSize 74
293. §18.3.1.64, “pageSetup (Chart Sheet Page Setup)”, p. 1832 76
294. §18.3.1.64, “pageSetup (Chart Sheet Page Setup)”, p. 1834 76
295. §18.3.1.73, “row (Row)”, p. 1848, various attributes 77
296. §18.3.1.75, “scenario (Scenario)”, p. 1854 77
297. §18.3.1.85, “sheetProtection (Sheet Protection Options)”, p. 1870, attribute scenarios 77
298. §18.3.1.96, “v (Cell Value)”, p. 1884, new attribute 77
299. §18.3.2.1, “colorFilter (Color Filter Criteria)”, p. 1888, attribute cellColor 78
300. §18.3.2.2, “customFilter (Custom Filter Criteria)”, p. 1888 78
301. §18.3.2.3, “customFilters (Custom Filters)”, p. 1889, attribute and 78
302. §18.3.2.5, “dynamicFilter (Dynamic Filter)”, pp. 1891–1892, attribute various 78
303. §18.4.12 , “t (Text)”, p. 1906, new attribute 79
304. §18.5.1.1, “calculatedColumnFormula (Calculated Column Formula)”, p. 1909, new attribute 79
305. §18.7.1, “author (Author)”, p. 1929, new attribute 79
306. §18.8.1, “alignment (Alignment)”, p. 1936, attribute indent 79
307. §18.8.5, “borders (Borders)”, p. 1943 80
308. §18.8.29, “name (Font Name)”, p. 1965 80
309. §18.8.31, “numFmts (Number Formats)”, p. 1974 80
310. §18.10.1.10, “calculatedMember (Calculated Member)”, p. 2030 81
311. §18.10.1.45, “item (PivotTable Field Item)”, p. 2071 81
312. §18.10.1.46, “items (Field Items)”, p. 2072 81
313. §18.10.1.67, “pivotCacheDefinition (PivotCache Definition)”, pp. 2093–2094 81
314. §18.10.1.67, “pivotCacheDefinition (PivotCache Definition)”, p. 2096, attribute refreshedDateIso 81
315. §18.10.1.73, “pivotTableDefinition (PivotTable Definition)”, p. 2142, attribute printDrill 81
316. §18.10.1.73, “pivotTableDefinition (PivotTable Definition)”, p. 2146, attribute useAutoFormatting 82
317. §18.10.1.90, “sharedItems (Shared Items)”, p. 2167 82

318. §18.14.11, “oleLink (Generic Object Link Connection)”, p. 2251, attribute progId 82
319. §18.17.2.1, “Constants”, p. 2276 82
320. §18.17.2.1, “Constants”, p. 2276 82
321. §18.17.2.1, “Constants”, p. 2277 82
322. §18.17.2.3, “Cell References”, p. 2281 83
323. §18.17.2.3.1, “A1-Style Cell References”, p. 2285 83
324. §18.17.3, “Error values”, p. 2292 83
325. §18.17.5.2, “Precision”, p. 2296 83
326. §18.17.5.4, “Interpretation”, p. 2297 83
327. §18.17.6.5, “Name Representation”, p. 2300 84
328. §18.17.7.2, “ACCRINT”, p. 2306, value 0 or omitted 84
329. §18.17.7.2, “ACCRINT”, p. 2307, value 4 84
330. §18.17.7.28, “BETAINV”, p. 2333 84
331. §18.17.7.37, “CHIINV”, p. 2347 84
332. §18.17.7.49, “CORREL”, p. 2360 84
333. §18.17.7.63, “COVAR”, p. 2382 84
334. §18.17.7.66, “CUBEMEMBER”, p. 2385, name member-expression 84
335. §18.17.7.74, “DATE”, p. 2393, name year 85
336. §18.17.7.76, “DATEVALUE”, pp. 2396–2397 85
337. §18.17.7.76, “DATEVALUE”, p. 2397, name date-time-string 85
338. §18.17.7.89, “DEVSQ”, p. 2410 85
339. §18.17.7.110, “ERROR.TYPE”, p. 2429 85
340. §18.17.7.121, “FINV”, p. 2438 85
341. §18.17.7.126, “FORECAST”, p. 2442 85
342. §18.17.7.132, “GAMMAINV”, p. 2447 86
343. §18.17.7.170, “INTERCEPT”, p. 2482 86
344. §18.17.7.173, “IRR”, p. 2487 86
345. §18.17.7.195, “LINEST”, p. 2500 86
346. §18.17.7.230, “NORMINV”, p. 2534 86
347. §18.17.7.232, “NORMSINV”, p. 2535 87
348. §18.17.7.247, “PEARSON”, p. 2557 87
349. §18.17.7.283, “RSQ”, p. 2593 87

350. §18.17.7.292, “SKEW”, p. 2600 87
351. §18.17.7.294, “STDEVA”, p. 2602 87
352. §18.17.7.298, “STANDARDIZE”, p. 2605, name mean 87
353. §18.17.7.298, “STANDARDIZE”, p. 2605, name standard-dev 88
354. §18.17.7.299, “STDEV”, p. 2605 88
355. §18.17.7.300, “STDEVA”, p. 2606 88
356. §18.17.7.301, “STDEVP”, p. 2607 88
357. §18.17.7.302, “STDEVPA”, p. 2608 88
358. §18.17.7.303, “STEYX”, p. 2609 88
359. §18.17.7.324, “TIMEVALUE”, p. 2627 88
360. §18.17.7.338, “VAR”, p. 2636 88
361. §18.17.7.339, “VARA”, p. 2637 89
362. §18.17.7.340, “VARP”, p. 2638 89
363. §18.17.7.341, “VARPA”, p. 2639 89
364. §18.17.7.356, “ZTEST”, p. 2663 89
365. §18.18.26, “ST_DynamicFilterType (Dynamic Filter)”, p. 2682–2683, enumeration values 89
366. §19.2.1.13, “font (Embedded Font Name)”, p. 2769 89
367. §19.2.1.19, “modifyVerifier (Modification Verifier)”, p. 2774 90
368. §19.3.1.21, “graphicFrame (Graphic Frame)”, p. 2829, attribute bwMode 90
369. §19.3.2.4, “oleObj (Global Element for Embedded objects and Controls)”, p. 2859 90
370. §19.5.9, “audio (Audio)”, p. 2882 91
371. §19.5.44, “from (From)”, p. 2919 91
372. §19.5.46, “hsl (HSL)”, p. 2921, attributes l and s 91
373. §19.5.46, “hsl (HSL)”, p. 2921, attribute l 91
374. §19.5.46, “hsl (HSL)”, p. 2921, attribute s 91
375. §19.5.62, “rCtr (Rotation Center)”, p. 2935 91
376. §19.5.63, “rgb (RGB)”, pp. 2936–2937, attributes b, g, and r 92
377. §19.5.63, “rgb (RGB)”, p. 2936, attribute b 92
378. §19.5.63, “rgb (RGB)”, p. 2937, attribute g 92
379. §19.5.63, “rgb (RGB)”, p. 2937, attribute r 92
380. §19.5.68, “snd (Sound)”, p. 2941 92
381. §19.5.68, “snd (Sound)”, p. 2942, attribute embed 92

382. §19.5.69, “sndAc (Sound Action)”, p. 2942 93
383. §19.5.70, “sndTgt (Sound Target)”, p. 2943, attribute embed 93
384. §19.5.76, “stSnd (Start Sound Action)”, p. 2949 93
385. §19.5.79, “tav (Time Animate Value)”, p. 2952 93
386. §19.5.79, “tav (Time Animate Value)”, p. 2955, attribute fmla 93
387. §19.5.80, “tavLst (Time Animated Value List)”, p. 2956 93
388. §19.5.83, “tmPct (Time Percentage)”, p. 2958 94
389. §19.5.88, “to (To)”, p. 2962 94
390. §19.5.88, “to (To)”, p. 2962 94
391. §19.5.90, “to (To)”, p. 2964 94
392. §19.5.92, “tavLst val (Value)”, p. 2965–2966 95
393. §19.7.53, “ST_TransitionSideDirectionType (Transition ~~Slide~~Side Direction Type)”, p. 3004, enumeration values~~.~~ 95
394. §20.1.2.2.32, “snd (Hyperlink Sound)”, p. 3044, attribute embed 95
395. §20.1.2.3.1, “alpha (Alpha)”, p. 3052, attribute val 95
396. §20.1.2.3.2, “alphaMod (Alpha Modulation)”, p. 3052, attribute val 96
397. §20.1.2.3.3, “alphaOff (Alpha Offset)”, p. 3053, attribute val 96
398. §20.1.2.3.4, “blue (Blue)”, p. 3054, attribute val 96
399. §20.1.2.3.5, “blueMod (Blue ~~Modification~~Modulation)”, p. 3055, attribute val 97
400. §20.1.2.3.6, “blueOff (Blue Offset)”, pp. 3055–3056, attribute val 97
401. §20.1.2.3.10, “green (Green)”, p. 3057, attribute val 98
402. §20.1.2.3.11, “greenMod (Green ~~Modification~~Modulation)”, p. 3058, attribute val 98
403. §20.1.2.3.12, “greenOff (Green Offset)”, p. 3059, attribute val 99
404. §20.1.2.3.13, “hslClr (Hue, Saturation, Luminance Color Model)”, p. 3059 99
405. §20.1.2.3.15, “hueMod (Hue Modulate)”, p. 3062 99
406. §20.1.2.3.19, “lum (Luminance)”, p. 3065, attribute val 100
407. §20.1.2.3.20, “lumMod (Luminance Modulation)”, p. 3065, attribute val 101
408. §20.1.2.3.21, “lumOff (Luminance Offset)”, p. 3066, attribute val 101
409. §20.1.2.3.23, “red (Red)”, p. 3068, attribute val 102
410. §20.1.2.3.24, “redMod (Red Modulation)”, p. 3069, attribute val 102
411. §20.1.2.3.25, “redOff (Red Offset)”, p. 3070, attribute val 103
412. §20.1.2.3.26, “sat (Saturation)”, p. 3071, attribute val 103
413. §20.1.2.3.27, “satMod (Saturation Modulation)”, pp. 3071–3072, attribute val 104

414. §20.1.2.3.28, “satOff (Saturation Offset)”, p. 3072, attribute val 105
415. §20.1.2.3.30, “scrgbClr (RGB Color Model - Percentage Variant)”, p. 3074 105
416. §20.1.2.3.31, “shade (Shade)”, pp. 3076–3077, attribute val 106
417. §20.1.2.3.32, “srgbClr (RGB Color Model - Hex Variant)”, p. 3077 106
418. §20.1.2.3.34, “tint (Tint)”, p. 3081, attribute val 106
419. §20.1.3.7, “wavAudioFile (Audio from WAV File)”, p. 3089, attribute embed 107
420. §20.1.5.5, “camera (Camera)”, p. 3153 107
421. §20.1.10.46, “ST_PositivePercentage (Positive Percentage Value with Sign)”, p. 3300 107
422. §20.4.2.3, “anchor (Anchor for Floating DrawingML Object)”, p. 3462–3467 107
423. §21.1.2.2.2, “defPPr (Default Paragraph Style)”, p. 3569–3570, attribute rtl 107
424. §21.1.2.2.7, “pPr (Text Paragraph Properties)”, p. 3587–3570, attribute rtl 108
425. §21.1.2.3.1, “cs (Complex Script Font)”, pp. 3598–3599 108
426. §21.1.2.3.3, “ea (East Asian Font)”, pp. 3606–3607 108
427. §21.1.2.3.7, “latin (Latin Font)”, pp. 3614–3615 109
428. §21.1.2.3.10, “sym (Symbol Font)”, pp. 3623–3624 109
429. §21.1.2.4.6, “buFont (Specified)”, p. 3638–3639 109
430. §21.1.2.4.9, “buSzPct (Bullet Size Percentage)”, pp. 3640–3641 110
431. §21.1.2.4.13, “lvl1pPr (List Level 1 Text Style)”, p. 3651–3652, attribute rtl 111
432. §21.1.2.4.14, “lvl2pPr (List Level 2 Text Style)”, p. 3660–3661, attribute rtl 111
433. §21.1.2.4.15, “lvl3pPr (List Level 3 Text Style)”, p. 3669, attribute rtl 111
434. §21.1.2.4.16, “lvl4pPr (List Level 4 Text Style)”, p. 3677–3678, attribute rtl 111
435. §21.1.2.4.17, “lvl5pPr (List Level 5 Text Style)”, p. 3686, attribute rtl 111
436. §21.1.2.4.18, “lvl6pPr (List Level 6 Text Style)”, p. 3694–3695, attribute rtl 111
437. §21.1.2.4.19, “lvl7pPr (List Level 7 Text Style)”, p. 3703, attribute rtl 112
438. §21.1.2.4.20, “lvl8pPr (List Level 8 Text Style)”, p. 3711–3712, attribute rtl 112
439. §21.1.2.4.21, “lvl9pPr (List Level 9 Text Style)”, p. 3720, attribute rtl 112
440. §21.2.2.12, “backward (Backward)”, p. 3763 112
441. §21.2.2.59, “evenFooter (Even Footer)”, p. 3789, new attribute 112
442. §21.2.2.60, “evenHeader (Even Header)”, p. 3789, new attribute 113
443. §21.2.2.63, “externalData (External Data Relationship)”, p. 3790 113
444. §21.2.2.66, “firstFooter (First Footer)”, p. 3792, new attribute 113
445. §21.2.2.67, “firstHeader (First Header)”, p. 3792, new attribute 113

446. §21.2.2.73, “forward (Forward)”, p. 3795 114
447. §21.2.2.124, “oddFooter (Odd Footer)”, p. 3818, new attribute 114
448. §21.2.2.125, “oddHeader (Odd Header)”, p. 3818, new attribute 114
449. §21.2.2.134, “pageSetup (Page Setup)”, p. 3822 114
450. §21.2.2.134, “pageSetup (Page Setup)”, p. 3823, attribute paperSize 114
451. §21.2.2.134, “pageSetup (Page Setup)”, p. 3825 114
452. §21.2.2.136, “perspective (Perspective)”, p. 3827 115
453. §21.2.2.220, “userShapes (User Shapes)”, p. 3867 115
454. §21.2.3.18, “ST_HoleSize (Hole Size)”, p. 3884 115
455. §21.2.3.33, “ST_Period (Period)”, p. 3892 115
456. §21.2.3.33, “ST_Period (Period)”, p. 3892, enumeration value auto 115
457. §21.2.3.34, “ST_Perspective (Perspective)”, p. 3892 115
458. §21.2.3.44, “ST_Skip (Skip)”, p. 3897 116
459. §22.1.2.3, “aln (Alignment)”, p. 4074 116
460. §22.1.2.5, “argPr (Argument Properties)”, p. 4078 116
461. §22.1.2.18, “cGp (Matrix Column Gap)”, p. 4094 116
462. §22.1.2.19, “cGpRule (Matrix Column Gap Rule)”, p. 4095 and many others 116
463. §22.1.2.22, “cSp (Minimum Matrix Column Width)”, p. 4099 116
464. §22.1.2.22, “cSp (Minimum Matrix Column Width)”, p. 4100 116
465. §22.1.2.26, “deg (Degree)”, pp. 4104–4107 116
466. §22.1.2.28, “den (Denominator)”, pp. 4108–4110 117
467. §22.1.2.32, “e (Element (Argument))”, p. 4114 117
468. §22.1.2.32, “e (Element)”, pp. 4115–4117 118
469. §22.1.2.37, “fName (Function Name)”, p. 4122 118
470. §22.1.2.37, “fName (Function Name)”, pp. 4123–4125 120
471. §22.1.2.39, “func (Function Apply Object)”, p. 4126 120
472. §22.1.2.52, “lim (Limit)”, pp. 4138–4139 121
473. §22.1.2.75, “num (Numerator)”, pp. 4171–4172 121
474. §22.1.2.77, “oMath (Office Math)”, pp. 4174–4176 122
475. §22.1.2.83, “plcHide (Hide Placeholders (Matrix))”, p. 4181 122
476. §22.1.2.95, “sepChr (Delimiter Separator Character)”, p. 4193 122
477. §22.1.2.105, “sSup (Superscript Object)”, p. 4202 122

478. §22.1.2.112, “sub (Subscript (Pre-Sub-Superscript))”, pp. 4209–4210 122
479. §22.1.2.114, “sup (Superscript (Superscript object))”, pp. 4212–4213 123
480. §22.5.2.2, “schemaRef (Associated XML Schema)”, p. 4262, attribute uri 123
481. §22.6.2.5, “Author (Author)”, p. 4269, new attribute 123
482. §22.9.2.1, “ST_CalendarType (Calendar Types)”, p. 4319, attribute hebrew 123
483. §22.9.2.13, “ST_String (String)”, p. 4329 124
484. §22.9.2.13, “ST_String (String)”, p. 4329 124
485. §22.9.2.15, “ST_UniversalMeasure (Universal Measurement)”, p. 4332 124
486. §A.1, “WordprocessingML”, p. 4345 125
487. §A.1, “WordprocessingML”, p. 4373, lines 1466–1473 126
488. §A.1, “WordprocessingML”, p. 4378, lines 1780–1786 126
489. §A.1, “WordprocessingML”, new type, p. 4363, after line 955 126
490. §A.2, “SpreadsheetML”, p. 4409, lines 10–14 127
491. §A.2, “SpreadsheetML”, p. 4410 127
492. §A.2, “SpreadsheetML”, p. 4411, lines 84–88 128
493. §A.2, “SpreadsheetML”, p. 4482, lines 3822–3829 128
494. §A.3, “PresentationML”, p. 4494 128
495. §A.3, “PresentationML”, p. 4494, lines 13–14 128
496. §A.3, “PresentationML”, p. 4518, lines 1278–1286 128
497. §A.4.1, “DrawingML – Main”, p. 4525 128
498. §A.4.1, “DrawingML – Main”, p. 4525, lines 17–18 129
499. §A.4.2, “DrawingML – Picture”, p. 4582 129
500. §A.4.3, “DrawingML - Locked Canvas”, p. 4583 129
501. §A.4.4, “DrawingML - WordprocessingML Drawing”, p. 4583 129
502. §A.4.5, “DrawingML - SpreadsheetML Drawing”, p. 4586 129
503. §A.5.1, “DrawingML – Charts”, p. 4590 129
504. §A.5.1, “DrawingML - Charts”, p. 4596, lines 309–317 130
505. §A.5.1, “Drawing ML - Charts”, p. 4598, lines 424–438 130
506. §A.5.1, “Drawing ML - Charts”, p. 4599, lines 493–498 130
507. §A.5.1, “Drawing ML - Charts”, p. 4609, lines 1024–1028 130
508. §A.5.2, “DrawingML - Chart Drawing”, p. 4617 130
509. §A.5.3, “DrawingML – Diagrams”, p. 4620 130

510. §A.5.3, “DrawingML – Diagrams”, p. 4620, lines 12–13 131
511. §A.6.1, “Math”, p. 4641 131
512. §A.6.1, “Math”, p. 4641, lines 8–12 131
513. §A.6.1, “Math”, p. 4650, lines 488–493 131
514. §A.6.2, “Extended Properties”, p. 4652 131
515. §A.6.3, “Custom Properties”, p. 4653 131
516. §A.6.4, “Variant Types”, p. 4654 131
517. §A.6.5, “Custom XML Data Properties”, p. 4658 131
518. §A.6.6, “Bibliography”, p. 4658 131
519. §A.6.7, “Additional Characteristics”, p. 4661 132
520. §A.6.8, “Office Document Relationships”, p. 4662 132
521. §A.6.9, “Shared Simple Types”, p. 4662 132
522. §A.7, “Custom XML Schema References”, p. 4665 132
523. §B.1, “WordprocessingML”, p. 4667 132
524. §B.1, “WordprocessingML”, p. 4684, lines 932–936 133
525. §B.1, “WordprocessingML”, p. 4688, lines 1134–1137 133
526. §B.1, “WordprocessingML”, new type, p. 4679, after line 619 133
527. §B.1.1.1, “Comments Part”, p. 4708 133
528. §B.1.1.2, “Document Settings Part”, p. 4708 133
529. §B.1.1.3, “Endnotes Part”, p. 4708 133
530. §B.1.1.4, “Font Table Part”, p. 4709 134
531. §B.1.1.5, “Footer Part”, p. 4709 134
532. §B.1.1.6, “Footnotes Part”, p. 4709 134
533. §B.1.1.7, “Glossary Document Part”, p. 4710 134
534. §B.1.1.8, “Header Part”, p. 4710 134
535. §B.1.1.9, “Mail Merge Recipient Data Part”, p. 4710 134
536. §B.1.1.10, “Main Document Part”, p. 4711 134
537. §B.1.1.11, “Numbering Definitions Part”, p. 4711 134
538. §B.1.1.12, “Style Definitions Part”, p. 4711 134
539. §B.1.1.13, “Web Settings Part”, p. 4712 134
540. §B.2, “SpreadsheetML”, p. 4712 134
541. §B.2, “SpreadsheetML”, p. 4714, lines 78–81 135

542. §B.2, “SpreadsheetML”, p. 4789, lines 4056–4060 135
543. §B.2.1.1, “Calculation Chain Part”, p. 4800 135
544. §B.2.1.2, “Chartsheet Part”, p. 4800 135
545. §B.2.1.3, “Comments Part”, p. 4800 135
546. §B.2.1.4, “Connections Part”, p. 4801 135
547. §B.2.1.5, “Custom XML Mappings Part”, p. 4801 135
548. §B.2.1.6, “Dialogsheet Part”, p. 4801 135
549. §B.2.1.7, “Drawing Part”, p. 4801 135
550. §B.2.1.8, “External Workbook References Part”, p. 4802 135
551. §B.2.1.9, “Metadata Part”, p. 4802 136
552. §B.2.1.10, “Pivot Table Part”, p. 4802 136
553. §B.2.1.11, “Pivot Table Cache Definition Part”, p. 4803 136
554. §B.2.1.12, “Pivot Table Cache Records Part”, p. 4803 136
555. §B.2.1.13, “Query Table Part”, p. 4803 136
556. §B.2.1.14, “Shared String Table Part”, p. 4803 136
557. §B.2.1.15, “Shared Workbook Revision Headers Part”, p. 4804 136
558. §B.2.1.16, “Shared Workbook Revision Log Part”, p. 4804 136
559. §B.2.1.17, “Shared Workbook User Data Part”, p. 4804 136
560. §B.2.1.18, “Single Cell Table Definitions Part”, p. 4804 136
561. §B.2.1.19, “Styles Part”, p. 4805 136
562. §B.2.1.20, “Table Definitions Part”, p. 4805 136
563. §B.2.1.21, “Volatile Dependencies Part”, p. 4805 137
564. §B.2.1.22, “Workbook Part”, p. 4806 137
565. §B.2.1.23, “Worksheet Part”, p. 4806 137
566. §B.3, “PresentationML”, p. 4806 137
567. §B.3, “PresentationML”, p. 4818, line 606 137
568. §B.3, “PresentationML”, pp. 4822–4823, lines 864–868 137
569. §B.3.1.1, “Comment Authors Part”, p. 4828 137
570. §B.3.1.2, “Comments Part”, p. 4828 137
571. §B.3.1.3, “Handout Master Part”, p. 4828 137
572. §B.3.1.4, “Notes Master Part”, p. 4828 137
573. §B.3.1.5, “Notes Slide Part”, p. 4829 138

574. §B.3.1.6, “Presentation Part”, p. 4829 138
575. §B.3.1.7, “Presentation Properties Part”, p. 4829 138
576. §B.3.1.8, “Slide Part”, p. 4829 138
577. §B.3.1.9, “Slide Layout Part”, p. 4830 138
578. §B.3.1.10, “Slide Master Part”, p. 4830 138
579. §B.3.1.11, “Slide Synchronization Data Part”, p. 4830 138
580. §B.3.1.12, “User Defined Tags Part”, p. 4831 138
581. §B.3.1.13, “View Properties Part”, p. 4831 138
582. §B.4.1, “DrawingML - Main”, p. 4831 138
583. §B.4.1.1.1, “Table Styles Part”, p. 4874 138
584. §B.4.1.1.2, “Theme Part”, p. 4875 138
585. §B.4.1.1.3, “Theme Override Part”, p. 4875 139
586. §B.4.1.1.3, “Theme Override Part”, p. 4875, line 10 139
587. §B.4.2, “DrawingML - Picture”, p. 4875 139
588. §B.4.3, “DrawingML - Locked Canvas”, p. 4876 139
589. §B.4.4, “DrawingML - WordprocessingML Drawing”, p. 4876 139
590. §B.4.5, “DrawingML - SpreadsheetML Drawing”, p. 4878 139
591. §B.5.1, “DrawingML - Charts”, p. 4880 139
592. §B.5.1, “Drawing ML - Charts”, p. 4884, lines 192–193 140
593. §B.5.1, “Drawing ML - Charts”, pp. 4885–4886, lines 261–272 140
594. §B.5.1, “Drawing ML - Charts”, p. 4886, lines 311–312 140
595. §B.5.1, “Drawing ML - Charts”, p. 4892, lines 652 140
596. §B.5.1.1.1, “Chart Part”, p. 4898 140
597. §B.5.1.1.2, “Chart Drawing Part”, p. 4898 140
598. §B.5.2, “DrawingML - Chart Drawing”, p. 4898 140
599. §B.5.3, “DrawingML - Diagrams”, p. 4900 140
600. §B.5.3.1.1, “Diagram Colors Part”, p. 4915 140
601. §B.5.3.1.2, “Diagram Data Part”, p. 4915 140
602. §B.5.3.1.3, “Diagram Layout Definitions Part”, p. 4915 141
603. §B.5.3.1.4, “Diagram Style Part”, p. 4915 141
604. §B.6.1, “Math”, p. 4916 141
605. §B.6.1, “Math”, p. 4920, line 240 141

606. §B.6.2, “Extended Properties”, p. 4921 141
607. §B.6.2.1.1, “Extended File Properties Part”, p. 4922 141
608. §B.6.3, “Custom Properties”, p. 4922 141
609. §B.6.3.1.1, “Custom File Properties Part”, p. 4923 141
610. §B.6.4, “Variant Types”, p. 4923 141
611. §B.6.5, “Custom XML Data Properties”, p. 4927 141
612. §B.6.5.1.1, “Custom XML Data Properties Part”, p. 4927 141
613. §B.6.6, “Bibliography”, p. 4927 141
614. §B.6.6.1.1, “Bibliography Part”, p. 4929 142
615. §B.6.7, “Additional Characteristics”, p. 4929 142
616. §B.6.7.1.1, “Additional Characteristics Part”, p. 4930 142
617. §B.6.8, “Office Document Relationships”, p. 4930 142
618. §B.6.9, “Shared Simple Types”, p. 4930 142
619. §B.7, “Custom XML Schema References”, p. 4932 142
620. §B.8.1, “Any”, p. 4932 142
621. §B.8.2, “XML”, p. 4932 142
622. §E, “Processing Bitfields with XSLT”, pp. 4937–4939 142
623. §F, “WordprocessingML Custom XML Data Extraction”, p. 4940–4941 142
624. §F, “WordprocessingML Custom XML Data Extraction”, p. 4941 144
625. §K.5.8.1, “Using Captions and Long Descriptions in WordprocessingML Tables”, pp. 5061–5062 144
626. §M.1.5.1, “Introduction”, p. 5077 145
627. §M.1.5.2, “Introduction”, p. 5078 145
628. §M.1.5.9, “Vertically Merged Cells”, p. 5085 145
629. §M.1.5.9, “Vertically Merged Cells”, pp. 5086–5087 146
630. §M.1.8.2, “Style Definitions”, p. 5097 146
631. §M.1.8.3, “Paragraph Styles”, p. 5098 146
632. §M.1.8.4, “Character Styles”, p. 5099 146
633. §M.1.8.5, “Linked Styles”, p. 5100 146
634. §M.1.8.5, “Linked Styles”, p. 5100 147
635. §M.1.8.7, “Table Styles”, p. 5105 147
636. §M.1.8.7, “Table Styles”, p. 5106 147
637. §M.1.8.11, “Latent Styles”, p. 5109 147

638. §M.1.10.3, “Abstract Numbering Definitions”, p. 5116 148
639. §M.1.10.4, “Numbering Definition Instances”, p. 5118 148
640. §M.1.10.6, “The Complete Story”, p. 5122 148
641. §M.1.10.8, “Referencing Numbering Styles”, p. 5125 148
642. §M.1.10.8, “Referencing Numbering Styles”, p. 5126 149
643. §M.2.8.3.2.2, “Metadata Behaviors”, p. 5225 149
644. §M.2.9.3.2, “XML - pivotCacheDefinition part”, p. 5239 149
645. §M.2.9.3.2, “XML - pivotCacheDefinition part”, p. 5242 149
646. §M.2.9.3.4.5, “Row Items”, pp. 5251–5252 149
647. §M.2.9.3.4.7, “Column Items”, p. 5254 149
648. §M.2.12.3, “Pivot XML fragment”, p. 5269 150
649. §M.4.6.2.2, “Camera”, p. 5374 150
650. §M.6.1, “Math”, p. 5507 150
651. §N.1, “WordprocessingML”, p. 5554 150