ISO/IEC 18051:2010-05 (E)

Information technology - Telecommunications and information exchange between systems - Services for Compu ter Supported Telecommunications Applications (CSTA) Phase III

Contents

Page

1 Scope 1

2 Conformance 1
2.1 Switching Function 1
2.1.1 Conformant Services 2
2.1.2 Conformant Events 2
2.1.3 CSTA Profiles 2
2.1.4 Support of Service Requests And Manual Mode 5
2.2 Special Resource Function Conformance 5
2.2.1 Conformant Services 6
2.2.2 Conformant Events 6
2.2.3 Support of Service Requests And Manual Mode 6
2.3 Computing Function Conformance 6

3 Normative references 7

4 Terms, definitions and abbreviations 7

5 Functional Architecture 7

6 CSTA Operational Model 7
6.1 Switching Sub-Domain Model 9
6.1.1 Device 9
6.1.2 Call 43
6.1.3 Connection 50
6.1.4 Call State Definitions 54
6.1.5 Referencing Devices, Elements, Appearances and Device Configurations 55
6.1.6 Management of Dynamically-Assigned Identifiers 57
6.2 I/O Services 57
6.2.1 Data Path Definition 58
6.2.2 I/O Registration Services 59
6.2.3 Data Path States and Operational Model 59
6.2.4 I/O Services Example 59
6.3 Call Detail Record (CDR) Services 60
6.3.1 CDR Services Examples 60
6.4 Capabilities Exchange 62
6.4.1 Switching Function Capabilities 63
6.4.2 Device Capabilities 63
6.4.3 Dynamic Feature Availability 63
6.5 Switching Function Information Synchronization 64
6.5.1 Switching Function Level Information 64
6.5.2 Device Level Information 64
6.5.3 Call Level Information 64
6.6 Status Reporting Services 65
6.6.1 System Status 65
6.6.2 Monitoring 66
6.6.3 Snapshot Services 70
6.7 Additional Services, Features & Behaviour 70
6.7.1 Forwarding 70

6.7.2 Connection Failure 72
6.7.3 Recall 74
6.7.4 Call Back 75
6.7.5 External Calls 75
6.7.6 Tracking a Diverted Call 76
6.7.7 Media Stream Access 76
6.7.8 Routeing Services 80
6.7.9 Device Maintenance 85
6.7.10 Prompting 85
6.7.11 Telephony Tones Features 85
6.7.12 DTMF and Rotary Pulse Digits Features 86
6.7.13 Data Collection Services 86
6.8 Location Features 86
6.8.1 Location Information 87
6.8.2 Polling for Location Information 88
6.8.3 Location Information in Call Control Events 88
6.8.4 Location Tracking Session 88
6.8.5 Setting Location Information 91

7 Association Establishment 92
7.1 Implicit Association created using CSTA System Status service (initiated by Switching Function) 93 7.2 Implicit Association created using CSTA Request System Status service 93
7.3 Explicit Association created using ACSE 94

8 Security Service 96

9 Generic Service Requirements 97
9.1 Service Request 97
9.2 Service Response (Acknowledgements) 97
9.2.1 Positive Acknowledgement Models 98
9.2.2 Negative Acknowledgement 98
9.3 Diagnostic Error Definitions 98
9.3.1 Error Categories 99
9.3.2 Error Values 99
9.4 Vendor Specific Extensions 100
9.4.1 Private Data 100
9.4.2 Escape Services and Private Event 101
9.5 General Services and Event Functional Requirements 102
9.5.1 Services 102
9.5.2 Events 104

10 CSTA Device Identifier Formats 104
10.1 Device Identifier Formats 104
10.1.1 Diallable Digits 105
10.1.2 Switching Function Representation 106
10.1.3 Device Number 108
10.1.4 URI Representation 108
10.2 DeviceID Tags 108
10.3 Functional Requirements 109

11 Template Descriptions 109
11.1 Service Template 109
11.1.1 Service Description 109
11.1.2 Service Request 110
11.1.3 Service Response 111
11.1.4 Operational Model 111
11.2 Event Template 111
11.2.1 Event Description 111
11.2.2 Event Parameters 112
11.2.3 Event Causes 112
11.2.4 Functional Requirements 112

11.3 Parameter Type Template 112
11.3.1 Parameter Type Description 112
11.3.2 Format 112
11.3.3 Functional Requirements 112

12 Parameter Types 112
12.1 Definitions 112
12.2 Defined Parameter Types 113
12.2.1 AccountInfo 114
12.2.2 AgentPassword 115
12.2.3 AuthCode 115
12.2.4 CallCharacteristics 115
12.2.5 CallLinkageData 116
12.2.6 CallQualifyingData 117
12.2.7 ChargingInfo 118
12.2.8 ConnectionInformation 118
12.2.9 ConnectionList 119
12.2.10 CorrelatorData 120
12.2.11 CSTAPrivateData 121
12.2.12 CSTASecurityData 121
12.2.13 DeviceHistory 121
12.2.14 ErrorValue 122
12.2.15 EventCause 133
12.2.16 LanguagePreferences 137
12.2.17 LocalConnectionState 137
12.2.18 LocationInfo 138
12.2.19 LocationInfoList 139
12.2.20 MediaCallCharacteristics 139
12.2.21 MediaServiceType 141
12.2.22 MessageInfo 142
12.2.23 MonitorFilter 142
12.2.24 ServicesPermitted 143
12.2.25 SimpleCallState 143
12.2.26 SubjectOfCall 144
12.2.27 SystemStatus 144
12.2.28 TimeInfo 145
12.2.29 UserData 145
12.3 Identifier Parameter Types 146
12.3.1 AgentID 147
12.3.2 AssociatedCalledDeviceID 147
12.3.3 AssociatedCallingDeviceID 148
12.3.4 AuditoryApparatusID 148
12.3.5 ButtonID 148
12.3.6 CalledDeviceID 148
12.3.7 CallingDeviceID 149
12.3.8 CDRCrossRefID 150
12.3.9 ConnectionID 150
12.3.10 DCollCrossRefID 151
12.3.11 DeviceID 151
12.3.12 DisplayID 152
12.3.13 EscapeRegisterID 152
12.3.14 HookswitchID 152
12.3.15 IOCrossRefID 152
12.3.16 IORegisterReqID 153
12.3.17 LampID 153
12.3.18 MediaServiceInstanceID 153
12.3.19 MediaStreamID 153
12.3.20 MessageID 153
12.3.21 MonitorCrossRefID 154
12.3.22 NetworkCalledDeviceID 154
12.3.23 NetworkCallingDeviceID 154
12.3.24 RedirectionDeviceID 155

12.3.25 ResourceID 156
12.3.26 RingerID 156
12.3.27 RouteingCrossRefID 156
12.3.28 RouteRegisterReqID 156
12.3.29 ServiceCrossRefID 157
12.3.30 SubjectDeviceID 157
12.3.31 SysStatRegisterID 157

13 Capability Exchange Services 157
13.1 Services 158
13.1.1 Get CSTA Features 158
13.1.2 Get Logical Device Information 160
13.1.3 Get Physical Device Information 170
13.1.4 Get Switching Function Capabilities 174
13.1.5 Get Switching Function Devices 189
13.1.6 Switching Function Devices 191

14 System Services 195
14.1 Registration Services 195
14.1.1 Change System Status Filter 195
14.1.2 System Register 197
14.1.3 System Register Abort 199
14.1.4 System Register Cancel 200
14.2 Services 202
14.2.1 Request System Status 202
14.2.2 System Status 204
14.2.3 Switching Function Capabilities Changed 205
14.2.4 Switching Function Devices Changed 206
14.2.5 Get Registrations 207
14.2.6 Registration Info 210

15 Monitoring Services 211
15.1 Services 212
15.1.1 Change Monitor Filter 212
15.1.2 Monitor Start 213
15.1.3 Monitor Stop 217
15.1.4 Get Monitors 218
15.1.5 Monitor Info 220

16 Snapshot Services 221
16.1 Services 221
16.1.1 Snapshot Call 221
16.1.2 Snapshot Device 225
16.1.3 Snapshot CallData 227
16.1.4 Snapshot DeviceData 229

17 Call Control Services & Events 231
17.1 Services 232
17.1.1 Accept Call 233
17.1.2 Alternate Call 234
17.1.3 Answer Call 237
17.1.4 Call Back Call-Related 239
17.1.5 Call Back Message Call-Related 242
17.1.6 Camp On Call 245
17.1.7 Clear Call 247
17.1.8 Clear Connection 249
17.1.9 Conference Call 253
17.1.10 Consultation Call 256
17.1.11 Deflect Call 262
17.1.12 Dial Digits 268
17.1.13 Directed Pickup Call 271
17.1.14 Group Pickup Call 274

17.1.15 Hold Call 278
17.1.16 Intrude Call 280
17.1.17 Join Call 284
17.1.18 Make Call 288
17.1.19 Make Connection 293
17.1.20 Make Predictive Call 298
17.1.21 Park Call 303
17.1.22 Reconnect Call 306
17.1.23 Retrieve Call 309
17.1.24 Send Message 311
17.1.25 Single Step Conference Call 315
17.1.26 Single Step Transfer Call 319
17.1.27 Transfer Call 322
17.2 Events 325
17.2.1 Bridged 325
17.2.2 Call Cleared 327
17.2.3 Conferenced 330
17.2.4 Connection Cleared 336
17.2.5 Delivered 340
17.2.6 Digits Dialled 344
17.2.7 Diverted 347
17.2.8 Established 351
17.2.9 Failed 356
17.2.10 Held 361
17.2.11 Network Capabilities Changed 363
17.2.12 Network Reached 367
17.2.13 Offered 370
17.2.14 Originated 375
17.2.15 Queued 378
17.2.16 Retrieved 382
17.2.17 Service Initiated 383
17.2.18 Transferred 386

18 Call Associated Features 391
18.1 Services 391
18.1.1 Associate Data 391
18.1.2 Cancel Telephony Tones 394
18.1.3 Change Connection Information 395
18.1.4 Generate Digits 398
18.1.5 Generate Telephony Tones 400
18.1.6 Send User Information 402
18.2 Events 404
18.2.1 Call Information 404
18.2.2 Charging 407
18.2.3 Digits Generated 408
18.2.4 Telephony Tones Generated 409
18.2.5 Service Completion Failure 411

19 Media Attachment Services & Events 414
19.1 Services 414
19.1.1 Attach Media Service 414
19.1.2 Detach Media Service 417
19.2 Events 420
19.2.1 Media Attached 420
19.2.2 Media Detached 421

20 Routeing Services 423
20.1 Registration Services 424
20.1.1 Route Register 424
20.1.2 Route Register Abort 426
20.1.3 Route Register Cancel 427
20.2 Services 428

20.2.1 Re-Route 428
20.2.2 Route End 429
20.2.3 Route Reject 431
20.2.4 Route Request 433
20.2.5 Route Select 435
20.2.6 Route Used 437

21 Physical Device Features 439
21.1 Services 440
21.1.1 Button Press 440
21.1.2 Get Auditory Apparatus Information 441
21.1.3 Get Button Information 444
21.1.4 Get Display 446
21.1.5 Get Hookswitch Status 447
21.1.6 Get Lamp Information 449
21.1.7 Get Lamp Mode 451
21.1.8 Get Message Waiting Indicator 453
21.1.9 Get Microphone Gain 454
21.1.10 Get Microphone Mute 455
21.1.11 Get Ringer Status 457
21.1.12 Get Speaker Mute 459
21.1.13 Get Speaker Volume 460
21.1.14 Set Button Information 461
21.1.15 Set Display 462
21.1.16 Set Hookswitch Status 465
21.1.17 Set Lamp Mode 466
21.1.18 Set Message Waiting Indicator 467
21.1.19 Set Microphone Gain 468
21.1.20 Set Microphone Mute 470
21.1.21 Set Ringer Status 471
21.1.22 Set Speaker Mute 473
21.1.23 Set Speaker Volume 474
21.2 Events 476
21.2.1 Button Information 476
21.2.2 Button Press 477
21.2.3 Display Updated 477
21.2.4 Hookswitch 479
21.2.5 Lamp Mode 479
21.2.6 Message Waiting 480
21.2.7 Microphone Gain 481
21.2.8 Microphone Mute 482
21.2.9 Ringer Status 482
21.2.10 Speaker Mute 483
21.2.11 Speaker Volume 484

22 Logical Device Features 485
22.1 Services 485
22.1.1 Call Back Non-Call-Related 485
22.1.2 Call Back Message Non-Call-Related 487
22.1.3 Cancel Call Back 488
22.1.4 Cancel Call Back Message 489
22.1.5 Get Agent State 491
22.1.6 Get Auto Answer 493
22.1.7 Get Auto Work Mode 494
22.1.8 Get CallBack 495
22.1.9 Get Caller ID Status 497
22.1.10 Get Do Not Disturb 498
22.1.11 Get Forwarding 499
22.1.12 Get Last Number Dialled 503
22.1.13 Get Routeing Mode 504
22.1.14 Set Agent State 505
22.1.15 Set Auto Answer 509

22.1.16 Set Auto Work Mode 510
22.1.17 Set Caller ID Status 512
22.1.18 Set Do Not Disturb 513
22.1.19 Set Forwarding 515
22.1.20 Set Routeing Mode 517
22.2 Events 519
22.2.1 Agent Busy 519
22.2.2 Agent Logged Off 520
22.2.3 Agent Logged On 521
22.2.4 Agent Not Ready 522
22.2.5 Agent Ready 523
22.2.6 Agent Working After Call 524
22.2.7 Auto Answer 525
22.2.8 Auto Work Mode 526
22.2.9 Call Back 527
22.2.10 Call Back Message 527
22.2.11 Caller ID Status 528
22.2.12 Do Not Disturb 528
22.2.13 Forwarding 529
22.2.14 Routeing Mode 531

23 Device Maintenance Events 532
23.1 Events 532
23.1.1 Back In Service 532
23.1.2 Device Capabilities Changed 533
23.1.3 Out Of Service 533
23.1.4 Partially In Service 534

24 I/O Services 535
24.1 Registration Services 536
24.1.1 I/O Register 536
24.1.2 I/O Register Abort 537
24.1.3 I/O Register Cancel 538
24.2 I/O Services 540
24.2.1 Data Path Resumed 540
24.2.2 Data Path Suspended 541
24.2.3 Fast Data 542
24.2.4 Resume Data Path 544
24.2.5 Send Broadcast Data 546
24.2.6 Send Data 547
24.2.7 Send Multicast Data 550
24.2.8 Start Data Path 551
24.2.9 Stop Data Path 553
24.2.10 Suspend Data Path 555

25 Data Collection Services 556
25.1 Services 556
25.1.1 Data Collected 556
25.1.2 Data Collection Resumed 560
25.1.3 Data Collection Suspended 561
25.1.4 Resume Data Collection 562
25.1.5 Start Data Collection 563
25.1.6 Stop Data Collection 565
25.1.7 Suspend Data Collection 566

26 Voice Services & Events 567
26.1 Services 567
26.1.1 Activate 567
26.1.2 Clear 569
26.1.3 Concatenate Message 570
26.1.4 Deactivate 571
26.1.5 Delete Message 572

26.1.6 Play Message 573
26.1.7 Query Voice Attribute 575
26.1.8 Queue 580
26.1.9 Record Message 581
26.1.10 Reposition 583
26.1.11 Resume 585
26.1.12 Review 586
26.1.13 Set Voice Attribute 588
26.1.14 Start 591
26.1.15 Stop 593
26.1.16 Suspend 595
26.1.17 Synthesize Message 597
26.2 Events 599
26.2.1 Bookmark Reached 599
26.2.2 Completed 600
26.2.3 DTMF Detected 601
26.2.4 Emptied 601
26.2.5 Interruption Detected 602
26.2.6 Not Recognized 603
26.2.7 Play 603
26.2.8 Recognized 604
26.2.9 Record 605
26.2.10 Review 606
26.2.11 Silence Timeout Expired 607
26.2.12 Speech Detected 607
26.2.13 Started 608
26.2.14 Stop 609
26.2.15 Suspend Play 610
26.2.16 Suspend Record 610
26.2.17 Voice Attribute Changed 611
26.2.18 Voice Error Occurred 613

27 Call Detail Record (CDR) Services 614
27.1 Services 615
27.1.1 Call Detail Records Notification 615
27.1.2 Call Detail Records Report 616
27.1.3 Send Stored Call Detail Records 621
27.1.4 Start Call Detail Records Transmission 622
27.1.5 Stop Call Detail Records Transmission 624

28 Location Services 625
28.1 Location Services 625
28.1.1 Get Location Information 625
28.1.2 Set Location Information 627
28.1.3 Location Tracking Session Resumed 628
28.1.4 Location Tracking Session Suspended 630
28.1.5 Resume Location Tracking Session 631
28.1.6 Location Information Report 632
28.1.7 Start Location Tracking Session 634
28.1.8 Stop Location Tracking Session 638
28.1.9 Suspend Location Tracking Session 639
28.1.10 Get Location Tracking Capabilities 640
28.1.11 Get Location Tracking Sessions 642
28.1.12 Location Session Info 644

29 Vendor Specific Extensions Services & Events 645
29.1 Registration Services 646
29.1.1 Escape Register 646
29.1.2 Escape Register Abort 647
29.1.3 Escape Register Cancel 648
29.2 Services 649
29.2.1 Escape 649

29.2.2 Private Data Version Selection 650
29.3 Events 652
29.3.1 Private Event 652

Annex A (normative) Device Appearances 653

Annex B (normative) ISDN User-User Information Element Encoding for CSTA 661

Annex C (normative) Capability Bitmap Parameters Types 663

Annex D (informative) Connection State Transition Examples 726

Annex E (informative) Summary of changes in this edition 735

Bibliography 737