

ISO/IEC 18056:2010-05 (E)

Information technology - Telecommunications and information exchange between systems - XML proto col for Computer Supported Telecommunications Applications (CSTA) Phase III

Contents		Page
1	Scope	1
2	Conformance	1
2.1	Static Requirements	1
2.2	Dynamic Requirements	1
2.3	PICS Requirement	1
2.4	XML Tag Options	1
2.4.3	Dynamic Transformations	2
2.5	CSTA Over SIP (uaCSTA) Transport Mechanism Option	2
3	Normative references	2
3.1	ISO Standards and Technical Reports	2
3.2	World Wide Web Consortium Specifications	2
4	Terms, definitions and abbreviations	3
5	CSTA Service Definition Model	3
5.1	Request/Response Interactions	3
5.2	Request/Response Protocol Requirements	3
5.3	Cross Referencing of Event Reports	3
5.4	Handling of Private Data	3
6	Interconnection service boundary	3
7	Association Management	4
7.1	Implicit association	4
7.2	Explicit association	4
8	XML Template Description	4
9	CSTA parameter types	5
9.1	Switching function objects	5
9.2	Device Identifiers	6
9.3	Call and connection identifiers	9
9.4	Connection states	10
9.5	Status reporting	11
9.6	Device and feature types and other parameters	16
9.7	Security	25
9.8	Common extensions	25
9.9	Call control	26
9.10	Capability Exchange	31
9.11	Call Detail Record	97
9.12	Charge information	99
9.13	Data call types	100
9.14	Escape types	101
9.15	Media services	101
9.16	Physical device features	104
9.17	Data Collection	106
9.18	Event Cause	107

9.19	Error Value	109
9.20	Empty (null element)	114
10	Top level schema	114
11	Capability exchange services	120
11.1	Services	120
11.1.1	Get csta features	120
11.1.2	Get logical device information	121
11.1.3	Get physical device information	122
11.1.4	Get switching function capabilities	123
11.1.5	Get switching function devices	127
11.1.6	Switching function devices	128
12	System services	129
12.1	Registration services	129
12.1.1	Change system status filter	129
12.1.2	System register	130
12.1.3	System register abort	130
12.1.4	System register cancel	131
12.2	Services	132
12.2.1	Request system status	132
12.2.2	System status	132
12.2.3	Switching function capabilities changed	133
12.2.4	Switching function devices changed	133
12.2.5	Get registrations	133
12.2.6	Registration info	134
13	Monitoring services	135
13.1	Services	135
13.1.1	Change monitor filter	135
13.1.2	Monitor start	135
13.1.3	Monitor stop	136
13.1.4	Get monitors	136
13.1.5	Monitor info	137
14	Snapshot services	138
14.1	Services	138
14.1.1	Snapshot call	138
14.1.2	Snapshot device	139
14.1.3	Snapshot calldata	139
14.1.4	Snapshot devicedata	140
15	Call control services and events	140
15.1	Services	140
15.1.1	Accept call	141
15.1.2	Alternate call	141
15.1.3	Answer call	142
15.1.4	Call back call-related	142
15.1.5	Call back message call-related	143
15.1.6	Camp on call	143
15.1.7	Clear call	144
15.1.8	Clear Connection	144
15.1.9	Conference call	145
15.1.10	Consultation call	146
15.1.11	Deflect call	146
15.1.12	Dial digits	147
15.1.13	Directed pickup call	148
15.1.14	Group pickup call	148
15.1.15	Hold call	149
15.1.16	Intrude call	150
15.1.17	Join call	150

15.1.18	Make call	151
15.1.19	Make connection	152
15.1.20	Make predictive call	153
15.1.21	Park call	154
15.1.22	Reconnect call	155
15.1.23	Retrieve call	155
15.1.24	Send Message	156
15.1.25	Single step conference call	157
15.1.26	Single step transfer call	157
15.1.27	Transfer call	158
15.2	Events	159
15.2.1	Bridged	159
15.2.2	Call cleared	160
15.2.3	Conferenced	160
15.2.4	Connection cleared	161
15.2.5	Delivered	162
15.2.6	Digits dialed	163
15.2.7	Diverted	163
15.2.8	Established	164
15.2.9	Failed	165
15.2.10	Held	166
15.2.11	Network capabilities changed	167
15.2.12	Network reached	167
15.2.13	Offered	168
15.2.14	Originated	169
15.2.15	Queued	170
15.2.16	Retrieved	171
15.2.17	Service initiated	172
15.2.18	Transferred	172
16	Call associated features	173
16.1	Services	173
16.1.1	Associate data	173
16.1.2	Cancel telephony tones	174
16.1.3	Change connection information	175
16.1.4	Generate digits	175
16.1.5	Generate telephony tones	176
16.1.6	Send user information	176
16.2	Events	177
16.2.1	Call information	177
16.2.2	Charging	178
16.2.3	Digits generated	178
16.2.4	Telephony tones generated	179
16.2.5	Service completion failure	179
17	Media attachment services and events	181
17.1	Services	181
17.1.1	Attach media service	181
17.1.2	Detach media service	181
17.2	Events	182
17.2.1	Media attached	182
17.2.2	Media detached	183
18	Routeing services	183
18.1	Registration services	183
18.1.1	Route register	183
18.1.2	Route register abort	184
18.1.3	Route register cancel	184
18.2	Services	185
18.2.1	Re-Route	185
18.2.2	Route end	186
18.2.3	Route reject	186

18.2.4	Route request	187
18.2.5	Route select	188
18.2.6	Route used	188
19	Physical device features	189
19.1	Services	189
19.1.1	Button press	189
19.1.2	Get auditory apparatus information	189
19.1.3	Get button information	190
19.1.4	Get display	191
19.1.5	Get hookswitch status	192
19.1.6	Get lamp information	193
19.1.7	Get lamp mode	193
19.1.8	Get message waiting indicator	194
19.1.9	Get microphone gain	195
19.1.10	Get microphone mute	196
19.1.11	Get ringer status	196
19.1.12	Get speaker mute	197
19.1.13	Get speaker volume	198
19.1.14	Set button information	199
19.1.15	Set display	200
19.1.16	Set hookswitch status	200
19.1.17	Set lamp mode	201
19.1.18	Set message waiting indicator	201
19.1.19	Set microphone gain	202
19.1.20	Set microphone mute	203
19.1.21	Set ringer status	203
19.1.22	Set speaker mute	204
19.1.23	Set speaker volume	204
19.2	Events	205
19.2.1	Button information	205
19.2.2	Button press	206
19.2.3	Display updated	206
19.2.4	Hookswitch	207
19.2.5	Lamp mode	207
19.2.6	Message waiting	208
19.2.7	Microphone gain	208
19.2.8	Microphone mute	209
19.2.9	Ringer status	209
19.2.10	Speaker mute	210
19.2.11	Speaker volume	210
20	Logical device features	211
20.1	Services	211
20.1.1	Call back non-call-related	211
20.1.2	Call back message non-call-related	211
20.1.3	Cancel call back	212
20.1.4	Cancel call back message	213
20.1.5	Get agent state	213
20.1.6	Get auto answer	214
20.1.7	Get auto work mode	215
20.1.8	Get call back	215
20.1.9	Get caller id status	216
20.1.10	Get do not disturb	217
20.1.11	Get forwarding	217
20.1.12	Get last number dialed	218
20.1.13	Get routing mode	218
20.1.14	Set agent state	219
20.1.15	Set auto answer	220
20.1.16	Set auto work mode	220
20.1.17	Set caller id status	221
20.1.18	Set do not disturb	221

20.1.19	Set forwarding	222
20.1.20	Set routing mode	223
20.2	Events	223
20.2.1	Agent busy	223
20.2.2	Agent logged off	224
20.2.3	Agent logged on	224
20.2.4	Agent not ready	225
20.2.5	Agent ready	225
20.2.6	Agent working after call	226
20.2.7	Auto answer	227
20.2.8	Auto work mode	227
20.2.9	Call back	227
20.2.10	Call back message	228
20.2.11	Caller id status	228
20.2.12	Do not disturb	229
20.2.13	Forwarding	229
20.2.14	Routing mode	230
21	Device maintenance events	231
21.1	Events	231
21.1.1	Back in service	231
21.1.2	Device capabilities changed	231
21.1.3	Out of service	232
21.1.4	Partially In service	232
22	I/O services	233
22.1	Registration services	233
22.1.1	I/O register	233
22.1.2	I/O register abort	233
22.1.3	I/O register cancel	234
22.2	Services	234
22.2.1	Data path resumed	234
22.2.2	Data path suspended	235
22.2.3	Fast data	235
22.2.4	Resume data path	236
22.2.5	Send broadcast data	237
22.2.6	Send data	237
22.2.7	Send multicast data	238
22.2.8	Start data path	239
22.2.9	Stop data path	240
22.2.10	Suspend data path	240
23	Data Collection Services	241
23.1	Services	241
23.1.1	Data Collected	241
23.1.2	Data Collection Resumed	243
23.1.3	Data Collection Suspended	243
23.1.4	Resume Data Collection	244
23.1.5	Start Data Collection	244
23.1.6	Stop Data Collection	245
23.1.7	Suspend Data Collection	246
24	Voice services and events	246
24.1	Services	246
24.1.1	Activate	246
24.1.2	Clear	247
24.1.3	Concatenate message	247
24.1.4	Deactivate	248
24.1.5	Delete message	249
24.1.6	Play message	249
24.1.7	Query voice attribute	250
24.1.8	Queue service	251

24.1.9	Record message	251
24.1.10	Reposition	252
24.1.11	Resume	253
24.1.12	Review	253
24.1.13	Set voice attribute	254
24.1.14	Start	256
24.1.15	Stop	256
24.1.16	Suspend	257
24.1.17	Synthesize message	257
24.2	Events	258
24.2.1	Bookmark reached	258
24.2.2	Completed	258
24.2.3	DTMF detected	259
24.2.4	Emptied	260
24.2.5	Interruption detected	260
24.2.6	Not recognized	261
24.2.7	Play	261
24.2.8	Recognized	262
24.2.9	Record	262
24.2.10	Review	263
24.2.11	Silence timeout expired	263
24.2.12	Speech detected	264
24.2.13	Started	264
24.2.14	Stop	265
24.2.15	Suspend play	266
24.2.16	Suspend record	266
24.2.17	Voice attribute changed	267
24.2.18	Voice error occurred	268
25	Call detail record services	269
25.1	Services	269
25.1.1	Call detail records notification	269
25.1.2	Call detail records report	269
25.1.3	Send stored call detail records	270
25.1.4	Start call detail records transmission	270
25.1.5	Stop call detail records transmission	271
26	Location services	272
26.1	Services	272
26.1.1	Get location information	272
26.1.2	Set location information	272
26.1.3	Location tracking session resumed	273
26.1.4	Location tracking session suspended	273
26.1.5	Resume location tracking session	274
26.1.6	Location information report	275
26.1.7	Start location tracking session	275
26.1.8	Stop location tracking session	276
26.1.9	Suspend location tracking session	277
26.1.10	Get location tracking capabilities	277
26.1.11	Get location tracking sessions	279
26.1.12	Location Session Info	279
27	Vendor specific extensions services and events	280
27.1	Registration services	280
27.1.1	Escape register	280
27.1.2	Escape register abort	280
27.1.3	Escape register cancel	281
27.2	Services	281
27.2.1	Escape	281
27.2.2	Private data version selection	282
27.3	Events	283
27.3.1	Private event	283

Annex A (normative) Protocol Implementation Conformance Statement (PICS) Proforma	284
Annex B (normative) Registration Template for application/CSTA+XML MIME Media Type	399
Annex C (normative) CSTA Over SIP (uaCSTA) Transport Mechanism	400
Annex E (informative) Examples of Device Identifier Element Encodings	477
Annex F (informative) Examples of Connection ID Encodings	479
Annex G (informative) Examples of CSTA-specific XML	480
Annex H (informative) CSTA XML with SOAP	482
Annex I (informative) CSTA XML with SOAP with HTTP	485
Annex J (informative) CSTA XML over TCP	488
Annex K (informative) CSTA Data Type Schema for Encapsulation	490
Annex L (informative) Registration Template for application/CSTAdata+XML MIME Media Type	491
Annex M (informative) Summary of changes in this edition	492
Bibliography	494