

ISO/IEC TR 29199-1:2011-07 (E)

Information technology - JPEG XR image coding system - Part 1: System architecture

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | v |
| 1 | Scope | 1 |
| 2 | Terms and definitions | 1 |
| 3 | Abbreviations | 6 |
| 4 | The JPEG XR image coding system | 7 |
| 5 | General overview of technical design | 7 |
| 5.1 | Basic technology structure | 7 |
| 5.2 | Supported image format types | 8 |
| 5.3 | Decoded image structure and interpretation | 9 |
| 5.4 | Data processing hierarchy and structures | 10 |
| 5.5 | The JPEG XR transform structure and hierarchy | 11 |
| 5.6 | Handling of image and tile boundaries | 13 |
| 5.7 | Quantization and lossless representation | 13 |
| 5.7.1 | Overall quantization design concepts | 13 |
| 5.7.2 | Quantization control on a spatial region basis | 14 |
| 5.7.3 | Quantization control on a frequency band basis | 14 |
| 5.7.4 | Quantization control on a colour plane component basis | 14 |
| 5.7.5 | Quantization control type combinations | 14 |
| 5.8 | Prediction of transform coefficients and coded block patterns | 14 |
| 5.9 | Adaptive ordering of coefficient scanning pattern | 15 |
| 5.10 | Entropy coding of transform coefficients | 15 |
| 5.11 | Codestream structure | 16 |
| 6 | JPEG XR design in relation to baseline JPEG and JPEG 2000 | 17 |
| 6.1 | General | 17 |
| 6.2 | Image area partitions | 18 |
| 6.3 | Image fidelity refinement | 18 |
| 7 | High dynamic range (HDR) image coding | 18 |
| 7.1 | HDR formats supported in JPEG XR | 18 |
| 7.2 | HDR signal processing design in JPEG XR | 19 |
| 7.3 | Examples of HDR applications for JPEG XR | 19 |
| 8 | JPEG XR profiles and levels | 19 |
| 8.1 | Overview of profiles and levels | 19 |
| 8.2 | Sub-Baseline profile | 20 |
| 8.3 | Baseline profile | 20 |
| 8.4 | Main profile | 20 |
| 8.5 | Advanced profile | 20 |
| 8.6 | Levels | 21 |
| 9 | JPEG XR encoding practices | 21 |
| 9.1 | General encoding guidelines | 21 |
| 9.2 | Encoding for random access | 21 |
| 9.3 | Guidelines for tile size selection | 22 |
| 10 | The JPEG XR decoding process functionality | 23 |

| | | |
|--------|---|----|
| 10.1 | JPEG XR decoding process structure | 23 |
| 10.2 | Output colour conversion | 24 |
| 10.3 | Resolution scalability at decoder | 24 |
| 10.3.1 | General | 24 |
| 10.3.2 | DC-only image decoding | 24 |
| 10.3.3 | DC plus LP image decoding | 24 |
| 10.4 | Quality scalability at decoder | 25 |
| 10.5 | Spatial random access at decoder | 25 |
| 11 | JPEG XR codestream compressed-domain manipulation | 25 |
| 11.1 | General | 25 |
| 11.2 | Flexbits trimming | 26 |
| 11.3 | Flexbits and HP band elimination | 26 |
| 11.4 | Flexbits and HP and LP band elimination | 26 |
| 11.5 | Spatial versus frequency codestream mode switching | 26 |
| 11.6 | Rotation and flip | 26 |
| 11.7 | Compressed-domain region of interest extraction | 26 |
| 11.8 | Switching between interleaved and planar alpha planes | 27 |
| 11.9 | Compressed-domain retiling | 27 |