

# ISO/IEC 18052:2011-09 (E)

## Information technology - Telecommunications and information exchange between systems - Protocol for Computer Supported Telecommunications Applications (CSTA) Phase III

---

| <b>Contents</b>    |   | <b>Page</b> |
|--------------------|---|-------------|
| Foreword .....     |   | x           |
| Introduction ..... |   | xi          |
| <b>1</b>           | <b>Scope .....</b>                                  | <b>1</b>    |
| <b>2</b>           | <b>Conformance .....</b>                            | <b>1</b>    |
| 2.1                | Static Requirements .....                           | 1           |
| 2.2                | Dynamic Requirements .....                          | 1           |
| 2.3                | PICS Requirement .....                              | 2           |
| <b>3</b>           | <b>Normative references .....</b>                   | <b>2</b>    |
| <b>4</b>           | <b>Terms and definitions .....</b>                  | <b>2</b>    |
| <b>5</b>           | <b>CSTA Service Definition Model .....</b>          | <b>3</b>    |
| 5.1                | CSTA Application Layer Structure .....              | 3           |
| 5.2                | Remote Operations .....                             | 3           |
| 5.3                | The CSTA Service Response .....                     | 3           |
| 5.4                | Cross Referencing of Event Reports .....            | 3           |
| 5.5                | Handling of Private Data .....                      | 4           |
| <b>6</b>           | <b>Interconnection service boundary .....</b>       | <b>4</b>    |
| <b>7</b>           | <b>Security .....</b>                               | <b>4</b>    |
| <b>8</b>           | <b>Association Management .....</b>                 | <b>4</b>    |
| 8.1                | Implicit association .....                          | 4           |
| 8.2                | Dynamic association management using ACSE .....     | 4           |
| 8.2.1              | Encoding of application context name .....          | 5           |
| 8.2.2              | Encoding of application context information .....   | 5           |
| <b>9</b>           | <b>CSTA parameter types .....</b>                   | <b>10</b>   |
| 9.1                | Switching function objects .....                    | 10          |
| 9.2                | Device Identifiers .....                            | 11          |
| 9.3                | Call and connection identifiers .....               | 13          |
| 9.4                | Connection states .....                             | 14          |
| 9.5                | Status reporting .....                              | 15          |
| 9.6                | Device and feature types and other parameters ..... | 18          |
| 9.7                | Security .....                                      | 24          |
| 9.8                | Common extensions .....                             | 25          |
| 9.9                | Call control .....                                  | 26          |
| 9.10               | Capability Exchange .....                           | 30          |
| 9.11               | Call Detail Record .....                            | 94          |
| 9.12               | Charge information .....                            | 97          |
| 9.13               | Data call types .....                               | 98          |
| 9.14               | Escape types .....                                  | 99          |
| 9.15               | Media services .....                                | 100         |
| 9.16               | Physical device features .....                      | 103         |

|         |   |     |
|---------|---|-----|
| 9.17    | Data Collection .....                         | 105 |
| 9.18    | Event Cause .....                             | 106 |
| 9.19    | Error Value .....                             | 109 |
| 10      | Event Report Service .....                    | 115 |
| 11      | Capability exchange services .....            | 121 |
| 11.1    | Services .....                                | 121 |
| 11.1.1  | Get CSTA-Features .....                       | 121 |
| 11.1.2  | Get logical device information .....          | 123 |
| 11.1.3  | Get physical device information .....         | 125 |
| 11.1.4  | Get switching function capabilities .....     | 127 |
| 11.1.5  | Get switching function devices .....          | 131 |
| 11.1.6  | Switching function devices .....              | 133 |
| 12      | System services .....                         | 134 |
| 12.1    | Registration services .....                   | 134 |
| 12.1.1  | Change system status filter .....             | 134 |
| 12.1.2  | System register .....                         | 135 |
| 12.1.3  | System register abort .....                   | 136 |
| 12.1.4  | System register cancel .....                  | 137 |
| 12.2    | Services .....                                | 138 |
| 12.2.1  | Request system status .....                   | 138 |
| 12.2.2  | System status .....                           | 139 |
| 12.2.3  | Switching function capabilities changed ..... | 140 |
| 12.2.4  | Switching function devices changed .....      | 141 |
| 12.2.5  | Get Registrations .....                       | 142 |
| 12.2.6  | Registration Info .....                       | 143 |
| 13      | Monitoring services .....                     | 144 |
| 13.1    | Services .....                                | 144 |
| 13.1.1  | Change monitor filter .....                   | 144 |
| 13.1.2  | Monitor start .....                           | 145 |
| 13.1.3  | Monitor stop .....                            | 146 |
| 13.1.4  | Get Monitor .....                             | 147 |
| 13.1.5  | Monitor Info .....                            | 148 |
| 14      | Snapshot services .....                       | 149 |
| 14.1    | Services .....                                | 149 |
| 14.1.1  | Snapshot call .....                           | 149 |
| 14.1.2  | Snapshot device .....                         | 151 |
| 14.1.3  | Snapshot calldata .....                       | 152 |
| 14.1.4  | Snapshot devicedata .....                     | 153 |
| 15      | Call control services and events .....        | 154 |
| 15.1    | Services .....                                | 154 |
| 15.1.1  | Accept call .....                             | 154 |
| 15.1.2  | Alternate call .....                          | 155 |
| 15.1.3  | Answer call .....                             | 156 |
| 15.1.4  | Call back call-related .....                  | 157 |
| 15.1.5  | Call back message call-related .....          | 158 |
| 15.1.6  | Camp on call .....                            | 159 |
| 15.1.7  | Clear call .....                              | 160 |
| 15.1.8  | Clear Connection .....                        | 161 |
| 15.1.9  | Conference call .....                         | 162 |
| 15.1.10 | Consultation call .....                       | 163 |
| 15.1.11 | Deflect call .....                            | 165 |
| 15.1.12 | Dial digits .....                             | 167 |
| 15.1.13 | Directed pickup call .....                    | 168 |
| 15.1.14 | Group pickup call .....                       | 169 |
| 15.1.15 | Hold call .....                               | 170 |
| 15.1.16 | Intrude call .....                            | 171 |

|         |  |     |
|---------|--|-----|
| 15.1.17 | Join call .....                            | 172 |
| 15.1.18 | Make call .....                            | 173 |
| 15.1.19 | Make connection .....                      | 175 |
| 15.1.20 | Make predictive call .....                 | 177 |
| 15.1.21 | Park call .....                            | 179 |
| 15.1.22 | Reconnect call .....                       | 180 |
| 15.1.23 | Retrieve call .....                        | 181 |
| 15.1.24 | Single step conference call .....          | 182 |
| 15.1.25 | Send Message .....                         | 184 |
| 15.1.26 | Single step transfer call .....            | 186 |
| 15.1.27 | Transfer call .....                        | 188 |
| 15.2    | Events .....                               | 189 |
| 15.2.1  | Bridged .....                              | 189 |
| 15.2.2  | Call cleared .....                         | 191 |
| 15.2.3  | Conferenced .....                          | 192 |
| 15.2.4  | Connection cleared .....                   | 194 |
| 15.2.5  | Delivered .....                            | 196 |
| 15.2.6  | Digits dialed .....                        | 198 |
| 15.2.7  | Diverted .....                             | 200 |
| 15.2.8  | Established .....                          | 202 |
| 15.2.9  | Failed .....                               | 204 |
| 15.2.10 | Held .....                                 | 206 |
| 15.2.11 | Network capabilities changed .....         | 207 |
| 15.2.12 | Network reached .....                      | 209 |
| 15.2.13 | Offered .....                              | 211 |
| 15.2.14 | Originated .....                           | 213 |
| 15.2.15 | Queued .....                               | 215 |
| 15.2.16 | Retrieved .....                            | 217 |
| 15.2.17 | Service initiated .....                    | 218 |
| 15.2.18 | Transferred .....                          | 220 |
| 16      | Call associated features .....             | 222 |
| 16.1    | Services .....                             | 222 |
| 16.1.1  | Associate data .....                       | 222 |
| 16.1.2  | Cancel telephony tones .....               | 224 |
| 16.1.3  | Change Connection Information .....        | 225 |
| 16.1.4  | Generate digits .....                      | 226 |
| 16.1.5  | Generate telephony tones .....             | 227 |
| 16.1.6  | Send user information .....                | 228 |
| 16.2    | Events .....                               | 229 |
| 16.2.1  | Call information .....                     | 229 |
| 16.2.2  | Charging .....                             | 230 |
| 16.2.3  | Digits generated .....                     | 231 |
| 16.2.4  | Telephony tones generated .....            | 232 |
| 16.2.5  | Service completion failure .....           | 233 |
| 17      | Media attachment services and events ..... | 234 |
| 17.1    | Services .....                             | 234 |
| 17.1.1  | Attach media service .....                 | 234 |
| 17.1.2  | Detach media service .....                 | 236 |
| 17.2    | Events .....                               | 237 |
| 17.2.1  | Media attached .....                       | 237 |
| 17.2.2  | Media detached .....                       | 238 |
| 18      | Routeing services .....                    | 239 |
| 18.1    | Registration services .....                | 239 |
| 18.1.1  | Route register .....                       | 239 |
| 18.1.2  | Route register abort .....                 | 240 |
| 18.1.3  | Route register cancel .....                | 241 |
| 18.2    | Services .....                             | 242 |
| 18.2.1  | Re-Route .....                             | 242 |
| 18.2.2  | Route end .....                            | 243 |

|         |  |     |
|---------|--|-----|
| 18.2.3  | Route reject .....                       | 244 |
| 18.2.4  | Route request .....                      | 245 |
| 18.2.5  | Route select .....                       | 247 |
| 18.2.6  | Route used .....                         | 248 |
| 19      | Physical device features .....           | 249 |
| 19.1    | Services .....                           | 249 |
| 19.1.1  | Button press .....                       | 249 |
| 19.1.2  | Get auditory apparatus information ..... | 250 |
| 19.1.3  | Get button information .....             | 251 |
| 19.1.4  | Get display .....                        | 252 |
| 19.1.5  | Get hookswitch status .....              | 253 |
| 19.1.6  | Get lamp information .....               | 254 |
| 19.1.7  | Get lamp mode .....                      | 255 |
| 19.1.8  | Get message waiting indicator .....      | 256 |
| 19.1.9  | Get microphone gain .....                | 257 |
| 19.1.10 | Get microphone mute .....                | 258 |
| 19.1.11 | Get ringer status .....                  | 259 |
| 19.1.12 | Get speaker mute .....                   | 260 |
| 19.1.13 | Get speaker volume .....                 | 261 |
| 19.1.14 | Set button information .....             | 262 |
| 19.1.15 | Set display .....                        | 263 |
| 19.1.16 | Set hookswitch status .....              | 264 |
| 19.1.17 | Set lamp mode .....                      | 265 |
| 19.1.18 | Set message waiting indicator .....      | 266 |
| 19.1.19 | Set microphone gain .....                | 267 |
| 19.1.20 | Set microphone mute .....                | 268 |
| 19.1.21 | Set ringer status .....                  | 269 |
| 19.1.22 | Set speaker mute .....                   | 270 |
| 19.1.23 | Set speaker volume .....                 | 271 |
| 19.2    | Events .....                             | 272 |
| 19.2.1  | Button information .....                 | 272 |
| 19.2.2  | Button press .....                       | 273 |
| 19.2.3  | Display updated .....                    | 274 |
| 19.2.4  | Hookswitch .....                         | 275 |
| 19.2.5  | Lamp mode .....                          | 276 |
| 19.2.6  | Message waiting .....                    | 277 |
| 19.2.7  | Microphone gain .....                    | 278 |
| 19.2.8  | Microphone mute .....                    | 279 |
| 19.2.9  | Ringer status .....                      | 280 |
| 19.2.10 | Speaker mute .....                       | 281 |
| 19.2.11 | Speaker volume .....                     | 282 |
| 20      | Logical device features .....            | 283 |
| 20.1    | Services .....                           | 283 |
| 20.1.1  | Call back non-call-related .....         | 283 |
| 20.1.2  | Call back message non-call-related ..... | 284 |
| 20.1.3  | Cancel call back .....                   | 285 |
| 20.1.4  | Cancel call back message .....           | 286 |
| 20.1.5  | Get agent state .....                    | 287 |
| 20.1.6  | Get auto answer .....                    | 288 |
| 20.1.7  | Get auto work mode .....                 | 289 |
| 20.1.8  | Get Call Back .....                      | 290 |
| 20.1.9  | Get caller id status .....               | 291 |
| 20.1.10 | Get do not disturb .....                 | 292 |
| 20.1.11 | Get forwarding .....                     | 293 |
| 20.1.12 | Get last number dialed .....             | 294 |
| 20.1.13 | Get routeing mode .....                  | 295 |
| 20.1.14 | Set agent state .....                    | 296 |
| 20.1.15 | Set auto answer .....                    | 297 |
| 20.1.16 | Set auto work mode .....                 | 298 |
| 20.1.17 | Set caller id status .....               | 299 |

|         |                                      |     |
|---------|--------------------------------------|-----|
| 20.1.18 | Set do not disturb .....             | 300 |
| 20.1.19 | Set forwarding .....                 | 301 |
| 20.1.20 | Set routeing mode .....              | 302 |
| 20.2    | Events .....                         | 303 |
| 20.2.1  | Agent busy .....                     | 303 |
| 20.2.2  | Agent logged off .....               | 304 |
| 20.2.3  | Agent logged on .....                | 305 |
| 20.2.4  | Agent not ready .....                | 306 |
| 20.2.5  | Agent ready .....                    | 307 |
| 20.2.6  | Agent working after call .....       | 308 |
| 20.2.7  | Auto answer .....                    | 309 |
| 20.2.8  | Auto work mode .....                 | 310 |
| 20.2.9  | Call back .....                      | 311 |
| 20.2.10 | Call back message .....              | 312 |
| 20.2.11 | Caller id status .....               | 313 |
| 20.2.12 | Do not disturb .....                 | 314 |
| 20.2.13 | Forwarding .....                     | 315 |
| 20.2.14 | Routeing mode .....                  | 316 |
| 21      | Device maintenance events .....      | 317 |
| 21.1    | Events .....                         | 317 |
| 21.1.1  | Back in service .....                | 317 |
| 21.1.2  | Device capabilities changed .....    | 318 |
| 21.1.3  | Out of service .....                 | 319 |
| 21.1.4  | Partially in Service .....           | 320 |
| 22      | I/O services .....                   | 321 |
| 22.1    | Registration services .....          | 321 |
| 22.1.1  | I/O register .....                   | 321 |
| 22.1.2  | I/O register abort .....             | 322 |
| 22.1.3  | I/O register cancel .....            | 323 |
| 22.2    | Services .....                       | 324 |
| 22.2.1  | Data path resumed .....              | 324 |
| 22.2.2  | Data path suspended .....            | 325 |
| 22.2.3  | Fast data .....                      | 326 |
| 22.2.4  | Resume data path .....               | 327 |
| 22.2.5  | Send broadcast data .....            | 328 |
| 22.2.6  | Send data .....                      | 329 |
| 22.2.7  | Send multicast data .....            | 330 |
| 22.2.8  | Start data path .....                | 331 |
| 22.2.9  | Stop data path .....                 | 332 |
| 22.2.10 | Suspend data path .....              | 333 |
| 23      | Data Collection Services .....       | 334 |
| 23.1    | Services .....                       | 334 |
| 23.1.1  | Data Collected .....                 | 334 |
| 23.1.2  | Data Collection Resumed .....        | 336 |
| 23.1.3  | Data Collection Suspended .....      | 337 |
| 23.1.4  | Resume Data Collection .....         | 338 |
| 23.1.5  | Start Data Collection .....          | 339 |
| 23.1.6  | Stop Data Collection .....           | 340 |
| 23.1.7  | Suspend Data Collection .....        | 341 |
| 24      | Voice unit services and events ..... | 342 |
| 24.1    | Services .....                       | 342 |
| 24.1.1  | Activate .....                       | 342 |
| 24.1.2  | Clear .....                          | 343 |
| 24.1.3  | Concatenate message .....            | 344 |
| 24.1.4  | Deactivate .....                     | 345 |
| 24.1.5  | Delete message .....                 | 346 |
| 24.1.6  | Play message .....                   | 347 |
| 24.1.7  | Query voice attribute .....          | 348 |

|         |  |     |
|---------|--|-----|
| 24.1.8  | Queue .....  | 350 |
| 24.1.9  | Record message .....                                 | 351 |
| 24.1.10 | Reposition .....                                     | 352 |
| 24.1.11 | Resume .....   | 353 |
| 24.1.12 | Review .....   | 354 |
| 24.1.13 | Set voice attribute .....                            | 355 |
| 24.1.14 | Start .....  | 357 |
| 24.1.15 | Stop .....   | 358 |
| 24.1.16 | Suspend .....  | 359 |
| 24.1.17 | Synthesize message .....                             | 360 |
| 24.2    | Events .....   | 361 |
| 24.2.1  | Bookmark Reached .....                               | 361 |
| 24.2.2  | Completed .....                                      | 362 |
| 24.2.3  | DTMF Detected .....                                  | 363 |
| 24.2.4  | Emptied .....  | 364 |
| 24.2.5  | Interruption Detected .....                          | 365 |
| 24.2.6  | Not Recognized .....                                 | 366 |
| 24.2.7  | Play .....   | 367 |
| 24.2.8  | Recognized .....                                     | 368 |
| 24.2.9  | Record .....   | 369 |
| 24.2.10 | Review .....   | 370 |
| 24.2.11 | Silence Timeout Expired .....                        | 371 |
| 24.2.12 | Speech Detected .....                                | 372 |
| 24.2.13 | Started .....  | 373 |
| 24.2.14 | Stop .....   | 374 |
| 24.2.15 | Suspend play .....                                   | 375 |
| 24.2.16 | Suspend record .....                                 | 376 |
| 24.2.17 | Voice attribute changed .....                        | 377 |
| 24.2.18 | VoiceErrorOccurred .....                             | 379 |
| 25      | Call detail record services .....                    | 380 |
| 25.1    | Services .....                                       | 380 |
| 25.1.1  | Call detail records notification .....               | 380 |
| 25.1.2  | Call detail records report .....                     | 381 |
| 25.1.3  | Send stored call detail records .....                | 382 |
| 25.1.4  | Start call detail records transmission .....         | 383 |
| 25.1.5  | Stop call detail records transmission .....          | 384 |
| 26      | Location Services .....                              | 385 |
| 26.1    | Services .....                                       | 385 |
| 26.1.1  | Get Location Information .....                       | 385 |
| 26.1.2  | Set Location Information .....                       | 386 |
| 26.1.3  | Location tracking session resumed .....              | 387 |
| 26.1.4  | Location tracking session suspended .....            | 388 |
| 26.1.5  | Resume Location tracking session .....               | 389 |
| 26.1.6  | Location Information Report .....                    | 390 |
| 26.1.7  | Start Location Tracking Session .....                | 391 |
| 26.1.8  | Stop Location Tracking Session .....                 | 393 |
| 26.1.9  | Suspend Location Tracking Session .....              | 394 |
| 26.1.10 | Get Location Tracking Capabilities .....             | 395 |
| 26.1.11 | Get Location Tracking Sessions .....                 | 397 |
| 26.1.12 | Location Session Info .....                          | 398 |
| 27      | Vendor specific extensions services and events ..... | 399 |
| 27.1    | Registration services .....                          | 399 |
| 27.1.1  | Escape register .....                                | 399 |
| 27.1.2  | Escape register abort .....                          | 400 |
| 27.1.3  | Escape register cancel .....                         | 401 |
| 27.2    | Services .....                                       | 402 |
| 27.2.1  | Escape .....   | 402 |
| 27.2.2  | Private data version selection .....                 | 403 |
| 27.3    | Events .....   | 404 |

|  |  |            |
|--|--|------------|
| <b>27.3.1</b>  | <b>Private event</b>                                 | <b>404</b> |
| <b>Annex A (normative) Protocol Implementation Conformance Statement (PICS) Proforma</b> |  | <b>405</b> |
| <b>A.1</b>   | <b>Introduction</b>                                  | <b>405</b> |
| <b>A.2</b>   | <b>Conformance</b>                                   | <b>405</b> |
| <b>A.3</b>   | <b>Instructions for completing the PICS proforma</b> | <b>405</b> |
| <b>A.4</b>   | <b>Implementation identification</b>                 | <b>406</b> |
| <b>A.5</b>   | <b>PICS proforma</b>                                 | <b>406</b> |
| <b>A.5.1</b>   | <b>CSTA Profiles</b>                                 | <b>406</b> |
| <b>A.5.2</b>   | <b>Capability Exchange Services</b>                  | <b>408</b> |
| <b>A.5.3</b>   | <b>System Services</b>                               | <b>415</b> |
| <b>Bibliography</b>  |  | <b>565</b> |