

ISO/IEC 16317:2011-10 (E)

Information technology - Telecommunications and information exchange between systems - proxZzzy for sleeping hosts

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Conformance | 1 |
| 3 | Normative references | 2 |
| 4 | Terms and definitions | 3 |
| 5 | Proxy Usage of Protocols (informative) | 3 |
| 5.1 | Basic Architecture | 3 |
| 5.2 | Ethernet (IEEE 802.3) | 3 |
| 5.3 | Wireless LAN (IEEE 802.11) | 4 |
| 5.4 | Dynamic Host Configuration Protocol (DHCP) | 4 |
| 5.5 | Internet Protocol v4 Basic Framework (IPv4) | 4 |
| 5.5.1 | ARP - Address Resolution Protocol | 4 |
| 5.5.2 | Link Local Auto-IP Address Allocation | 5 |
| 5.5.3 | IPv4 Address Conflict Detection | 5 |
| 5.5.4 | IGMP - Internet Group Management Protocol | 5 |
| 5.5.5 | UDP - User Datagram Protocol | 5 |
| 5.5.6 | TCP - Transmission Control Protocol | 5 |
| 5.5.7 | DNS - Domain Name System | 5 |
| 5.6 | Internet Protocol v6 Basic Framework (IPv6) | 5 |
| 5.6.1 | MLD - Multicast Listener Discovery | 6 |
| 5.7 | Remote Access using SIP and IPv4 | 6 |
| 5.8 | Remote Access using Teredo for IPv6 | 7 |
| 5.9 | SNMP | 7 |
| 5.10 | Service Discovery using mDNS | 7 |
| 5.11 | Name Resolution with LLMNR | 7 |
| 5.12 | Wake Packets | 7 |
| 6 | Basic Framework Protocols | 8 |
| 6.1 | Ethernet 802.3 (Option) | 8 |
| 6.1.1 | Configuration Data | 8 |
| 6.1.2 | Behavioural Requirements | 8 |
| 6.2 | WiFi 802.11 (Option) | 8 |
| 6.2.1 | Configuration Data | 8 |
| 6.2.2 | Behavioural Requirements | 9 |
| 6.3 | ARP | 10 |
| 6.3.1 | Configuration Data | 10 |
| 6.3.2 | Behavioural Requirements | 10 |
| 6.4 | Neighbour Discovery | 11 |
| 6.4.1 | Configuration Data | 11 |
| 6.4.2 | Behavioural Requirements | 11 |
| 6.5 | Wake Packets | 12 |
| 6.5.1 | Configuration Data | 12 |
| 6.5.2 | Behavioural Requirements | 12 |

| | | |
|------------------------------|--|-----------|
| 7 | Proxy Configuration and Management | 12 |
| 7.1 | Configuration Data | 12 |
| 7.2 | Behavioural Requirements | 12 |
| 7.2.1 | Returned Data (Option) | 13 |
| 8 | Options | 13 |
| 8.1 | IGMP Multicast (Option) | 13 |
| 8.1.1 | Configuration Data | 13 |
| 8.1.2 | Behavioural Requirements | 13 |
| 8.2 | DHCP Address Allocation (Option) | 14 |
| 8.2.1 | Configuration Data | 14 |
| 8.2.2 | Behavioural Requirements | 14 |
| 8.3 | Remote Access using SIP and IPv4 (Option) | 14 |
| 8.3.1 | Behavioural Requirements | 15 |
| 8.4 | Remote Access using Teredo for IPv6 | 15 |
| 8.4.1 | Data Configuration | 16 |
| 8.4.2 | Behavioural Requirements | 16 |
| 8.5 | Simple Network Management Protocol (SNMP) | 16 |
| 8.5.1 | Configuration Data | 16 |
| 8.5.2 | Behavioural Requirements | 17 |
| 8.6 | Service Discovery using mDNS | 17 |
| 8.6.1 | Configuration Data | 17 |
| 8.6.2 | Behavioural Requirements | 18 |
| 8.7 | Name Resolution with LLMNR | 20 |
| 8.7.1 | Configuration Data | 20 |
| 8.7.2 | Behavioural Requirements | 20 |
| Annex A (informative) | System Considerations | 21 |
| Annex B (informative) | Protocols Considered but not included | 23 |
| Bibliography | | 24 |