

# ISO/IEC/IEEE 21451-7:2012-02 (E)

## Information technology - Smart transducer interface for sensors and actuators - Part 7: Transducer to radio frequency identification (RFID) systems communication protocols and Transducer Electronic Data Sheet (TEDS) formats

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Conformance .....</b>	<b>1</b>
<b>3</b>	<b>Normative references .....</b>	<b>1</b>
<b>4</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>5</b>	<b>Abbreviated terms .....</b>	<b>2</b>
<b>6</b>	<b>Transducer and RFID system interface specification .....</b>	<b>3</b>
<b>7</b>	<b>Air interface applicability (RFID and RTLS) .....</b>	<b>4</b>
7.1	General .....	4
7.2	Overview .....	4
7.3	Sensor security system basic operations .....	5
7.3.1	Air interface security system support .....	5
7.3.2	Direct sensor security support .....	5
7.4	Sensor identifier .....	7
7.5	Sensor characteristics TEDS (Type 1) .....	8
7.5.1	TEDS type .....	10
7.5.2	Sensor type .....	10
7.5.3	Units extension .....	10
7.5.4	Sensor map of supported measurement codes .....	10
7.5.5	Data resolution .....	11
7.5.6	Scale factors for transmitted data .....	12
7.5.7	Data uncertainty .....	13
7.5.8	Sensor reconfiguration .....	13
7.5.9	Memory rollover capability .....	13
7.5.10	Air interface security capability .....	17
7.5.11	Sensor security capability .....	17
7.5.12	Sensor authentication encryption capability map .....	17
7.5.13	Sensor data encryption capability map .....	18
7.5.14	Random number size .....	18
7.5.15	Continuing authentication capability field .....	18
7.5.16	Sensor authentication password/key size .....	19
7.5.17	Sensor data encryption key size .....	19
7.5.18	Data encryption capability field .....	19
7.6	Sample and configuration record .....	20
7.6.1	UTC timestamp at configuration and beginning of mission .....	20
7.6.2	Sample interval .....	21
7.6.3	Monitor delay .....	21
7.6.4	Alarm values set .....	21
7.6.5	Memory rollover enabled .....	21
7.6.6	Air interface tag security status code .....	22

7.6.7	Sensor command classes .....	22
7.6.8	Air interface security function code .....	23
7.6.9	Sensor security function code .....	24
7.6.10	Sensor authentication encryption function code .....	25
7.6.11	Sensor data encryption function code .....	25
7.6.12	Security timer duration .....	25
7.6.13	Secure session timer .....	25
7.6.14	Upper alarm threshold value .....	26
7.6.15	Lower alarm threshold value .....	26
7.7	Event administration record .....	26
7.7.1	Code 10 sample capacity (C10SC) .....	27
7.7.2	Code 11 sample capacity (C11SC) .....	27
7.7.3	Code 12 sample capacity (C12SC) .....	28
7.7.4	Code 13 sample capacity (C13SC) .....	28
7.7.5	Sample count .....	28
7.7.6	Alarms triggered .....	28
7.7.7	Sample count at a predetermined time .....	28
7.7.8	Sample count and data following alarm event .....	29
7.7.9	Sample count of events outside either threshold .....	29
7.7.10	Sample count at the first threshold event .....	29
7.7.11	Mission in progress .....	29
7.8	Event records .....	29
7.8.1	Single event record .....	30
7.8.2	Single event with timestamp .....	30
7.8.3	Event counts .....	30
7.8.4	Data log of all sampled events .....	30
7.8.5	Data log plus time tick .....	31
7.8.6	Data log of all observations after initial alarm .....	31
8	Command overview .....	31
8.1	General .....	31
8.2	Read sensor identifier .....	34
8.3	Read primary characteristics TEDS .....	35
8.4	Write sample and configuration .....	36
8.5	Read sample and configuration .....	39
8.6	Read alarm status .....	41
8.7	Read single memory record .....	43
8.8	Read event administration record .....	45
8.9	Read event record segments .....	47
8.10	Read partial event record segment .....	50
8.11	Write event administration field 7 .....	51
8.12	Read any field .....	53
8.13	Erase event administration record .....	54
8.14	Erase event records .....	55
8.15	Erase sample and configuration record .....	56
8.16	Begin end mission .....	57
8.17	Challenge .....	60
8.18	Reader authenticate .....	63
8.19	ReadWriteLock keys .....	65
8.20	Request RN .....	67
8.21	Encryption on/off .....	69
8.22	Close secure session .....	70
9	RFID communications .....	71
9.1	Support for commands .....	71
9.2	Addressing and sub-addressing of sensors .....	71
Annex A (normative) Sensor types .....		73
Annex B (normative) Extension codes .....		74
Annex C (informative) Physical interfaces .....		75

<b>C.1</b>	<b>Interface - Serial Bus</b> .....	<b>75</b>
<b>C.2</b>	<b>1-Wire</b> .....	<b>75</b>
<b>C.3</b>	<b>SPI (Serial Peripheral Interface)</b> .....	<b>75</b>
<b>C.4</b>	<b>I2 C (I Squared C)</b> .....	<b>76</b>
<b>Annex E (informative) Sensor authentication and encryption</b> .....		<b>79</b>
<b>E.1</b>	<b>Need for authentication and encryption</b> .....	<b>79</b>
<b>E.2</b>	<b>Use of a stream cipher for encryption</b> .....	<b>79</b>
<b>E.3</b>	<b>Authentication using a stream cipher</b> .....	<b>80</b>
<b>E.4</b>	<b>Recommendations</b> .....	<b>81</b>
<b>Bibliography</b> .....		<b>82</b>