ISO/IEC 8613-7:1994-11 (E)

Information technologie - Open Document Architecture (ODA) and interchange format: Raster graphics content architectu res

Contents

Page

1 Scope 1

2 Normative references 2
2.1 Identical Recommendations I International Standards 2
2.2 Paired Recommendations I International Standards equivalent in technical content 2
2.3 Additional references 2

3 Definitions 2

4 Abbreviations 2

5 Conventions 3

6 General principles 3
6.1 Content architecture classes 3
6.1.1 Formatted content architecture class 3
6.1.2 Formatted processable content architecture class 3
6.2 Content 4
6.2.1 Binary mode 4
6.2.2 Colour mode 4
6.3 Presentation attributes 4
6.4 Content portion attributes 4
6.5 Coding of content information 4
6.6 Picture element (pel) array 4
6.7 Colour spaces applicable to the raster graphics content architecture 5

7 Principles of positioning pels 5
7.1 Basic concepts 6
7.1.1 Measurement units and directions 6
7.1.2 Coordinate systems 6
7.2 Pel image model 6
7.3 Positioning of pels 6
7.3.1 The clipped pel array 7
7.3.2 Discarded pels 7
7.4 Tiling 7
7.5 Positioning of pels in a basic layout object 9
7.5.1 Positioning Parameters 9
7.5.2 Positioning rules for formatted content 10
7.5.3 Positioning rules for formatted processable content 10

8 Definition of raster graphics presentation attributes 10
8.1 Shared presentation attributes 11
8.1.1 Clipping 11
8.1.2 Line Progression 12
8.1.3 Pel path 12
8.2 Layout presentation attributes 12
8.2.1 Initial offset 12
8.2.2 Pel transmission density 13
8.3 Logical presentation attributes 14
8.3.1 Image dimensions 14
8.3.2 Pel spacing 15
8.3.3 Spacing ratio 15

8.4 Content architecture class attributes 15
8.4.1 Content architecture class 15

9 Definition of raster graphics content portion attributes 16
9.1 Common coding attributes 16
9.1.1 Type of coding 16
9.2 Other coding attributes 17
9.2.1 Compression 17
9.2.2 Number of lines 18
9.2.3 Number of pels per line 1 8
9.2.4 Number of discarded pels 19
9.2.5 Number of lines per tile 19
9.2.6 Number of pels per tile line 19
9.2.7 Tiling offset 19
9.2.8 Tile types 20
9.2.9 Bits per colour component 20
9.2.10 Interleaving format 21
9.3 Content information attributes 21
9.4 Interactions with document architecture attributes 21

10 Formal definitions of raster graphics content architecture dependent data types 21
10.1 Introduction 21
10.2 Representation of presentation attributes 22
10.3 Representation of coding attributes 23
10.4 Representation of non-basic features and non-standard defaults 24

11 Coding schemes 25
11.1 CCITT Rec. T.6 encoding scheme 25
11.2 CCITT Rec. T.4 encoding schemes 25
11.3 Bitmap encoding scheme 26
11.4 Tiled encoding scheme 26
11.5 Direct value encoding scheme 27
11.6 Octet run-length encoding scheme 27
11.7 Packed index encoding scheme 27

12 Content layout process 28
12.1 Introduction 28
12.1.1 Purpose 28
12.1.2 Available area 28
12.1.3 Presentation attributes 28
12.1.4 Coding attributes 28
12.1.5 Raster graphics content architecture classes 28
12.1.6 Layout of the content 29
12.2 Notation 29
12.3 The fixed dimension content layout method 29
12.4 The scalable dimension content layout method 30

13 Content imaging process 31
13.1 Introduction 36
13.2 Content imaging process for formatted form 36
13.3 Content imaging process for formatted processable form 36

14 Definition of raster graphics content architecture classes 36
14.1 Summary of raster graphics presentation attributes 36
14.2 Summary of raster graphic content portion attributes 37

Annex A - Summary of raster graphics content architecture classes 38
A.1 Formatted raster graphics content architecture class 38
A.1.1 Presentation attributes 38
A.1.2 Content portion attributes 38
A.2 Formatted processable raster graphics content architecture class 39
A.2.1 Presentation attributes 39

A.2.2 Content portion attributes 40

Annex B - Summary of ASN.1 object identifiers 41

Annex C - SGML representation of raster graphics content-specific attributes for ODL 42
C.1 Introduction 42
C.2 Names and public identifiers 42
C.3 Representation of attribute values 42
C.3.1 Constructed Parameters 42
C.3.2 String parameters 42
C.3.3 Key word parameters 43
C.3.4 Integer parameters 43
C.4 Presentation attributes 43
C.4.1 Shared presentation attributes (format attribute-directives) 43
C.4.2 Layout presentation attributes (formal attributes) 43
C.4.3 Logical presentation attributes (format directives) 43
C.5 Coding attributes 44

Index 45

LIST OF TABLES

Table 1 - Raster graphics presentation attributes 11

Table 2 - Default values of the presentation attribute "initial offset" (position of initial point) 13

Table 3 - Relation of pel spacing and line spacing to resolution 13

Table 4 - Default value of the presentation attribute "number of pels per line" 18

Table 5 - Dimensions of basic layout object 29

Table 6 - Raster graphics presentation attributes 37

Table 7 - Raster graphics content portion attributes 37

Table A.1 - Formatted raster graphics content architecture class presentation attributes 38

Table A.2 - Formatted processable raster graphics content architecture class content portion attributes 38

Table A.3 - Formatted processable raster graphics content architecture class presentation attributes 39

Table A.4 - Formatted processable raster graphics content architecture class content portion attributes 40

Table B.1 - Summary of ASN. 1 object identifiers 41

LIST OF FIGURES

Figure 1 - Relationships among the colour spaces for the Raster Graphics Content Architecture 5

Figure 2 - Example of direction 6

Figure 3 - Example of clipping a content portion 7

Figure 4 - Location of the pel array in the set of tiles 8

Figure 5 - Example of the tile content ordering 8

Figure 6 - Positioning of pels of the clipped pel array within a basic layout object 9

Figure 7 - Diagrams used to illustrate the process of determining the basic layout object dimensions 32

Figure 8 - Layout process for the presentation attribute "image dimensions" when a value is specified for the Parameter "automatic" 33

Figure 9 - Layout process for the presentation attribute "image dimensions" when a value is specified for the Parameter "width controlled" or "height controlled" 34

Figure 10 - Layout process for the presentation attribute "image dimensions" when a value is specified for the Parameter "area controlled" 35