

ISO/IEC 19505-2:2012-04 (E)

Information technology - Object Management Group Unified Modeling Language (OMG UML) - Part 2: Superstructure

| Contents | | Page |
|-------------------------------------|--|-------------|
| 1. | Scope | 1 |
| 2. | Conformance | 1 |
| 2.1 | Language Units | 2 |
| 2.2 | Compliance Levels | 2 |
| 2.3 | Meaning and Types of Compliance | 6 |
| 2.4 | Compliance Level Contents | 8 |
| 3. | Normative References | 9 |
| 4. | Terms and Definitions | 10 |
| 5. | Notational Conventions | 10 |
| 5.1 | Keywords for Requirement Statements | 10 |
| 5.2 | Annotations on Example Diagrams | 10 |
| 6. | Additional Information | 11 |
| 6.1 | Architectural Alignment and MDA Support | 11 |
| 6.2 | On the Run-Time Semantics of UML | 11 |
| 6.2.1 | The Basic Premises | 11 |
| 6.2.2 | The Semantics Architecture | 11 |
| 6.2.3 | The Basic Causality Model | 12 |
| 6.2.4 | Semantics Descriptions in the Specification | 13 |
| 6.3 | The UML Metamodel | 14 |
| 6.3.1 | Models and What They Model | 14 |
| 6.3.2 | Semantic Levels and Naming | 14 |
| 6.4 | How to Read this Proceed | 15 |
| 6.4.1 | Specificationformat | 15 |
| 6.4.2 | Diagramformat | 18 |
| 6.4.3 | Contents of Subparts | 19 |
| Subpart I - Supplement | | 23 |
| 7. | Classes | 25 |
| 7.1 | Overview | 25 |
| 7.2 | Abstract Syntax | 26 |
| 7.3 | Class Descriptions | 39 |
| 7.3.1 | Abstraction (from Dependencies) | 39 |
| 7.3.2 | AggregationKind (from Kernel) | 39 |
| 7.3.3 | Association (from Kernel) | 40 |
| 7.3.4 | AssociationClass (from AssociationClasses) | 48 |
| 7.3.5 | BehavioralFeature (from Kernel) | 51 |
| 7.3.6 | BehavioredClassifier (from Interfaces) | 52 |
| 7.3.7 | Class (from Kernel) | 52 |
| 7.3.8 | Classifier (from Kernel, Dependencies, PowerTypes, Interfaces) | 55 |
| 7.3.9 | Comment (from Kernel) | 60 |
| 7.3.10 | Constraint (from Kernel) | 61 |
| 7.3.11 | DataType (from Kernel) | 64 |
| 7.3.12 | Dependency (from Dependencies) | 65 |
| 7.3.13 | DirectedRelationship (from Kernel) | 67 |
| 7.3.14 | Element (from Kernel) | 68 |

| | | |
|--------|--|-----|
| 7.3.15 | ElementImport (from Kernel) | 69 |
| 7.3.16 | Enumeration (from Kernel) | 71 |
| 7.3.17 | EnumerationLiteral (from Kernel) | 72 |
| 7.3.18 | Expression (from Kernel) | 73 |
| 7.3.19 | Feature (from Kernel) | 74 |
| 7.3.20 | Generalization (from Kernel, PowerTypes) | 75 |
| 7.3.21 | GeneralizationSet (from PowerTypes) | 79 |
| 7.3.22 | InstanceSpecification (from Kernel) | 87 |
| 7.3.23 | InstanceValue (from Kernel) | 90 |
| 7.3.24 | Interface (from Interfaces) | 91 |
| 7.3.25 | InterfaceRealization (from Interfaces) | 94 |
| 7.3.26 | LiteralBoolean (from Kernel) | 94 |
| 7.3.27 | LiteralInteger (from Kernel) | 95 |
| 7.3.28 | LiteralNull (from Kernel) | 96 |
| 7.3.29 | LiteralReal | 97 |
| 7.3.30 | LiteralSpecification (from Kernel) | 98 |
| 7.3.31 | LiteralString (from Kernel) | 99 |
| 7.3.32 | LiteralUnlimitedNatural (from Kernel) | 99 |
| 7.3.33 | MultiplicityElement (from Kernel) | 100 |
| 7.3.34 | NamedElement (from Kernel, Dependencies) | 104 |
| 7.3.35 | Namespace (from Kernel) | 105 |
| 7.3.36 | OpaqueExpression (from Kernel) | 108 |
| 7.3.37 | Operation (from Kernel, Interfaces) | 109 |
| 7.3.38 | Package (from Kernel) | 113 |
| 7.3.39 | PackageableElement (from Kernel) | 116 |
| 7.3.40 | PackageImport (from Kernel) | 117 |
| 7.3.41 | PackageMerge (from Kernel) | 118 |
| 7.3.42 | Parameter (from Kernel) | 127 |
| 7.3.43 | ParameterDirectionKind (from Kernel) | 129 |
| 7.3.44 | PrimitiveType (from Kernel) | 129 |
| 7.3.45 | Property (from Kernel, AssociationClasses, Interfaces) | 130 |
| 7.3.46 | Realization (from Dependencies) | 136 |
| 7.3.47 | RedefinableElement (from Kernel) | 137 |
| 7.3.48 | Relationship (from Kernel) | 139 |
| 7.3.49 | Slot (from Kernel) | 140 |
| 7.3.50 | StructuralFeature (from Kernel) | 140 |
| 7.3.51 | Substitution (from Dependencies) | 141 |
| 7.3.52 | Type (from Kernel) | 142 |
| 7.3.53 | TypedElement (from Kernel) | 143 |
| 7.3.54 | Usage (from Dependencies) | 144 |
| 7.3.55 | ValueSpecification (from Kernel) | 145 |
| 7.3.56 | VisibilityKind (from Kernel) | 146 |
| 7.4 | Diagrams | 147 |
| 8. | Components | 151 |
| 8.1 | Overview | 151 |
| 8.2 | Abstract Syntax | 151 |
| 8.3 | Class Descriptions | 155 |
| 8.3.1 | Component (from BasicComponents, PackagingComponents) | 155 |
| 8.3.2 | ComponentRealization (from BasicComponents) | 164 |
| 8.3.3 | ConnectableElement (from BasicComponents) | 165 |
| 8.3.4 | Connector (from BasicComponents) | 165 |
| 8.3.5 | ConnectorEnd (from BasicComponents) | 169 |
| 8.3.6 | ConnectorKind (from BasicComponents) | 169 |
| 8.4 | Diagrams | 170 |
| 9. | Composite Structures | 173 |
| 9.1 | Overview | 173 |
| 9.2 | Abstract Syntax | 173 |
| 9.3 | Class Descriptions | 178 |
| 9.3.1 | Class (from StructuredClasses, InternalStructures) | 178 |
| 9.3.2 | Classifier (from InternalStructures, Collaborations) | 179 |

| | | |
|-----------------------|--|-----|
| 9.3.3 | Collaboration (from Collaborations) | 180 |
| 9.3.4 | CollaborationUse (from Collaborations) | 183 |
| 9.3.5 | ConnectableElement (from InternalStructures) | 186 |
| 9.3.6 | Connector (from InternalStructures) | 186 |
| 9.3.7 | ConnectorEnd (from InternalStructures, Ports) | 188 |
| 9.3.8 | EncapsulatedClassifier (from Ports) | 190 |
| 9.3.9 | Feature (from InternalStructures) | 190 |
| 9.3.10 | InvocationAction (from InvocationActions) | 191 |
| 9.3.11 | Parameter (from Collaborations) | 191 |
| 9.3.12 | Port (from Ports) | 192 |
| 9.3.13 | Property (from InternalStructures) | 196 |
| 9.3.14 | StructuredClassifier (from InternalStructures) | 198 |
| 9.3.15 | Trigger (from InvocationActions) | 202 |
| 9.3.16 | Variable (from StructuredActivities) | 203 |
| 9.4 | Diagrams | 203 |
| 10. | Deployments | 205 |
| 10.1 | Overview | 205 |
| 10.2 | Abstract Syntax | 205 |
| 10.3 | Class Descriptions | 209 |
| 10.3.1 | Artifact (from Artifacts, Nodes) | 209 |
| 10.3.2 | CommunicationPath (from Nodes) | 211 |
| 10.3.3 | DeployedArtifact (from Nodes) | 212 |
| 10.3.4 | Deployment (from ComponentDeployments, Nodes) | 213 |
| 10.3.5 | DeploymentSpecification (from ComponentDeployments) | 215 |
| 10.3.6 | DeploymentTarget (from Nodes) | 217 |
| 10.3.7 | Device (from Nodes) | 218 |
| 10.3.8 | ExecutionEnvironment (from Nodes) | 219 |
| 10.3.9 | InstanceSpecification (from Nodes) | 220 |
| 10.3.10 | Manifestation (from Artifacts) | 221 |
| 10.3.11 | Node (from Nodes) | 222 |
| 10.3.12 | Property (from Nodes) | 224 |
| 10.4 | Diagrams | 225 |
| Subpart II - Behavior | | 229 |
| 11. | Actions | 231 |
| 11.1 | Overview | 231 |
| 11.2 | Abstract Syntax | 233 |
| 11.3 | Class Descriptions | 247 |
| 11.3.1 | AcceptCallAction (from CompleteActions) | 247 |
| 11.3.2 | AcceptEventAction (from CompleteActions) | 248 |
| 11.3.3 | Action (from BasicActions) | 250 |
| 11.3.4 | ActionInputPin (from StructuredActions) | 251 |
| 11.3.5 | AddStructuralFeatureValueAction (from IntermediateActions) | 252 |
| 11.3.6 | AddVariableValueAction (from StructuredActions) | 254 |
| 11.3.7 | BroadcastSignalAction (from IntermediateActions) | 255 |
| 11.3.8 | CallAction (from BasicActions) | 257 |
| 11.3.9 | CallBehaviorAction (from BasicActions) | 257 |
| 11.3.10 | CallOperationAction (from BasicActions) | 259 |
| 11.3.11 | ClearAssociationAction (from IntermediateActions) | 260 |
| 11.3.12 | ClearStructuralFeatureAction (from IntermediateActions) | 261 |
| 11.3.13 | ClearVariableAction (from StructuredActions) | 262 |
| 11.3.14 | CreateLinkAction (from IntermediateActions) | 263 |
| 11.3.15 | CreateLinkObjectAction (from CompleteActions) | 265 |
| 11.3.16 | CreateObjectAction (from IntermediateActions) | 266 |
| 11.3.17 | DestroyLinkAction (from IntermediateActions) | 267 |
| 11.3.18 | DestroyObjectAction (from IntermediateActions) | 268 |
| 11.3.19 | InputPin (from BasicActions) | 269 |
| 11.3.20 | InvocationAction (from BasicActions) | 270 |
| 11.3.21 | LinkAction (from IntermediateActions) | 270 |
| 11.3.22 | LinkEndCreationData (from IntermediateActions) | 272 |

| | | |
|---------|--|-----|
| 11.3.23 | LinkEndData (from IntermediateActions, CompleteActions) | 273 |
| 11.3.24 | LinkEndDestructionData (from IntermediateActions) | 275 |
| 11.3.25 | MultiplicityElement (from BasicActions) | 276 |
| 11.3.26 | OpaqueAction (from BasicActions) | 276 |
| 11.3.27 | OutputPin (from BasicActions) | 277 |
| 11.3.28 | Pin (from BasicActions) | 278 |
| 11.3.29 | QualifierValue (from CompleteActions) | 278 |
| 11.3.30 | RaiseExceptionAction (from StructuredActions) | 279 |
| 11.3.31 | ReadExtentAction (from CompleteActions) | 280 |
| 11.3.32 | ReadIsClassifiedObjectAction (from CompleteActions) | 281 |
| 11.3.33 | ReadLinkAction (from IntermediateActions) | 282 |
| 11.3.34 | ReadLinkObjectEndAction (from CompleteActions) | 284 |
| 11.3.35 | ReadLinkObjectEndQualifierAction (from CompleteActions) | 285 |
| 11.3.36 | ReadSelfAction (from IntermediateActions) | 286 |
| 11.3.37 | ReadStructuralFeatureAction (from IntermediateActions) | 288 |
| 11.3.38 | ReadVariableAction (from StructuredActions) | 289 |
| 11.3.39 | ReclassifyObjectAction (from CompleteActions) | 290 |
| 11.3.40 | ReduceAction (from CompleteActions) | 291 |
| 11.3.41 | RemoveStructuralFeatureValueAction (from IntermediateActions) | 292 |
| 11.3.42 | RemoveVariableValueAction (from StructuredActions) | 294 |
| 11.3.43 | ReplyAction (from CompleteActions) | 295 |
| 11.3.44 | SendObjectAction (from IntermediateActions) | 296 |
| 11.3.45 | SendSignalAction (from BasicActions) | 297 |
| 11.3.46 | StartClassifierBehaviorAction (from CompleteActions) | 298 |
| 11.3.47 | StartObjectBehaviorAction (from CompleteActions) | 299 |
| 11.3.48 | StructuralFeatureAction (from IntermediateActions) | 300 |
| 11.3.49 | TestIdentityAction (from IntermediateActions) | 302 |
| 11.3.50 | UnmarshallAction (from CompleteActions) | 303 |
| 11.3.51 | ValuePin (from BasicActions) | 304 |
| 11.3.52 | ValueSpecificationAction (from IntermediateActions) | 305 |
| 11.3.53 | VariableAction (from StructuredActions) | 306 |
| 11.3.54 | WriteLinkAction (from IntermediateActions) | 306 |
| 11.3.55 | WriteStructuralFeatureAction (from IntermediateActions) | 307 |
| 11.3.56 | WriteVariableAction (from StructuredActions) | 308 |
| 11.4 | Diagrams | 309 |
| 12. | Activities | 311 |
| 12.1 | Overview | 311 |
| 12.2 | Abstract Syntax | 313 |
| 12.3 | Class Descriptions | 325 |
| 12.3.1 | AcceptEventAction (as specialized) | 325 |
| 12.3.2 | Action (from CompleteActivities, FundamentalActivities, StructuredActivities, CompleteStructuredActivities) | 327 |
| 12.3.3 | ActionInputPin (as specialized) | 331 |
| 12.3.4 | Activity (from BasicActivities, CompleteActivities, FundamentalActivities, StructuredActivities) | 332 |
| 12.3.5 | ActivityEdge (from BasicActivities, CompleteActivities, CompleteStructuredActivities, IntermediateActivities) | 342 |
| 12.3.6 | ActivityFinalNode (from BasicActivities, IntermediateActivities) | 347 |
| 12.3.7 | ActivityGroup (from BasicActivities, FundamentalActivities, IntermediateActivities, StructuredActivities, CompleteActivities, CompleteStructuredActivities) | 350 |
| 12.3.8 | ActivityNode (from BasicActivities, CompleteActivities, FundamentalActivities, IntermediateActivities, CompleteStructuredActivities) | 351 |
| 12.3.9 | ActivityParameterNode (from BasicActivities) | 354 |
| 12.3.10 | ActivityPartition (from IntermediateActivities) | 358 |
| 12.3.11 | AddVariableValueAction (as specialized) | 363 |
| 12.3.12 | Behavior (from CompleteActivities) | 364 |
| 12.3.13 | BehavioralFeature (from CompleteActivities) | 365 |
| 12.3.14 | CallBehaviorAction (as specialized) | 366 |
| 12.3.15 | CallOperationAction (as specialized) | 368 |
| 12.3.16 | CentralBufferNode (from IntermediateActivities) | 369 |
| 12.3.17 | Clause (from CompleteStructuredActivities, StructuredActivities) | 370 |

| | | |
|---------|--|-----|
| 12.3.18 | ConditionalNode (from CompleteStructuredActivities, StructuredActivities) | 371 |
| 12.3.19 | ControlFlow (from BasicActivities) | 374 |
| 12.3.20 | ControlNode (from BasicActivities) | 375 |
| 12.3.21 | DataStoreNode (from CompleteActivities) | 377 |
| 12.3.22 | DecisionNode (from IntermediateActivities) | 378 |
| 12.3.23 | ExceptionHandler (from ExtraStructuredActivities) | 381 |
| 12.3.24 | ExecutableNode (from ExtraStructuredActivities, StructuredActivities) | 384 |
| 12.3.25 | ExpansionKind (from ExtraStructuredActivities) | 385 |
| 12.3.26 | ExpansionNode (from ExtraStructuredActivities) | 385 |
| 12.3.27 | ExpansionRegion (from ExtraStructuredActivities) | 386 |
| 12.3.28 | FinalNode (from IntermediateActivities) | 392 |
| 12.3.29 | FlowFinalNode (from IntermediateActivities) | 394 |
| 12.3.30 | ForkNode (from IntermediateActivities) | 395 |
| 12.3.31 | InitialNode (from BasicActivities) | 397 |
| 12.3.32 | InputPin (from CompleteStructuredActivities) | 398 |
| 12.3.33 | InterruptibleActivityRegion (from CompleteActivities) | 399 |
| 12.3.34 | JoinNode (from CompleteActivities, IntermediateActivities) | 401 |
| 12.3.35 | LoopNode (from CompleteStructuredActivities, StructuredActivities) | 404 |
| 12.3.36 | MergeNode (from IntermediateActivities) | 406 |
| 12.3.37 | ObjectFlow (from BasicActivities, CompleteActivities) | 408 |
| 12.3.38 | ObjectNode (from BasicActivities, CompleteActivities) | 413 |
| 12.3.39 | ObjectNodeOrderingKind (from CompleteActivities) | 416 |
| 12.3.40 | OutputPin (from CompleteStructuredActivities, StructuredActivities) | 417 |
| 12.3.41 | Parameter (from CompleteActivities) | 417 |
| 12.3.42 | ParameterEffectKind (from CompleteActivities) | 419 |
| 12.3.43 | ParameterSet (from CompleteActivities) | 419 |
| 12.3.44 | Pin (from BasicActivities, CompleteActivities) | 421 |
| 12.3.45 | SendObjectAction (as specialized) | 428 |
| 12.3.46 | SendSignalAction (as specialized) | 429 |
| 12.3.47 | SequenceNode (from StructuredActivities) | 430 |
| 12.3.48 | StructuredActivityNode (from CompleteStructuredActivities, StructuredActivities) | 431 |
| 12.3.49 | UnmarshallAction (as specialized) | 434 |
| 12.3.50 | ValuePin (as specialized) | 435 |
| 12.3.51 | ValueSpecificationAction (as specialized) | 435 |
| 12.3.52 | Variable (from StructuredActivities) | 436 |
| 12.4 | Diagrams | 438 |
| 13. | Common Behaviors | 443 |
| 13.1 | Overview | 443 |
| 13.2 | Abstract Syntax | 447 |
| 13.3 | Class Descriptions | 452 |
| 13.3.1 | AnyReceiveEvent (from Communications) | 452 |
| 13.3.2 | Behavior (from BasicBehaviors) | 453 |
| 13.3.3 | BehavioralFeature (from BasicBehaviors, Communications) | 456 |
| 13.3.4 | BehavoredClassifier (from BasicBehaviors, Communications) | 457 |
| 13.3.5 | CallConcurrencyKind (from Communications) | 458 |
| 13.3.6 | CallEvent (from Communications) | 459 |
| 13.3.7 | ChangeEvent (from Communications) | 460 |
| 13.3.8 | Class (from Communications) | 461 |
| 13.3.9 | Duration (from SimpleTime) | 462 |
| 13.3.10 | DurationConstraint (from SimpleTime) | 462 |
| 13.3.11 | DurationInterval (from SimpleTime) | 464 |
| 13.3.12 | DurationObservation (from SimpleTime) | 465 |
| 13.3.13 | Event (from Communications) | 465 |
| 13.3.14 | FunctionBehavior (from BasicBehaviors) | 466 |
| 13.3.15 | Interface (from Communications) | 467 |
| 13.3.16 | Interval (from SimpleTime) | 467 |
| 13.3.17 | IntervalConstraint (from SimpleTime) | 468 |
| 13.3.18 | MessageEvent (from Communications) | 469 |
| 13.3.19 | Observation (from SimpleTime) | 469 |
| 13.3.20 | OpaqueBehavior (from BasicBehaviors) | 470 |
| 13.3.21 | OpaqueExpression (from BasicBehaviors) | 471 |

| | | |
|---------|---|-----|
| 13.3.22 | Operation (from Communications) | 471 |
| 13.3.23 | Reception (from Communications) | 472 |
| 13.3.24 | Signal (from Communications) | 473 |
| 13.3.25 | SignalEvent (from Communications) | 474 |
| 13.3.26 | TimeConstraint (from SimpleTime) | 475 |
| 13.3.27 | TimeEvent (from SimpleTime) | 476 |
| 13.3.28 | TimeExpression (from SimpleTime) | 477 |
| 13.3.29 | TimeInterval (from SimpleTime) | 478 |
| 13.3.30 | TimeObservation (from SimpleTime) | 479 |
| 13.3.31 | Trigger (from Communications) | 479 |
| 14. | Interactions | 481 |
| 14.1 | Overview | 481 |
| 14.2 | Abstract Syntax | 482 |
| 14.3 | Class Descriptions | 488 |
| 14.3.1 | ActionExecutionSpecification (from BasicInteractions) | 488 |
| 14.3.2 | BehaviorExecutionSpecification (from BasicInteractions) | 489 |
| 14.3.3 | CombinedFragment (from Fragments) | 490 |
| 14.3.4 | ConsiderIgnoreFragment (from Fragments) | 495 |
| 14.3.5 | Continuation (from Fragments) | 496 |
| 14.3.6 | DestructionOccurrenceSpecification(fromBasicInteractions) | 499 |
| 14.3.7 | ExecutionOccurrenceSpecification (from BasicInteractions) | 499 |
| 14.3.8 | ExecutionSpecification (from BasicInteractions) | 500 |
| 14.3.9 | Gate (from Fragments) | 501 |
| 14.3.10 | GeneralOrdering (from BasicInteractions) | 502 |
| 14.3.11 | Interaction (from BasicInteraction, Fragments) | 503 |
| 14.3.12 | InteractionConstraint (from Fragments) | 506 |
| 14.3.13 | InteractionFragment (from BasicInteractions, Fragments) | 507 |
| 14.3.14 | InteractionOperand (from Fragments) | 507 |
| 14.3.15 | InteractionOperatorKind (from Fragments) | 508 |
| 14.3.16 | InteractionUse (from Fragments) | 509 |
| 14.3.17 | Lifeline (from BasicInteractions, Fragments) | 512 |
| 14.3.18 | Message (from BasicInteractions) | 513 |
| 14.3.19 | MessageEnd (from BasicInteractions) | 516 |
| 14.3.20 | MessageKind (from BasicInteractions) | 516 |
| 14.3.21 | MessageOccurrenceSpecification (from BasicInteractions) | 517 |
| 14.3.22 | MessageSort (from BasicInteractions) | 518 |
| 14.3.23 | OccurrenceSpecification (from BasicInteractions) | 518 |
| 14.3.24 | PartDecomposition (from Fragments) | 519 |
| 14.3.25 | StateInvariant (from BasicInteractions) | 522 |
| 14.4 | Diagrams | 523 |
| 15. | State Machines | 543 |
| 15.1 | Overview | 543 |
| 15.2 | Abstract Syntax | 543 |
| 15.3 | Class Descriptions | 546 |
| 15.3.1 | ConnectionPointReference (from BehaviorStateMachines) | 546 |
| 15.3.2 | FinalState (from BehaviorStateMachines) | 549 |
| 15.3.3 | Interface (from ProtocolStateMachines) | 550 |
| 15.3.4 | Port (from ProtocolStateMachines) | 551 |
| 15.3.5 | ProtocolConformance (from ProtocolStateMachines) | 551 |
| 15.3.6 | ProtocolStateMachine (from ProtocolStateMachines) | 552 |
| 15.3.7 | ProtocolTransition (from ProtocolStateMachines) | 554 |
| 15.3.8 | Pseudostate (from BehaviorStateMachines) | 557 |
| 15.3.9 | PseudostateKind (from BehaviorStateMachines) | 564 |
| 15.3.10 | Region (from BehaviorStateMachines) | 565 |
| 15.3.11 | State (from BehaviorStateMachines, ProtocolStateMachines) | 567 |
| 15.3.12 | StateMachine (from BehaviorStateMachines) | 581 |
| 15.3.13 | TimeEvent (from BehaviorStateMachines) | 588 |
| 15.3.14 | Transition (from BehaviorStateMachines) | 589 |
| 15.3.15 | TransitionKind (from BehaviorStateMachines) | 597 |
| 15.3.16 | Vertex (from BehaviorStateMachines) | 600 |

| | | |
|--------------------------------|--|-----|
| 15.4 | Diagrams | 600 |
| 16. | Use Cases | 605 |
| 16.1 | Overview | 605 |
| 16.2 | Abstract Syntax | 605 |
| 16.3 | Class Descriptions | 606 |
| 16.3.1 | Actor (from UseCases) | 606 |
| 16.3.2 | Classifier (from UseCases) | 608 |
| 16.3.3 | Extend (from UseCases) | 609 |
| 16.3.4 | ExtensionPoint (from UseCases) | 611 |
| 16.3.5 | Include (from UseCases) | 612 |
| 16.3.6 | UseCase (from UseCases) | 614 |
| 16.4 | Diagrams | 619 |
| Subpart III - Supplement | | 625 |
| 17. | Auxiliary Constructs | 627 |
| 17.1 | Overview | 627 |
| 17.2 | InformationFlows | 627 |
| 17.2.1 | InformationFlow (from InformationFlows) | 628 |
| 17.2.2 | InformationItem (from InformationFlows) | 630 |
| 17.3 | Models | 633 |
| 17.3.1 | Model (from Models) | 633 |
| 17.4 | Templates | 635 |
| 17.4.1 | ParameterableElement (from Templates) | 637 |
| 17.4.2 | TemplateableElement (from Templates) | 639 |
| 17.4.3 | TemplateBinding (from Templates) | 641 |
| 17.4.4 | TemplateParameter (from Templates) | 642 |
| 17.4.5 | TemplateParameterSubstitution (from Templates) | 644 |
| 17.4.6 | TemplateSignature (from Templates) | 644 |
| 17.4.7 | Classifier (from Templates) | 646 |
| 17.4.8 | ClassifierTemplateParameter (from Templates) | 651 |
| 17.4.9 | RedefinableTemplateSignature (from Templates) | 652 |
| 17.4.10 | Package (from Templates) | 653 |
| 17.4.11 | PackageableElement (from Templates) | 655 |
| 17.4.12 | NamedElement (from Templates) | 656 |
| 17.4.13 | StringExpression (from Templates) | 658 |
| 17.4.14 | Operation (from Templates) | 659 |
| 17.4.15 | Operation (from Templates) | 661 |
| 17.4.16 | OperationTemplateParameter (from Templates) | 661 |
| 17.4.17 | ConnectableElement (from Templates) | 662 |
| 17.4.18 | ConnectableElementTemplateParameter (from Templates) | 663 |
| 17.4.19 | Property (from Templates) | 664 |
| 17.4.20 | ValueSpecification (from Templates) | 665 |
| 18. | Profiles | 667 |
| 18.1 | Overview | 667 |
| 18.1.1 | Positioning profiles versus metamodels, MOF and UML | 667 |
| 18.1.2 | Profiles History and design requirements | 667 |
| 18.2 | Abstract Syntax | 669 |
| 18.3 | Class Descriptions | 670 |
| 18.3.1 | Class (from Profiles) | 670 |
| 18.3.2 | Extension (from Profiles) | 671 |
| 18.3.3 | ExtensionEnd (from Profiles) | 674 |
| 18.3.4 | Image (from Profiles) | 675 |
| 18.3.5 | Package (from Profiles) | 676 |
| 18.3.6 | PackageableElement (from Profiles) | 677 |
| 18.3.7 | Profile (from Profiles) | 678 |
| 18.3.8 | ProfileApplication (from Profiles) | 685 |
| 18.3.9 | Stereotype (from Profiles) | 687 |
| 18.4 | Diagrams | 694 |

| | |
|--|------------|
| Subpart IV - Annexes | 697 |
| Annex A: Diagrams | 699 |
| Annex B: Keywords | 705 |
| Annex C: Standard Stereotypes | 711 |
| Annex D: Component Profile Examples | 719 |
| Annex E: Tabular Notations | 723 |
| Annex F: Classifiers Taxonomy | 727 |
| Annex G: XMI Serialization and Schema | 729 |
| Annex H: UML Compliance Level XMI Documents | 731 |
| INDEX | 733 |