ISO/IEC 18056:2012-09 (E)

Information technology - Telecommunications and information exchange between systems - XML Schema Definitions for Computer Supported Telecommunications Applications (CSTA) Phase III

Contents

Page

1 Scope 1

2 Conformance 1
2.1 Static Requirements 1
2.2 Dynamic Requirements 1
2.3 PICS Requirement 1
2.4 XML Tag Options 1
2.4.3 Dynamic Transformations 2
2.5 CSTA Over SIP (uaCSTA) Transport Mechanism Option 2

3 Normative references 2
3.1 ISO Standards and Technical Reports 2
3.2 World Wide Web Consortium Specifications 2

4 Terms, definitions and abbreviations 3

5 CSTA Service Definition Model 3
5.1 Request/Response Interactions 3
5.2 Request/Response Protocol Requirements 3
5.3 Cross Referencing of Event Reports 3
5.4 Handling of Private Data 3

6 Interconnection service boundary 4

7 Association Management 4
7.1 Implicit association 4
7.2 Explicit association 4

8 XML Template Description 5

9 CSTA parameter types 5
9.1 Switching function objects 5
9.2 Device Identifiers 6
9.3 Call and connection identifiers 9
9.4 Connection states 10
9.5 Status reporting 11
9.6 Device and feature types and other parameters 16
9.7 Security 25
9.8 Common extensions 26
9.9 Call control 27
9.10 Capability Exchange 31
9.11 Call Detail Record 98
9.12 Charge information 100
9.13 Data call types 101
9.14 Escape types 102
9.15 Media services 102
9.16 Physical device features 105
9.17 Data Collection 107
9.18 Event Cause 108

9.19 Error Value 110
9.20 Empty (null element) 115

10 Top level schema 115

11 Capability exchange services 121
11.1 Services 121
11.1.1 Get csta features 121
11.1.2 Get logical device information 122
11.1.3 Get physical device information 123
11.1.4 Get switching function capabilities 124
11.1.5 Get switching function devices 128
11.1.6 Switching function devices 129

12 System services 130
12.1 Registration services 130
12.1.1 Change system status filter 130
12.1.2 System register 130
12.1.3 System register abort 131
12.1.4 System register cancel 132
12.2 Services 132
12.2.1 Request system status 132
12.2.2 System status 133
12.2.3 Switching function capabilities changed 133
12.2.4 Switching function devices changed 134
12.2.5 Get registrations 135
12.2.6 Registration info 135

13 Monitoring services 136
13.1 Services 136
13.1.1 Change monitor filter 136
13.1.2 Monitor start 136
13.1.3 Monitor stop 137
13.1.4 Get monitors 137
13.1.5 Monitor info 138

14 Snapshot services 139
14.1 Services 139
14.1.1 Snapshot call 139
14.1.2 Snapshot device 140
14.1.3 Snapshot calldata 140
14.1.4 Snapshot devicedata 141

15 Call control services and events 141
15.1 Services 141
15.1.1 Accept call 141
15.1.2 Alternate call 142
15.1.3 Answer call 143
15.1.4 Call back call-related 143
15.1.5 Call back message call-related 144
15.1.6 Camp on call 144
15.1.7 Clear call 145
15.1.8 Clear Connection 145
15.1.9 Conference call 146
15.1.10 Consultation call 147
15.1.11 Deflect call 147
15.1.12 Dial digits 148
15.1.13 Directed pickup call 149
15.1.14 Group pickup call 149
15.1.15 Hold call 150
15.1.16 Intrude call 151
15.1.17 Join call 151

15.1.18 Make call 152
15.1.19 Make connection 153
15.1.20 Make predictive call 154
15.1.21 Park call 155
15.1.22 Reconnect call 156
15.1.23 Retrieve call 156
15.1.24 Send Message 157
15.1.25 Single step conference call 158
15.1.26 Single step transfer call 159
15.1.27 Transfer call 160
15.2 Events 160
15.2.1 Bridged 160
15.2.2 Call cleared 161
15.2.3 Conferenced 162
15.2.4 Connection cleared 162
15.2.5 Delivered 163
15.2.6 Digits dialed 164
15.2.7 Diverted 165
15.2.8 Established 166
15.2.9 Failed 166
15.2.10 Held 167
15.2.11 Network capabilities changed 168
15.2.12 Network reached 169
15.2.13 Offered 170
15.2.14 Originated 170
15.2.15 Queued 171
15.2.16 Retrieved 172
15.2.17 Service initiated 173
15.2.18 Transferred 174

16 Call associated features 175
16.1 Services 175
16.1.1 Associate data 175
16.1.2 Cancel telephony tones 175
16.1.3 Change connection information 176
16.1.4 Generate digits 176
16.1.5 Generate telephony tones 177
16.1.6 Send user information 178
16.2 Events 178
16.2.1 Call information 178
16.2.2 Charging 179
16.2.3 Digits generated 179
16.2.4 Telephony tones generated 180
16.2.5 Service completion failure 181

17 Media attachment services and events 182
17.1 Services 182
17.1.1 Attach media service 182
17.1.2 Detach media service 183
17.2 Events 183
17.2.1 Media attached 183
17.2.2 Media detached 184

18 Routeing services 185
18.1 Registration services 185
18.1.1 Route register 185
18.1.2 Route register abort 185
18.1.3 Route register cancel 186
18.2 Services 186
18.2.1 Re-Route 186
18.2.2 Route end 187
18.2.3 Route reject 187

18.2.4 Route request 188
18.2.5 Route select 189
18.2.6 Route used 189

19 Physical device features 190
19.1 Services 190
19.1.1 Button press 190
19.1.2 Get auditory apparatus information 191
19.1.3 Get button information 191
19.1.4 Get display 192
19.1.5 Get hookswitch status 193
19.1.6 Get lamp information 194
19.1.7 Get lamp mode 195
19.1.8 Get message waiting indicator 195
19.1.9 Get microphone gain 196
19.1.10 Get microphone mute 197
19.1.11 Get ringer status 198
19.1.12 Get speaker mute 199
19.1.13 Get speaker volume 199
19.1.14 Set button information 200
19.1.15 Set display 201
19.1.16 Set hookswitch status 202
19.1.17 Set lamp mode 202
19.1.18 Set message waiting indicator 203
19.1.19 Set microphone gain 203
19.1.20 Set microphone mute 204
19.1.21 Set ringer status 204
19.1.22 Set speaker mute 205
19.1.23 Set speaker volume 206
19.2 Events 206
19.2.1 Button information 206
19.2.2 Button press 207
19.2.3 Display updated 207
19.2.4 Hookswitch 208
19.2.5 Lamp mode 208
19.2.6 Message waiting 209
19.2.7 Microphone gain 209
19.2.8 Microphone mute 210
19.2.9 Ringer status 210
19.2.10 Speaker mute 211
19.2.11 Speaker volume 212

20 Logical device features 212
20.1 Services 212
20.1.1 Call back non-call-related 212
20.1.2 Call back message non-call-related 213
20.1.3 Cancel call back 213
20.1.4 Cancel call back message 214
20.1.5 Get agent state 214
20.1.6 Get auto answer 215
20.1.7 Get auto work mode 216
20.1.8 Get call back 216
20.1.9 Get caller id status 217
20.1.10 Get do not disturb 218
20.1.11 Get forwarding 218
20.1.12 Get last number dialed 219
20.1.13 Get presence state 220
20.1.14 Get routeing mode 220
20.1.15 Set agent state 221
20.1.16 Set auto answer 221
20.1.17 Set auto work mode 222
20.1.18 Set caller id status 223

20.1.19 Set do not disturb 223
20.1.20 Set forwarding 224
20.1.21 Set presence state 225
20.1.22 Set routeing mode 225
20.2 Events 226
20.2.1 Agent busy 226
20.2.2 Agent logged off 226
20.2.3 Agent logged on 227
20.2.4 Agent not ready 227
20.2.5 Agent ready 228
20.2.6 Agent working after call 228
20.2.7 Auto answer 229
20.2.8 Auto work mode 229
20.2.9 Call back 230
20.2.10 Call back message 230
20.2.11 Caller id status 231
20.2.12 Do not disturb 231
20.2.13 Forwarding 232
20.2.14 Presence state 233
20.2.15 Routeing mode 233

21 Device maintenance events 234
21.1 Events 234
21.1.1 Back in service 234
21.1.2 Device capabilities changed 234
21.1.3 Out of service 235
21.1.4 Partially In service 235

22 I/O services 236
22.1 Registration services 236
22.1.1 I/O register 236
22.1.2 I/O register abort 236
22.1.3 I/O register cancel 237
22.2 Services 237
22.2.1 Data path resumed 237
22.2.2 Data path suspended 238
22.2.3 Fast data 238
22.2.4 Resume data path 239
22.2.5 Send broadcast data 240
22.2.6 Send data 240
22.2.7 Send multicast data 241
22.2.8 Start data path 242
22.2.9 Stop data path 243
22.2.10 Suspend data path 243

23 Data Collection Services 244
23.1 Services 244
23.1.1 Data Collected 244
23.1.2 Data Collection Resumed 246
23.1.3 Data Collection Suspended 246
23.1.4 Resume Data Collection 247
23.1.5 Start Data Collection 247
23.1.6 Stop Data Collection 248
23.1.7 Suspend Data Collection 249

24 Voice services and events 249
24.1 Services 249
24.1.1 Activate 249
24.1.2 Clear 250
24.1.3 Concatenate message 250
24.1.4 Deactivate 251
24.1.5 Delete message 252

24.1.6 Play message 252
24.1.7 Query voice attribute 253
24.1.8 Queue service 254
24.1.9 Record message 254
24.1.10 Reposition 255
24.1.11 Resume 256
24.1.12 Review 256
24.1.13 Set voice attribute 257
24.1.14 Start 258
24.1.15 Stop 259
24.1.16 Suspend 260
24.1.17 Synthesize message 260
24.2 Events 261
24.2.1 Bookmark reached 261
24.2.2 Completed 261
24.2.3 DTMF detected 262
24.2.4 Emptied 262
24.2.5 Interruption detected 263
24.2.6 Not recognized 263
24.2.7 Play 264
24.2.8 Recognized 265
24.2.9 Record 265
24.2.10 Review 266
24.2.11 Silence timeout expired 266
24.2.12 Speech detected 267
24.2.13 Started 267
24.2.14 Stop 268
24.2.15 Suspend play 268
24.2.16 Suspend record 269
24.2.17 Voice attribute changed 270
24.2.18 Voice error occurred 271

25 Call detail record services 272
25.1 Services 272
25.1.1 Call detail records notification 272
25.1.2 Call detail records report 272
25.1.3 Send stored call detail records 273
25.1.4 Start call detail records transmission 273
25.1.5 Stop call detail records transmission 274

26 Location services 275
26.1 Services 275
26.1.1 Get location information 275
26.1.2 Set location information 275
26.1.3 Location tracking session resumed 276
26.1.4 Location tracking session suspended 276
26.1.5 Resume location tracking session 277
26.1.6 Location information report 277
26.1.7 Start location tracking session 278
26.1.8 Stop location tracking session 279
26.1.9 Suspend location tracking session 280
26.1.10 Get location tracking capabilities 280
26.1.11 Get location tracking sessions 281
26.1.12 Location Session Info 282

27 Vendor specific extensions services and events 283
27.1 Registration services 283
27.1.1 Escape register 283
27.1.2 Escape register abort 283
27.1.3 Escape register cancel 284
27.2 Services 284
27.2.1 Escape 284

27.2.2 Private data version selection 285
27.3 Events 285
27.3.1 Private event 285

Annex A (normative) Protocol Implementation Conformance Statement (PICS) Proforma 287

Annex B (normative) Registration Template for application/CSTA+XML MIME Media Type 404

Annex C (normative) CSTA Over SIP (uaCSTA) Transport Mechanism 405

Annex E (informative) Examples of Device Identifier Element Encodings 482

Annex F (informative) Examples of Connection ID Encodings 484

Annex G (informative) Examples of CSTA-specific XML 485

Annex H (informative) CSTA XML with SOAP 487

Annex I (informative) CSTA XML with SOAP with HTTP 490

Annex J (informative) CSTA XML over TCP 493

Annex K (informative) CSTA Data Type Schema for Encapsulation 495

Annex L (informative) Registration Template for application/CSTAdata+XML MIME Media Type 496

Annex M (informative) Summary of changes in this edition 497

Bibliography 498