

ISO/IEC 18056:2012-09 (E)

Information technology - Telecommunications and information exchange between systems - XML Schema Definitions for Computer Supported Telecommunications Applications (CSTA) Phase III

Contents		Page
1	Scope	1
2	Conformance	1
2.1	Static Requirements	1
2.2	Dynamic Requirements	1
2.3	PICS Requirement	1
2.4	XML Tag Options	1
2.4.3	Dynamic Transformations	2
2.5	CSTA Over SIP (uaCSTA) Transport Mechanism Option	2
3	Normative references	2
3.1	ISO Standards and Technical Reports	2
3.2	World Wide Web Consortium Specifications	2
4	Terms, definitions and abbreviations	3
5	CSTA Service Definition Model	3
5.1	Request/Response Interactions	3
5.2	Request/Response Protocol Requirements	3
5.3	Cross Referencing of Event Reports	3
5.4	Handling of Private Data	3
6	Interconnection service boundary	4
7	Association Management	4
7.1	Implicit association	4
7.2	Explicit association	4
8	XML Template Description	5
9	CSTA parameter types	5
9.1	Switching function objects	5
9.2	Device Identifiers	6
9.3	Call and connection identifiers	9
9.4	Connection states	10
9.5	Status reporting	11
9.6	Device and feature types and other parameters	16
9.7	Security	25
9.8	Common extensions	26
9.9	Call control	27
9.10	Capability Exchange	31
9.11	Call Detail Record	98
9.12	Charge information	100
9.13	Data call types	101
9.14	Escape types	102
9.15	Media services	102
9.16	Physical device features	105
9.17	Data Collection	107
9.18	Event Cause	108

9.19	Error Value	110
9.20	Empty (null element)	115
10	Top level schema	115
11	Capability exchange services	121
11.1	Services	121
11.1.1	Get csta features	121
11.1.2	Get logical device information	122
11.1.3	Get physical device information	123
11.1.4	Get switching function capabilities	124
11.1.5	Get switching function devices	128
11.1.6	Switching function devices	129
12	System services	130
12.1	Registration services	130
12.1.1	Change system status filter	130
12.1.2	System register	130
12.1.3	System register abort	131
12.1.4	System register cancel	132
12.2	Services	132
12.2.1	Request system status	132
12.2.2	System status	133
12.2.3	Switching function capabilities changed	133
12.2.4	Switching function devices changed	134
12.2.5	Get registrations	135
12.2.6	Registration info	135
13	Monitoring services	136
13.1	Services	136
13.1.1	Change monitor filter	136
13.1.2	Monitor start	136
13.1.3	Monitor stop	137
13.1.4	Get monitors	137
13.1.5	Monitor info	138
14	Snapshot services	139
14.1	Services	139
14.1.1	Snapshot call	139
14.1.2	Snapshot device	140
14.1.3	Snapshot calldata	140
14.1.4	Snapshot devicedata	141
15	Call control services and events	141
15.1	Services	141
15.1.1	Accept call	141
15.1.2	Alternate call	142
15.1.3	Answer call	143
15.1.4	Call back call-related	143
15.1.5	Call back message call-related	144
15.1.6	Camp on call	144
15.1.7	Clear call	145
15.1.8	Clear Connection	145
15.1.9	Conference call	146
15.1.10	Consultation call	147
15.1.11	Deflect call	147
15.1.12	Dial digits	148
15.1.13	Directed pickup call	149
15.1.14	Group pickup call	149
15.1.15	Hold call	150
15.1.16	Intrude call	151
15.1.17	Join call	151

15.1.18	Make call	152
15.1.19	Make connection	153
15.1.20	Make predictive call	154
15.1.21	Park call	155
15.1.22	Reconnect call	156
15.1.23	Retrieve call	156
15.1.24	Send Message	157
15.1.25	Single step conference call	158
15.1.26	Single step transfer call	159
15.1.27	Transfer call	160
15.2	Events	160
15.2.1	Bridged	160
15.2.2	Call cleared	161
15.2.3	Conferenced	162
15.2.4	Connection cleared	162
15.2.5	Delivered	163
15.2.6	Digits dialed	164
15.2.7	Diverted	165
15.2.8	Established	166
15.2.9	Failed	166
15.2.10	Held	167
15.2.11	Network capabilities changed	168
15.2.12	Network reached	169
15.2.13	Offered	170
15.2.14	Originated	170
15.2.15	Queued	171
15.2.16	Retrieved	172
15.2.17	Service initiated	173
15.2.18	Transferred	174
16	Call associated features	175
16.1	Services	175
16.1.1	Associate data	175
16.1.2	Cancel telephony tones	175
16.1.3	Change connection information	176
16.1.4	Generate digits	176
16.1.5	Generate telephony tones	177
16.1.6	Send user information	178
16.2	Events	178
16.2.1	Call information	178
16.2.2	Charging	179
16.2.3	Digits generated	179
16.2.4	Telephony tones generated	180
16.2.5	Service completion failure	181
17	Media attachment services and events	182
17.1	Services	182
17.1.1	Attach media service	182
17.1.2	Detach media service	183
17.2	Events	183
17.2.1	Media attached	183
17.2.2	Media detached	184
18	Routeing services	185
18.1	Registration services	185
18.1.1	Route register	185
18.1.2	Route register abort	185
18.1.3	Route register cancel	186
18.2	Services	186
18.2.1	Re-Route	186
18.2.2	Route end	187
18.2.3	Route reject	187

18.2.4	Route request	188
18.2.5	Route select	189
18.2.6	Route used	189
19	Physical device features	190
19.1	Services	190
19.1.1	Button press	190
19.1.2	Get auditory apparatus information	191
19.1.3	Get button information	191
19.1.4	Get display	192
19.1.5	Get hookswitch status	193
19.1.6	Get lamp information	194
19.1.7	Get lamp mode	195
19.1.8	Get message waiting indicator	195
19.1.9	Get microphone gain	196
19.1.10	Get microphone mute	197
19.1.11	Get ringer status	198
19.1.12	Get speaker mute	199
19.1.13	Get speaker volume	199
19.1.14	Set button information	200
19.1.15	Set display	201
19.1.16	Set hookswitch status	202
19.1.17	Set lamp mode	202
19.1.18	Set message waiting indicator	203
19.1.19	Set microphone gain	203
19.1.20	Set microphone mute	204
19.1.21	Set ringer status	204
19.1.22	Set speaker mute	205
19.1.23	Set speaker volume	206
19.2	Events	206
19.2.1	Button information	206
19.2.2	Button press	207
19.2.3	Display updated	207
19.2.4	Hookswitch	208
19.2.5	Lamp mode	208
19.2.6	Message waiting	209
19.2.7	Microphone gain	209
19.2.8	Microphone mute	210
19.2.9	Ringer status	210
19.2.10	Speaker mute	211
19.2.11	Speaker volume	212
20	Logical device features	212
20.1	Services	212
20.1.1	Call back non-call-related	212
20.1.2	Call back message non-call-related	213
20.1.3	Cancel call back	213
20.1.4	Cancel call back message	214
20.1.5	Get agent state	214
20.1.6	Get auto answer	215
20.1.7	Get auto work mode	216
20.1.8	Get call back	216
20.1.9	Get caller id status	217
20.1.10	Get do not disturb	218
20.1.11	Get forwarding	218
20.1.12	Get last number dialed	219
20.1.13	Get presence state	220
20.1.14	Get routeing mode	220
20.1.15	Set agent state	221
20.1.16	Set auto answer	221
20.1.17	Set auto work mode	222
20.1.18	Set caller id status	223

20.1.19	Set do not disturb	223
20.1.20	Set forwarding	224
20.1.21	Set presence state	225
20.1.22	Set routeing mode	225
20.2	Events	226
20.2.1	Agent busy	226
20.2.2	Agent logged off	226
20.2.3	Agent logged on	227
20.2.4	Agent not ready	227
20.2.5	Agent ready	228
20.2.6	Agent working after call	228
20.2.7	Auto answer	229
20.2.8	Auto work mode	229
20.2.9	Call back	230
20.2.10	Call back message	230
20.2.11	Caller id status	231
20.2.12	Do not disturb	231
20.2.13	Forwarding	232
20.2.14	Presence state	233
20.2.15	Routeing mode	233
21	Device maintenance events	234
21.1	Events	234
21.1.1	Back in service	234
21.1.2	Device capabilities changed	234
21.1.3	Out of service	235
21.1.4	Partially In service	235
22	I/O services	236
22.1	Registration services	236
22.1.1	I/O register	236
22.1.2	I/O register abort	236
22.1.3	I/O register cancel	237
22.2	Services	237
22.2.1	Data path resumed	237
22.2.2	Data path suspended	238
22.2.3	Fast data	238
22.2.4	Resume data path	239
22.2.5	Send broadcast data	240
22.2.6	Send data	240
22.2.7	Send multicast data	241
22.2.8	Start data path	242
22.2.9	Stop data path	243
22.2.10	Suspend data path	243
23	Data Collection Services	244
23.1	Services	244
23.1.1	Data Collected	244
23.1.2	Data Collection Resumed	246
23.1.3	Data Collection Suspended	246
23.1.4	Resume Data Collection	247
23.1.5	Start Data Collection	247
23.1.6	Stop Data Collection	248
23.1.7	Suspend Data Collection	249
24	Voice services and events	249
24.1	Services	249
24.1.1	Activate	249
24.1.2	Clear	250
24.1.3	Concatenate message	250
24.1.4	Deactivate	251
24.1.5	Delete message	252

24.1.6	Play message	252
24.1.7	Query voice attribute	253
24.1.8	Queue service	254
24.1.9	Record message	254
24.1.10	Reposition	255
24.1.11	Resume	256
24.1.12	Review	256
24.1.13	Set voice attribute	257
24.1.14	Start	258
24.1.15	Stop	259
24.1.16	Suspend	260
24.1.17	Synthesize message	260
24.2	Events	261
24.2.1	Bookmark reached	261
24.2.2	Completed	261
24.2.3	DTMF detected	262
24.2.4	Emptied	262
24.2.5	Interruption detected	263
24.2.6	Not recognized	263
24.2.7	Play	264
24.2.8	Recognized	265
24.2.9	Record	265
24.2.10	Review	266
24.2.11	Silence timeout expired	266
24.2.12	Speech detected	267
24.2.13	Started	267
24.2.14	Stop	268
24.2.15	Suspend play	268
24.2.16	Suspend record	269
24.2.17	Voice attribute changed	270
24.2.18	Voice error occurred	271
25	Call detail record services	272
25.1	Services	272
25.1.1	Call detail records notification	272
25.1.2	Call detail records report	272
25.1.3	Send stored call detail records	273
25.1.4	Start call detail records transmission	273
25.1.5	Stop call detail records transmission	274
26	Location services	275
26.1	Services	275
26.1.1	Get location information	275
26.1.2	Set location information	275
26.1.3	Location tracking session resumed	276
26.1.4	Location tracking session suspended	276
26.1.5	Resume location tracking session	277
26.1.6	Location information report	277
26.1.7	Start location tracking session	278
26.1.8	Stop location tracking session	279
26.1.9	Suspend location tracking session	280
26.1.10	Get location tracking capabilities	280
26.1.11	Get location tracking sessions	281
26.1.12	Location Session Info	282
27	Vendor specific extensions services and events	283
27.1	Registration services	283
27.1.1	Escape register	283
27.1.2	Escape register abort	283
27.1.3	Escape register cancel	284
27.2	Services	284
27.2.1	Escape	284

27.2.2	Private data version selection	285
27.3	Events	285
27.3.1	Private event	285
Annex A (normative) Protocol Implementation Conformance Statement (PICS) Proforma		287
Annex B (normative) Registration Template for application/CSTA+XML MIME Media Type		404
Annex C (normative) CSTA Over SIP (uaCSTA) Transport Mechanism		405
Annex E (informative) Examples of Device Identifier Element Encodings		482
Annex F (informative) Examples of Connection ID Encodings		484
Annex G (informative) Examples of CSTA-specific XML		485
Annex H (informative) CSTA XML with SOAP		487
Annex I (informative) CSTA XML with SOAP with HTTP		490
Annex J (informative) CSTA XML over TCP		493
Annex K (informative) CSTA Data Type Schema for Encapsulation		495
Annex L (informative) Registration Template for application/CSTAdata+XML MIME Media Type		496
Annex M (informative) Summary of changes in this edition		497
Bibliography		498