

ISO/IEC 24769-5:2012-12 (E)

Information technology - Automatic identification and data capture techniques - Real time locating systems (RTLS) device conformance test methods - Part 5: Test methods for chirp spread spectrum (CSS) at 2,4 GHz air interface

| Contents | Page |
|--|-------------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Symbols and abbreviated terms | 2 |
| 5.1 General | 3 |
| 5.2 Overall Test conditions | 3 |
| 5.2.1 Test environment | 3 |
| 5.2.2 Default tolerance | 3 |
| 5.3 Transmitter and Receiver setup | 3 |
| 5.3.1 Transmitting setup | 3 |
| 5.3.2 Receiving setup | 4 |
| 5.4 RF transmission tests | 5 |
| 5.4.1 Test setup | 5 |
| 5.4.2 2-ary orthogonal CSS modulation at 1 Mbits/s transmission test | 5 |
| 5.4.3 2-ary orthogonal CSS modulation at 250 Kbits/s transmission test | 7 |
| 5.4.4 DQPSK CSS modulation at 1 Mbits/s transmission test | 8 |
| 5.4.5 DQPSK CSS modulation at 250 Kbits/s transmission test | 10 |
| 5.5 RF reception tests | 11 |
| 5.5.1 Test setup | 11 |
| 5.5.2 2-ary orthogonal CSS modulation at 1 Mbits/s reception test | 12 |
| 5.5.3 2-ary orthogonal CSS modulation at 250 Kbits/s reception test | 14 |
| 5.5.4 DQPSK CSS modulation at 1 Mbits/s reception test | 16 |
| 5.5.5 DQPSK CSS modulation at 250 Kbits/s reception test | 17 |
| 5.6 Application layer conformance tests | 19 |
| 5.6.1 Test setup | 19 |
| 5.6.2 Set and get configuration vector command | 20 |
| 5.6.3 Set, add and get ranging peer | 21 |
| 5.6.4 Switch state command test | 22 |
| 5.6.5 Ranging packet exchange | 24 |
| 5.6.6 Ranging report | 27 |
| Annex A (normative) Technical requirements of the testing equipment | 29 |
| Bibliography | 30 |