

ISO/IEC 17963:2013-02 (E)

Web Services for Management (WS-Management) Specification

| Contents | | Page |
|--|--|-------------|
| Foreword..... | | 7 |
| 1 Scope..... | | 10 |
| 2 Normative References | | 10 |
| 3 Terms and Definitions | | 12 |
| 4 Symbols and Abbreviated Terms | | 15 |
| 5 Addressing | | 16 |
| 5.1 Management Addressing | | 16 |
| 5.2 Versions of Addressing | | 25 |
| 5.3 Requirements for Compatibility | | 25 |
| 5.4 Use of Addressing in WS-Management | | 27 |
| 6 WS-Management Control Headers..... | | 44 |
| 6.1 wsman:OperationTimeout | | 44 |
| 6.2 wsman:MaxEnvelopeSize | | 45 |
| 6.3 wsman:Locale | | 46 |
| 6.4 wsman:OptionSet | | 47 |
| 6.5 wsman:RequestEPR | | 50 |
| 7 Resource Access | | 51 |
| 7.1 General..... | | 51 |
| 7.2 Addressing Uniformity | | 53 |
| 7.3 Get..... | | 54 |
| 7.4 Put | | 55 |
| 7.5 Delete | | 59 |
| 7.6 Create..... | | 61 |
| 7.7 Fragment-Level Access..... | | 64 |
| 7.8 Fragment-Level Get | | 66 |
| 7.9 Fragment-Level Put..... | | 67 |
| 7.10 Fragment-Level Delete..... | | 70 |
| 7.11 Fragment-Level Create | | 71 |
| 8 Enumeration of Datasets | | 73 |
| 8.1 General..... | | 73 |
| 8.2 Enumerate..... | | 75 |
| 8.3 Filter Interpretation | | 82 |
| 8.4 Pull..... | | 84 |
| 8.5 Release | | 88 |
| 8.6 Ad-Hoc Queries and Fragment-Level Enumerations | | 90 |
| 8.7 Enumeration of EPRs..... | | 90 |
| 8.8 Renew | | 92 |
| 8.9 GetStatus..... | | 94 |
| 8.10 EnumerationEnd..... | | 94 |
| 9 Custom Actions (Methods)..... | | 95 |
| 10 Notifications (Eventing)..... | | 96 |
| 10.1 General..... | | 96 |
| 10.2 Subscribe..... | | 97 |
| 10.3 GetStatus..... | | 117 |
| 10.4 Unsubscribe..... | | 118 |
| 10.5 Renew | | 119 |
| 10.6 SubscriptionEnd | | 120 |
| 10.7 Acknowledgement of Delivery | | 122 |
| 10.8 Refusal of Delivery | | 123 |
| 10.9 Dropped Events..... | | 124 |
| 10.10 Access Control | | 125 |

| | | |
|---------|--|-----|
| 10.11 | Implementation Considerations | 126 |
| 10.12 | Advertisement of Notifications | 126 |
| 11 | Metadata and Discovery | 126 |
| 12 | Security | 129 |
| 12.1 | General | 129 |
| 12.2 | Security Profiles | 130 |
| 12.3 | Security Considerations for Event Subscriptions | 130 |
| 12.4 | Including Credentials with a Subscription | 131 |
| 12.5 | Correlating Events with a Subscription | 132 |
| 12.6 | Transport-Level Authentication Failure | 132 |
| 12.7 | Security Implications of Third-Party Subscriptions | 132 |
| 13 | Transports and Message Encoding | 133 |
| 13.1 | SOAP | 133 |
| 13.2 | Lack of Response | 134 |
| 13.3 | Replay of Messages | 134 |
| 13.4 | Encoding Limits | 134 |
| 13.5 | Binary Attachments | 135 |
| 13.6 | Case-Sensitivity | 135 |
| 14 | Faults | 136 |
| 14.1 | Introduction | 136 |
| 14.2 | Fault Encoding | 136 |
| 14.3 | NotUnderstood Faults | 137 |
| 14.4 | Degenerate Faults | 138 |
| 14.5 | Fault Extensibility | 138 |
| 14.6 | Master Faults | 139 |
| ANNEX A | (informative) Notational Conventions | 160 |
| A.1 | XML Namespaces | 160 |
| ANNEX B | (normative) Conformance | 162 |
| ANNEX C | (normative) HTTP(S) Transport and Security Profile | 163 |
| C.1 | General | 163 |
| C.2 | HTTP(S) Binding | 163 |
| C.3 | HTTP(S) Security Profiles | 165 |
| C.4 | IPSec and HTTP | 170 |
| ANNEX D | (informative) XPath Support | 171 |
| D.1 | General | 171 |
| D.2 | Level 1 | 172 |
| D.3 | Level 2 | 174 |
| ANNEX E | (normative) Selector Filter Dialect | 177 |
| ANNEX F | (informative) Identify XML Schema | 179 |
| ANNEX G | (informative) Resource Access Operations XML Schema and WSDL | 182 |
| ANNEX H | (informative) Enumeration Operations XML Schema and WSDL | 187 |
| ANNEX I | (informative) Notification Operations XML Schema and WSDL | 196 |
| ANNEX J | (informative) Addressing XML Schema | 204 |
| ANNEX K | (informative) WS-Management XML Schema | 207 |
| ANNEX L | (informative) Change Log | 217 |

Figures

| | |
|--|----|
| Figure 1 – Message Information Header Blocks | 20 |
|--|----|

Tables

| | |
|--|-----|
| Table 1 – Relationship Type | 21 |
| Table 2 – Interoperability Requirements | 25 |
| Table 3 – WSA Versions in Exchanges | 26 |
| Table 4 – wsa:Action URI Descriptions | 42 |
| Table 5 – wsman:AccessDenied | 139 |
| Table 6 – wsa:ActionNotSupported | 140 |
| Table 7 – wsman:AlreadyExists | 140 |
| Table 8 – wsman:CannotProcessFilter | 141 |
| Table 9 – wsman:CannotProcessFilter | 141 |
| Table 10 – wsman:Concurrency | 142 |
| Table 11 – wsme:DeliveryModeRequestedUnavailable | 142 |
| Table 12 – wsman:DeliveryRefused | 143 |
| Table 13 – wsa:DestinationUnreachable | 143 |
| Table 14 – wsman:EncodingLimit | 144 |
| Table 15 – wsa:EndpointUnavailable | 145 |
| Table 16 – wsman:EventDeliverToUnusable | 145 |
| Table 17 – wsme:EventSourceUnableToProcess | 146 |
| Table 18 – wsman:FilterDialectRequestedUnavailable | 146 |
| Table 19 – wsme:FilteringNotSupported | 146 |
| Table 20 – wsman:FilteringNotSupported | 147 |
| Table 21 – wsme:FilteringRequestedUnavailable | 147 |
| Table 22 – wsman:FragmentDialectNotSupported | 148 |
| Table 23 – wsman:InternalError | 148 |
| Table 24 – wsman:InvalidBookmark | 149 |
| Table 25 – wsman:InvalidEnumerationContext | 149 |
| Table 26 – wsme:InvalidExpirationTime | 150 |
| Table 27 – wsman:InvalidExpirationTime | 150 |
| Table 28 – wsme:InvalidMessage | 151 |
| Table 29 – wsa:InvalidMessageInformationHeader | 151 |
| Table 30 – wsman:InvalidOptions | 152 |
| Table 31 – wsman:InvalidParameter | 152 |
| Table 32 – wsmt:InvalidRepresentation | 153 |
| Table 33 – wsman:InvalidSelectors | 153 |
| Table 34 – wsa:MessageInformationHeaderRequired | 154 |
| Table 35 – wsman:NoAck | 154 |
| Table 36 – wsman:QuotaLimit | 154 |
| Table 37 – wsman:SchemaValidationError | 155 |

| | |
|---|-----|
| Table 38 – wsmen:TimedOut | 155 |
| Table 39 – wsman:TimedOut | 155 |
| Table 40 – wsme:UnableToRenew | 156 |
| Table 41 – wsme:UnsupportedExpirationType | 156 |
| Table 42 – wsmen:UnsupportedExpirationType | 156 |
| Table 43 – wsman:UnsupportedFeature | 157 |
| Table 44 – wsme:UnsupportedExpirationType | 158 |
| Table 45 – wsmen:UnableToRenew | 158 |
| Table 46 – wsa:InvalidMessage | 158 |
| Table 47 – wsme:CannotProcessFilter | 159 |
| Table A-1 – Prefixes and XML Namespaces Used in This Specification | 161 |
| Table C-1 – Basic Authentication Sequence | 165 |
| Table C-2 – Digest Authentication Sequence | 166 |
| Table C-3 – Basic Authentication over HTTPS Sequence | 166 |
| Table C-4 – Digest Authentication over HTTPS Sequence | 167 |
| Table C-5 – HTTPS with Client Certificate Sequence | 167 |
| Table C-6 – Basic Authentication over HTTPS with Client Certificate Sequence | 168 |
| Table C-7 – SPNEGO Authentication over HTTPS Sequence | 169 |
| Table C-8 – SPNEGO Authentication over HTTPS with Client Certificate Sequence | 169 |
| Table D-1 – XPath Level 1 Terminals | 173 |
| Table D-2 – XPath Level 2 Terminals | 175 |