

ISO/IEC 9646-7:1995-09 (E)

Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation conformance statements

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | V |
| Introduction | | VI |
| 1 | Scope..... | 1 |
| 2 | Normative references..... | 1 |
| 3 | Definitions | 2 |
| 4 | Abbreviations..... | 2 |
| 4.1 | ISO/IEC 9646 abbreviations..... | 2 |
| 4.2 | ISO/IEC 10165-6 abbreviations..... | 2 |
| 5 | Compliance | 2 |
| 6 | Overview..... | 3 |
| 6.1 | Introduction to System Conformance Statements (SCSs) | 3 |
| 6.2 | Introduction to Implementation Conformance Statements (ICSs)..... | 4 |
| 6.3 | ICS profomas..... | 4 |
| 6.3.1 | General | 4 |
| 6.3.2 | PICS profomas..... | 4 |
| 6.3.3 | Information object ICS profomas..... | 5 |
| 6.3.4 | Profile specific ICS profomas | 5 |
| 6.4 | Profile Requirements Lists | 5 |
| 6.5 | Relationships between OSI specifications and their related ICS profomas and ICSs..... | 6 |
| 6.5.1 | The general picture | 6 |
| 6.5.2 | Base specifications | 6 |
| 6.5.3 | Profile specifications | 6 |
| 6.5.4 | Profile ICS profomas | 6 |
| 6.5.5 | Profile ICS | 6 |
| 6.5.6 | Profile specific information..... | 6 |
| 6.6 | SCS profomas..... | 6 |
| 6.7 | Use and Users of ICSs and SCSs | 14 |
| 6.7.1 | Users of profomas..... | 14 |
| 6.7.2 | Uses of ICSs and SCSs..... | 14 |
| 7 | Structure of an SCS proforma..... | 15 |
| 8 | Layout of an ICS proforma specification and profile RL..... | 17 |
| 8.1 | Introduction..... | 17 |
| 8.2 | Requirements for ICS proforma specifications and specifications of ICS templates..... | 17 |
| 8.2.1 | Publication options for ICS proforma specifications | 17 |
| 8.2.2 | The Introduction clause | 17 |
| 8.2.3 | The Scope clause | 17 |
| 8.2.4 | The Normative References clause..... | 17 |
| 8.2.5 | The Definitions clause | 18 |
| 8.2.6 | The conformance clause | 18 |
| 8.2.7 | Copyright..... | 18 |
| 8.3 | The ICS profoma..... | 19 |
| 8.3.1 | Introduction..... | 19 |
| 8.3.2 | First section - Identification of the ICS proforma corrigenda | 19 |

| | | |
|--------|---|-----------|
| 8.3.3 | Second section - Instructions | 19 |
| 8.3.4 | Third section - Identification of the Implementation | 19 |
| 8.3.5 | Fourth section - Identification of the protocol, information objects or profile | 19 |
| 8.3.6 | Fifth section - Identification of corrigenda to the protocol, information objects or profile | 20 |
| 8.3.7 | Sixth section - ICS proforma tables | 20 |
| 8.4 | Re-issuing ICS profomas following technical corrigenda..... | 21 |
| 8.5 | PICS profomas | 21 |
| 8.5.1 | Introduction | 21 |
| 8.5.2 | Roles | 21 |
| 8.5.3 | Major capabilities | 22 |
| 8.5.4 | PDU's | 22 |
| 8.5.5 | PDU Parameters..... | 22 |
| 8.5.6 | Timers | 23 |
| 8.5.7 | Negotiation capabilities | 23 |
| 8.5.8 | Protocol error handling..... | 23 |
| 8.5.9 | Multi-specification dependencies | 23 |
| 8.5.10 | Other conditions | 23 |
| 8.6 | Information object ICS proformas..... | 23 |
| 8.7 | Profile RL and profile specific ICS proforma | 24 |
| 8.7.1 | Introduction | 24 |
| 8.7.2 | Use of base specification ICS proformas in a profile | 24 |
| 8.7.3 | Profile RL | 24 |
| 8.7.4 | Profile specific ICS proformas | 24 |
| 8.7.5 | Asymmetry in profile static conformance requirements | 25 |
| 9 | Complete specification of ICS proforma and RL notation | 25 |
| 9.1 | Introduction | 25 |
| 9.2 | Status column values | 25 |
| 9.2.1 | General notations | 25 |
| 9.2.2 | Predicates..... | 26 |
| 9.2.3 | Logical negation symbol..... | 27 |
| 9.2.4 | Flagging of references used in predicates | 27 |
| 9.2.5 | Notation for conditional requirements | 27 |
| 9.3 | Support column answers | 29 |
| 9.3.1 | General notations | 29 |
| 9.3.2 | Conditional support answers | 30 |
| 9.3.3 | Tick boxes for support answers | 30 |
| 9.3.4 | Omission of Irrelevant Tick Boxes..... | 31 |
| 9.4 | Column Headings | 31 |
| 9.5 | Referencing items and their support answers | 31 |
| 9.6 | Specific requirements for profile RL notation | 32 |
| 10 | Relation of the ICS and IXIT | 33 |
| | Annexes A Guidance on the meaning of ICS status values and support answers | 34 |
| A.1 | Meaning of status values | 34 |
| A.2 | Meaning of support answers | 35 |
| A.3 | Interpretation of the mandatory status value | 35 |
| A.4 | Interpretation of the optional status value | 36 |
| A.5 | Interpretation of the conditional status value | 38 |
| A.6 | Interpretation of the not-applicable status value | 39 |
| A.7 | Interpretation of the out-of-scope status value | 40 |
| A.8 | Interpretation of the excluded status value..... | 40 |
| B | Use of profile RL and profile specific ICS..... | 41 |
| B.1 | Introduction | 41 |
| B.2 | Exclusion of a role, major capability, functional unit or parameter..... | 41 |
| B.3 | Presence of Parameters | 41 |
| B.4 | Behaviour in case of no-support answer | 41 |
| C | Examples of PICS proforma tables and related profile Requirements List tables | 42 |
| C.1 | Major Capabilities..... | 42 |

| | |
|---|-----------|
| C.2 PDU support | 42 |
| C.3 Parameter support | 43 |
| C.4 Parameter value support..... | 43 |
| C.5 Requirements List..... | 44 |
| | |
| D Guidance for interpretation of additional status notations | 46 |
| D.1 Double status notation | 46 |
| D.2 Additional status letters | 48 |
| | |
| E Guidance on IXIT profomas | 49 |
| | |
| F Information objects | 50 |
| F.1 Types of information object | 50 |
| F.2 Implementation conformance statements for information objects | 50 |
| | |
| G Guidance on multi-specification dependencies | 51 |
| G.1 Background | 51 |
| G.2 Formats..... | 51 |
| | |
| H Guidance on status and support for parameters on received PDUs | 53 |
| H.1 Background | 53 |
| H.2 Status in base specification PICS profomas | 53 |
| H.3 Status in profile RLs | 53 |
| | |
| I Guidance on the ICS templates and ICS profomas used in OSI Management | 55 |
| I.1 Introduction..... | 55 |
| I.2 Possible stages towards the development of an ICS or MCS | 55 |
| I.3 Applicability of the six stages to MCS, MOCS, MIDS and MRCS development..... | 57 |