

ISO/IEC 23008-2:2013-12 (E)

Information technology - High efficiency coding and media delivery in heterogeneous environments - Part 2: High efficiency video coding

| Contents | Page |
|---|------|
| 0 Introduction | 1 |
| 0.1 General..... | 1 |
| 0.2 Prologue..... | 1 |
| 0.3 Purpose | 1 |
| 0.4 Applications..... | 1 |
| 0.5 Publication and versions of this Specification | 1 |
| 0.6 Profiles, tiers and levels..... | 2 |
| 0.7 Overview of the design characteristics | 2 |
| 0.8 How to read this Specification..... | 2 |
| 1 Scope | 3 |
| 2 Normative references..... | 3 |
| 2.1 General..... | 3 |
| 2.2 Identical Recommendations International Standards..... | 3 |
| 2.3 Paired Recommendations International Standards equivalent in technical content | 3 |
| 2.4 Additional references..... | 3 |
| 3 Definitions | 3 |
| 4 Abbreviations..... | 12 |
| 5 Conventions..... | 13 |
| 5.1 General..... | 13 |
| 5.2 Arithmetic operators | 13 |
| 5.3 Logical operators | 13 |
| 5.4 Relational operators..... | 14 |
| 5.5 Bit-wise operators | 14 |
| 5.6 Assignment operators | 14 |
| 5.7 Range notation | 14 |
| 5.8 Mathematical functions..... | 15 |
| 5.9 Order of operation precedence..... | 15 |
| 5.10 Variables, syntax elements, and tables..... | 16 |
| 5.11 Text description of logical operations..... | 17 |
| 5.12 Processes..... | 18 |
| 6 Bitstream and picture formats, partitionings, scanning processes, and neighbouring relationships | 18 |
| 6.1 Bitstream formats..... | 18 |
| 6.2 Source, decoded, and output picture formats..... | 18 |
| 6.3 Partitioning of pictures, slices, slice segments, tiles, coding tree units, and coding tree blocks..... | 21 |
| 6.3.1 Partitioning of pictures into slices, slice segments, and tiles | 21 |
| 6.3.2 Block and quadtree structures | 22 |
| 6.3.3 Spatial or component-wise partitionings..... | 23 |
| 6.4 Availability processes | 23 |
| 6.4.1 Derivation process for z-scan order block availability..... | 23 |
| 6.4.2 Derivation process for prediction block availability..... | 24 |
| 6.5 Scanning processes | 25 |
| 6.5.1 Coding tree block raster and tile scanning conversion process..... | 25 |
| 6.5.2 Z-scan order array initialization process..... | 26 |
| 6.5.3 Up-right diagonal scan order array initialization process | 26 |
| 6.5.4 Horizontal scan order array initialization process..... | 27 |
| 6.5.5 Vertical scan order array initialization process..... | 27 |

| | | |
|----------|---|----|
| 7 | Syntax and semantics | 28 |
| 7.1 | Method of specifying syntax in tabular form | 28 |
| 7.2 | Specification of syntax functions and descriptors | 29 |
| 7.3 | Syntax in tabular form | 30 |
| 7.3.1 | NAL unit syntax | 30 |
| 7.3.1.1 | General NAL unit syntax | 30 |
| 7.3.1.2 | NAL unit header syntax | 30 |
| 7.3.2 | Raw byte sequence payloads, trailing bits, and byte alignment syntax | 31 |
| 7.3.2.1 | Video parameter set RBSP syntax | 31 |
| 7.3.2.2 | Sequence parameter set RBSP syntax | 32 |
| 7.3.2.3 | Picture parameter set RBSP syntax | 34 |
| 7.3.2.4 | Supplemental enhancement information RBSP syntax | 35 |
| 7.3.2.5 | Access unit delimiter RBSP syntax | 35 |
| 7.3.2.6 | End of sequence RBSP syntax | 35 |
| 7.3.2.7 | End of bitstream RBSP syntax | 35 |
| 7.3.2.8 | Filler data RBSP syntax | 36 |
| 7.3.2.9 | Slice segment layer RBSP syntax | 36 |
| 7.3.2.10 | RBSP slice segment trailing bits syntax | 36 |
| 7.3.2.11 | RBSP trailing bits syntax | 36 |
| 7.3.2.12 | Byte alignment syntax | 36 |
| 7.3.3 | Profile, tier and level syntax | 37 |
| 7.3.4 | Scaling list data syntax | 38 |
| 7.3.5 | Supplemental enhancement information message syntax | 38 |
| 7.3.6 | Slice segment header syntax | 39 |
| 7.3.6.1 | General slice segment header syntax | 39 |
| 7.3.6.2 | Reference picture list modification syntax | 41 |
| 7.3.6.3 | Weighted prediction parameters syntax | 42 |
| 7.3.7 | Short-term reference picture set syntax | 43 |
| 7.3.8 | Slice segment data syntax | 43 |
| 7.3.8.1 | General slice segment data syntax | 43 |
| 7.3.8.2 | Coding tree unit syntax | 44 |
| 7.3.8.3 | Sample adaptive offset syntax | 45 |
| 7.3.8.4 | Coding quadtree syntax | 46 |
| 7.3.8.5 | Coding unit syntax | 47 |
| 7.3.8.6 | Prediction unit syntax | 49 |
| 7.3.8.7 | PCM sample syntax | 49 |
| 7.3.8.8 | Transform tree syntax | 50 |
| 7.3.8.9 | Motion vector difference syntax | 50 |
| 7.3.8.10 | Transform unit syntax | 51 |
| 7.3.8.11 | Residual coding syntax | 52 |
| 7.4 | Semantics | 54 |
| 7.4.1 | General | 54 |
| 7.4.2 | NAL unit semantics | 54 |
| 7.4.2.1 | General NAL unit semantics | 54 |
| 7.4.2.2 | NAL unit header semantics | 55 |
| 7.4.2.3 | Encapsulation of an SODB within an RBSP (informative) | 58 |
| 7.4.2.4 | Order of NAL units and association to coded pictures, access units, and coded video sequences | 59 |
| 7.4.3 | Raw byte sequence payloads, trailing bits, and byte alignment semantics | 62 |
| 7.4.3.1 | Video parameter set RBSP semantics | 62 |
| 7.4.3.2 | Sequence parameter set RBSP semantics | 64 |
| 7.4.3.3 | Picture parameter set RBSP semantics | 69 |
| 7.4.3.4 | Supplemental enhancement information RBSP semantics | 72 |
| 7.4.3.5 | Access unit delimiter RBSP semantics | 72 |
| 7.4.3.6 | End of sequence RBSP semantics | 72 |
| 7.4.3.7 | End of bitstream RBSP semantics | 72 |
| 7.4.3.8 | Filler data RBSP semantics | 73 |
| 7.4.3.9 | Slice segment layer RBSP semantics | 73 |
| 7.4.3.10 | RBSP slice segment trailing bits semantics | 73 |
| 7.4.3.11 | RBSP trailing bits semantics | 73 |
| 7.4.3.12 | Byte alignment semantics | 73 |

| | | |
|----------|---|-----|
| 7.4.4 | Profile, tier and level semantics | 73 |
| 7.4.5 | Scaling list data semantics | 75 |
| 7.4.6 | Supplemental enhancement information message semantics | 76 |
| 7.4.7 | Slice segment header semantics | 77 |
| 7.4.7.1 | General slice segment header semantics | 77 |
| 7.4.7.2 | Reference picture list modification semantics | 81 |
| 7.4.7.3 | Weighted prediction parameters semantics | 82 |
| 7.4.8 | Short-term reference picture set semantics | 83 |
| 7.4.9 | Slice segment data semantics | 85 |
| 7.4.9.1 | General slice segment data semantics | 85 |
| 7.4.9.2 | Coding tree unit semantics | 85 |
| 7.4.9.3 | Sample adaptive offset semantics | 85 |
| 7.4.9.4 | Coding quadtree semantics | 87 |
| 7.4.9.5 | Coding unit semantics | 87 |
| 7.4.9.6 | Prediction unit semantics | 89 |
| 7.4.9.7 | PCM sample semantics | 90 |
| 7.4.9.8 | Transform tree semantics | 90 |
| 7.4.9.9 | Motion vector difference semantics | 91 |
| 7.4.9.10 | Transform unit semantics | 91 |
| 7.4.9.11 | Residual coding semantics | 92 |
| 8 | Decoding process | 94 |
| 8.1 | General decoding process | 94 |
| 8.2 | NAL unit decoding process | 95 |
| 8.3 | Slice decoding process | 96 |
| 8.3.1 | Decoding process for picture order count | 96 |
| 8.3.2 | Decoding process for reference picture set | 96 |
| 8.3.3 | Decoding process for generating unavailable reference pictures | 100 |
| 8.3.3.1 | General decoding process for generating unavailable reference pictures | 100 |
| 8.3.3.2 | Generation of one unavailable picture | 101 |
| 8.3.4 | Decoding process for reference picture lists construction | 101 |
| 8.4 | Decoding process for coding units coded in intra prediction mode | 102 |
| 8.4.1 | General decoding process for coding units coded in intra prediction mode | 102 |
| 8.4.2 | Derivation process for luma intra prediction mode | 103 |
| 8.4.3 | Derivation process for chroma intra prediction mode | 105 |
| 8.4.4 | Decoding process for intra blocks | 105 |
| 8.4.4.1 | General decoding process for intra blocks | 105 |
| 8.4.4.2 | Intra sample prediction | 106 |
| 8.5 | Decoding process for coding units coded in inter prediction mode | 112 |
| 8.5.1 | General decoding process for coding units coded in inter prediction mode | 112 |
| 8.5.2 | Inter prediction process | 112 |
| 8.5.3 | Decoding process for prediction units in inter prediction mode | 115 |
| 8.5.3.1 | General | 115 |
| 8.5.3.2 | Derivation process for motion vector components and reference indices | 115 |
| 8.5.3.3 | Decoding process for inter prediction samples | 130 |
| 8.5.4 | Decoding process for the residual signal of coding units coded in inter prediction mode | 138 |
| 8.5.4.1 | General | 138 |
| 8.5.4.2 | Decoding process for luma residual blocks | 139 |
| 8.5.4.3 | Decoding process for chroma residual blocks | 140 |
| 8.6 | Scaling, transformation and array construction process prior to deblocking filter process | 141 |
| 8.6.1 | Derivation process for quantization parameters | 141 |
| 8.6.2 | Scaling and transformation process | 142 |
| 8.6.3 | Scaling process for transform coefficients | 143 |
| 8.6.4 | Transformation process for scaled transform coefficients | 144 |
| 8.6.4.1 | General | 144 |
| 8.6.4.2 | Transformation process | 144 |
| 8.6.5 | Picture construction process prior to in-loop filter process | 146 |

| | | |
|---------|--|-----|
| 8.7 | In-loop filter process | 146 |
| 8.7.1 | General..... | 146 |
| 8.7.2 | Deblocking filter process | 147 |
| 8.7.2.1 | General..... | 147 |
| 8.7.2.2 | Derivation process of transform block boundary..... | 148 |
| 8.7.2.3 | Derivation process of prediction block boundary..... | 149 |
| 8.7.2.4 | Derivation process of boundary filtering strength | 150 |
| 8.7.2.5 | Edge filtering process | 151 |
| 8.7.3 | Sample adaptive offset process..... | 159 |
| 8.7.3.1 | General..... | 159 |
| 8.7.3.2 | Coding tree block modification process..... | 159 |
| 9 | Parsing process | 161 |
| 9.1 | General..... | 161 |
| 9.2 | Parsing process for 0-th order Exp-Golomb codes | 161 |
| 9.2.1 | General..... | 161 |
| 9.2.2 | Mapping process for signed Exp-Golomb codes | 163 |
| 9.3 | CABAC parsing process for slice segment data | 163 |
| 9.3.1 | General..... | 163 |
| 9.3.2 | Initialization process | 165 |
| 9.3.2.1 | General..... | 165 |
| 9.3.2.2 | Initialization process for context variables | 166 |
| 9.3.2.3 | Storage process for context variables | 174 |
| 9.3.2.4 | Synchronization process for context variables..... | 174 |
| 9.3.2.5 | Initialization process for the arithmetic decoding engine | 174 |
| 9.3.3 | Binarization process..... | 175 |
| 9.3.3.1 | General..... | 175 |
| 9.3.3.2 | Truncated Rice (TR) binarization process | 176 |
| 9.3.3.3 | k-th order Exp-Golomb (EGk) binarization process | 177 |
| 9.3.3.4 | Fixed-length (FL) binarization process..... | 178 |
| 9.3.3.5 | Binarization process for part_mode..... | 178 |
| 9.3.3.6 | Binarization process for intra_chroma_pred_mode..... | 178 |
| 9.3.3.7 | Binarization process for inter_pred_idc..... | 179 |
| 9.3.3.8 | Binarization process for cu_qp_delta_abs | 179 |
| 9.3.3.9 | Binarization process for coeff_abs_level_remaining..... | 179 |
| 9.3.4 | Decoding process flow..... | 180 |
| 9.3.4.1 | General..... | 180 |
| 9.3.4.2 | Derivation process for ctxTable, ctxIdx and bypassFlag | 180 |
| 9.3.4.3 | Arithmetic decoding process | 186 |
| 9.3.5 | Arithmetic encoding process (informative) | 192 |
| 9.3.5.1 | General..... | 192 |
| 9.3.5.2 | Initialization process for the arithmetic encoding engine (informative) | 192 |
| 9.3.5.3 | Encoding process for a binary decision (informative)..... | 193 |
| 9.3.5.4 | Renormalization process in the arithmetic encoding engine (informative) | 194 |
| 9.3.5.5 | Bypass encoding process for binary decisions (informative)..... | 195 |
| 9.3.5.6 | Encoding process for a binary decision before termination (informative)..... | 196 |
| 9.3.5.7 | Byte stuffing process (informative)..... | 197 |
| 10 | Sub-bitstream extraction process..... | 198 |
| Annex A | Profiles, tiers and levels | 199 |
| A.1 | Overview of profiles, tiers and levels | 199 |
| A.2 | Requirements on video decoder capability | 199 |
| A.3 | Profiles..... | 199 |
| A.3.1 | General..... | 199 |
| A.3.2 | Main profile | 199 |
| A.3.3 | Main 10 profile | 200 |
| A.3.4 | Main Still Picture profile | 200 |
| A.4 | Tiers and levels..... | 201 |
| A.4.1 | General tier and level limits | 201 |
| A.4.2 | Profile-specific level limits for the Main and Main 10 profiles | 202 |
| A.4.3 | Effect of level limits on picture rate for the Main and Main 10 profiles (informative) | 204 |

| | |
|---|-----|
| Annex B Byte stream format | 208 |
| B.1 General | 208 |
| B.2 Byte stream NAL unit syntax and semantics | 208 |
| B.2.1 Byte stream NAL unit syntax | 208 |
| B.2.2 Byte stream NAL unit semantics | 208 |
| B.3 Byte stream NAL unit decoding process | 209 |
| B.4 Decoder byte-alignment recovery (informative) | 209 |
| Annex C Hypothetical reference decoder | 210 |
| C.1 General | 210 |
| C.2 Operation of coded picture buffer (CPB) | 214 |
| C.2.1 General | 214 |
| C.2.2 Timing of decoding unit arrival | 214 |
| C.2.3 Timing of decoding unit removal and decoding of decoding unit | 216 |
| C.3 Operation of the decoded picture buffer (DPB) | 218 |
| C.3.1 General | 218 |
| C.3.2 Removal of pictures from the DPB | 218 |
| C.3.3 Picture output | 219 |
| C.3.4 Current decoded picture marking and storage | 220 |
| C.4 Bitstream conformance | 220 |
| C.5 Decoder conformance | 221 |
| C.5.1 General | 221 |
| C.5.2 Operation of the output order DPB | 222 |
| C.5.2.1 General | 222 |
| C.5.2.2 Output and removal of pictures from the DPB | 222 |
| C.5.2.3 Picture decoding, marking, additional bumping, and storage | 223 |
| C.5.2.4 "Bumping" process | 223 |
| Annex D Supplemental enhancement information | 225 |
| D.1 General | 225 |
| D.2 SEI payload syntax | 226 |
| D.2.1 General SEI message syntax | 226 |
| D.2.2 Buffering period SEI message syntax | 228 |
| D.2.3 Picture timing SEI message syntax | 229 |
| D.2.4 Pan-scan rectangle SEI message syntax | 229 |
| D.2.5 Filler payload SEI message syntax | 230 |
| D.2.6 User data registered by Rec. ITU-T T.35 SEI message syntax | 230 |
| D.2.7 User data unregistered SEI message syntax | 230 |
| D.2.8 Recovery point SEI message syntax | 230 |
| D.2.9 Scene information SEI message syntax | 231 |
| D.2.10 Picture snapshot SEI message syntax | 231 |
| D.2.11 Progressive refinement segment start SEI message syntax | 231 |
| D.2.12 Progressive refinement segment end SEI message syntax | 231 |
| D.2.13 Film grain characteristics SEI message syntax | 232 |
| D.2.14 Post-filter hint SEI message syntax | 232 |
| D.2.15 Tone mapping information SEI message syntax | 233 |
| D.2.16 Frame packing arrangement SEI message syntax | 234 |
| D.2.17 Display orientation SEI message syntax | 234 |
| D.2.18 Structure of pictures information SEI message syntax | 235 |
| D.2.19 Decoded picture hash SEI message syntax | 235 |
| D.2.20 Active parameter sets SEI message syntax | 235 |
| D.2.21 Decoding unit information SEI message syntax | 236 |
| D.2.22 Temporal sub-layer zero index SEI message syntax | 236 |
| D.2.23 Scalable nesting SEI message syntax | 236 |
| D.2.24 Region refresh information SEI message syntax | 237 |
| D.2.25 Reserved SEI message syntax | 237 |

| | | |
|--------------|---|-----|
| D.3 | SEI payload semantics | 237 |
| D.3.1 | General SEI payload semantics | 237 |
| D.3.2 | Buffering period SEI message semantics | 240 |
| D.3.3 | Picture timing SEI message semantics | 242 |
| D.3.4 | Pan-scan rectangle SEI message semantics | 247 |
| D.3.5 | Filler payload SEI message semantics | 248 |
| D.3.6 | User data registered by Rec. ITU-T T.35 SEI message semantics | 248 |
| D.3.7 | User data unregistered SEI message semantics | 248 |
| D.3.8 | Recovery point SEI message semantics | 248 |
| D.3.9 | Scene information SEI message semantics | 249 |
| D.3.10 | Picture snapshot SEI message semantics | 252 |
| D.3.11 | Progressive refinement segment start SEI message semantics | 252 |
| D.3.12 | Progressive refinement segment end SEI message semantics | 253 |
| D.3.13 | Film grain characteristics SEI message semantics | 253 |
| D.3.14 | Post-filter hint SEI message semantics | 258 |
| D.3.15 | Tone mapping information SEI message semantics | 259 |
| D.3.16 | Frame packing arrangement SEI message semantics | 263 |
| D.3.17 | Display orientation SEI message semantics | 270 |
| D.3.18 | Structure of pictures information SEI message semantics | 271 |
| D.3.19 | Decoded picture hash SEI message semantics | 272 |
| D.3.20 | Active parameter sets SEI message semantics | 273 |
| D.3.21 | Decoding unit information SEI message semantics | 273 |
| D.3.22 | Temporal sub-layer zero index SEI message semantics | 275 |
| D.3.23 | Scalable nesting SEI message semantics | 275 |
| D.3.24 | Region refresh information SEI message semantics | 276 |
| D.3.25 | Reserved SEI message semantics | 277 |
| Annex E | Video usability information | 278 |
| E.1 | General | 278 |
| E.1 | VUI syntax | 279 |
| E.1.1 | VUI parameters syntax | 279 |
| E.1.2 | HRD parameters syntax | 281 |
| E.1.3 | Sub-layer HRD parameters syntax | 282 |
| E.2 | VUI semantics | 282 |
| E.2.1 | VUI parameters semantics | 282 |
| E.2.2 | HRD parameters semantics | 294 |
| E.2.3 | Sub-layer HRD parameters semantics | 296 |
| Bibliography | | 298 |