

ISO/IEC/IEEE 8802-1AB:2014-02 (E)

Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Part 1AB: Station and media access control connectivity discovery

Contents	Page
1. Overview.....	1
1.1 Scope.....	1
1.2 Purpose.....	2
2. Normative references.....	3
3. Definitions and numerical representation.....	5
3.1 Definitions.....	5
3.2 Numerical representation.....	6
4. Acronyms and abbreviations.....	7
5. Conformance.....	9
5.1 Terminology.....	9
5.2 Protocol Implementation Conformance Statement (PICS).....	9
5.3 Required capabilities.....	9
5.4 Optional capabilities.....	10
6. Principles of operation.....	11
6.1 Transmission and reception.....	12
6.2 LLDP operational modes.....	12
6.3 LLDP information categories.....	13
6.4 TLV selection.....	14
6.5 Transmission principles.....	14
6.6 Reception principles.....	14
6.7 Systems with multiple LLDP Agents.....	15
7. LLDPDU transmission, reception, and addressing.....	19
7.1 Destination address.....	19
7.2 Source address.....	21
7.3 Ethertype use and encoding.....	22
7.4 LLDPDU reception.....	22
8. LLDPDU and TLV formats.....	23
8.1 LLDPDU bit and octet ordering conventions.....	23
8.2 LLDPDU format.....	23
8.3 TLV categories.....	24
8.4 Basic TLV format.....	24
8.5 Basic management TLV set formats and definitions.....	26
8.6 Organizationally Specific TLVs.....	34
9. LLDP agent operation.....	37
9.1 Overview.....	37
9.2 State machines.....	40
10. LLDP management.....	57
10.1 Data storage and retrieval.....	57
10.2 The LLDP management entity's responsibilities.....	57

10.3	Managed objects	59
10.4	Data types	59
10.5	LLDP variables	59
11.	LLDP MIB definitions	62
11.1	Internet Standard Management Framework	62
11.2	Structure of the LLDP MIB	62
11.3	Relationship to other MIBs	67
11.4	Security considerations for LLDP base MIB module	68
11.5	LLDP MIB modules ,	70
Annex A	(normative) PICS proforma	115
A.1	Introduction	115
A.2	Abbreviations and special symbols	115
A.3	Instructions for completing the PICS proforma	116
A.4	Major capabilities and options	119
Annex B	(normative) PTOPO MIB update	121
Annex C	(informative) Example LLDP transmission frame formats	122
C.1	Direct-encoded LLDP frame format	122
C.2	SNAP-encoded LLDP frame format	122
Annex D	(informative) Using LLDP to detect potential communication problems	123
D.1	Overview	123
D.2	IEEE 802.1 Organizationally Specific TLVs	123
D.3	IEEE 802.3 Organizationally Specific TLVs	125
Annex E	(normative) IEEE 802.1 Organizationally Specific TLVs	127
E.1	Requirements of the IEEE 802.1 Organizationally Specific TLV set	127
E.2	Port VLAN ID TLV	127
E.3	Port And Protocol VLAN ID TLV	128
E.4	VLAN Name TLV	129
E.5	Protocol Identity TLV	130
E.6	VID Usage Digest TLV	131
E.7	Management VID TLV	131
E.8	Link Aggregation TLV	132
E.9	IEEE 802.1 Organizationally Specific TLV management	132
E.10	IEEE 802.1/LLDP extension MIB	133
E.11	PICS proforma for IEEE 802.1 Organizationally Specific TLV extensions	163
Annex F	(normative) IEEE 802.3 Organizationally Specific TLVs	165
F.1	Requirements of the IEEE 802.3 Organizationally Specific TLV set	165
F.2	MAC/PHY Configuration/Status TLV	165
F.3	Power Via MDI TLV	167
F.4	Maximum Frame Size TLV	168
F.5	IEEE 802.3 Organizationally Specific TLV selection management	168
F.6	IEEE 802.3/LLDP extension MIB	169
F.7	PICS proforma for IEEE 802.3 TLV extensions	187
Annex G	(informative) Bibliography	189
Annex H	(informative) IEEE list of participants	191

List of figures

Figure 6-1	LLDP agent and its relationship to its LLC entity	11
Figure 6-2	Relationship between LLDP agents, LLC Entities, MSAPs, and the LLDP management entity	15
Figure 6-3	LLDP in a MAC Bridge	16
Figure 6-4	LLDP in an end system with port-based network access control	16
Figure 6-5	LLDP in a MAC Bridge that uses port-based network access control on both ports	17
Figure 6-6	Scope of group MAC addresses	17
Figure 6-7	Multiplexing and demultiplexing using shims	18
Figure 7-1	MSDU format	19
Figure 8-1	LLDPDU Format	23
Figure 8-2	Basic TLV format	24
Figure 8-3	End Of LLDPDU TLV format	26
Figure 8-4	Chassis ID TLV Format	26
Figure 8-5	Port ID TLV format	28
Figure 8-6	Time To Live TLV format	29
Figure 8-7	Port Description TLV format	29
Figure 8-8	System Name TLV format	30
Figure 8-9	System Description TLV format	31
Figure 8-10	System Capabilities TLV format	31
Figure 8-11	Management Address TLV format	33
Figure 8-12	Basic format for Organizationally Specific TLVs	35
Figure 9-1	Transmit state machine	54
Figure 9-2	Receive state machine	55
Figure 9-3	Transmit timer state machine	56
Figure 11-1	LLDP MIB block diagram	62
Figure C.1	IEEE 802.3 LLDP frame format	122
Figure C.2	IEEE 802.11 LLDP frame format	122
Figure E.1	Port VLAN ID TLV Format	128
Figure E.2	Port And Protocol VLAN ID TLV Format	128
Figure E.3	VLAN Name TLV format	129
Figure E.4	Protocol Identity TLV format	130
Figure E.5	VID Usage Digest TLV format	131
Figure E.6	Management VID TLV format	131
Figure E.7	Link Aggregation TLV format	132
Figure F.1	MAC/PHY configuration/status TLV format	166
Figure F.2	Power Via MDI TLV format	167
Figure F.3	Maximum Frame Size TLV format	168

List of tables

Table 7-1	Group MAC addresses used by LLDP	20
Table 7-2	Support for MAC addresses in different systems	21
Table 7-3	LLDP Ethertype	22
Table 8-1	TLV type values	25
Table 8-2	Chassis ID subtype enumeration	27
Table 8-3	Port ID subtype enumeration	28
Table 8-4	System capabilities	32
Table 9-5	Subclause/operating mode applicability	37
Table 9-6	State machine symbols	42
Table 11-1	MIB object groups and operating mode applicability	63
Table 11-2	LLDP MIB structure and object cross reference	63
Table E.1	IEEE 802.1 Organizationally Specific TLVs	127
Table E.2	Port and protocol capability/status	129
Table E.3	Link aggregation capability/status	132
Table E.4	IEEE 802.1 extension MIB object group conformance requirements	134
Table E.5	IEEE 802.1/LLDP extension MIB object cross reference	135
Table F.1	IEEE 802.3 Organizationally Specific TLVs	165
Table F.2	IEEE 802.3 auto-negotiation support/status	166
Table F.3	MDI power capabilities/status	167
Table F.4	IEEE 802.1 extension MIB object group conformance requirements	170
Table F.5	IEEE 802.3/LLDP extension MIB cross reference	170