

ISO/IEC 14496-10:2014-09 (E)

Information technology - Coding of audio-visual objects - Part 10: Advanced Video Coding

Contents		Page
0	Introduction	xvii
0.1	Prologue	xvii
0.2	Purpose	xvii
0.3	Applications	xvii
0.4	Publication and versions of this Specification	xvii
0.5	Profiles and levels	xviii
0.6	Overview of the design characteristics	xix
0.6.1	Predictive coding	xix
0.6.2	Coding of progressive and interlaced video	xx
0.6.3	Picture partitioning into macroblocks and smaller partitions	xx
0.6.4	Spatial redundancy reduction	xx
0.7	How to read this Specification	xx
1	Scope	1
2	Normative references	1
3	Definitions	1
4	Abbreviations	9
5	Conventions	10
5.1	Arithmetic operators	10
5.2	Logical operators	11
5.3	Relational operators	11
5.4	Bit-wise operators	11
5.5	Assignment operators	11
5.6	Range notation	12
5.7	Mathematical functions	12
5.8	Order of operation precedence	13
5.9	Variables, syntax elements, and tables	14
5.10	Text description of logical operations	14
5.11	Processes	15
6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships	16
6.1	Bitstream formats	16
6.2	Source, decoded, and output picture formats	16
6.3	Spatial subdivision of pictures and slices	21
6.4	Inverse scanning processes and derivation processes for neighbours	22
6.4.1	Inverse macroblock scanning process	22
6.4.2	Inverse macroblock partition and sub-macroblock partition scanning process	23
6.4.3	Inverse 4x4 luma block scanning process	25
6.4.4	Inverse 4x4 Cb or Cr block scanning process for ChromaArrayType equal to 3	25
6.4.5	Inverse 8x8 luma block scanning process	25
6.4.6	Inverse 8x8 Cb or Cr block scanning process for ChromaArrayType equal to 3	26
6.4.7	Inverse 4x4 chroma block scanning process	26
6.4.8	Derivation process of the availability for macroblock addresses	26
6.4.9	Derivation process for neighbouring macroblock addresses and their availability	26
6.4.10	Derivation process for neighbouring macroblock addresses and their availability in MBAFF frames	27

6.4.11	Derivation processes for neighbouring macroblocks, blocks, and partitions	28
6.4.12	Derivation process for neighbouring locations	33
6.4.13	Derivation processes for block and partition indices	35
7	Syntax and semantics	37
7.1	Method of specifying syntax in tabular form	37
7.2	Specification of syntax functions, categories, and descriptors	38
7.3	Syntax in tabular form	40
7.3.1	NAL unit syntax	40
7.3.2	Raw byte sequence payloads and RBSP trailing bits syntax	40
7.3.3	Slice header syntax	49
7.3.4	Slice data syntax	54
7.3.5	Macroblock layer syntax	55
7.4	Semantics	62
7.4.1	NAL unit semantics	62
7.4.2	Raw byte sequence payloads and RBSP trailing bits semantics	72
7.4.3	Slice header semantics	86
7.4.4	Slice data semantics	98
7.4.5	Macroblock layer semantics	98
8	Decoding process	111
8.1	NAL unit decoding process	112
8.2	Slice decoding process	113
8.2.1	Decoding process for picture order count	113
8.2.2	Decoding process for macroblock to slice group map	117
8.2.3	Decoding process for slice data partitions	121
8.2.4	Decoding process for reference picture lists construction	121
8.2.5	Decoded reference picture marking process	128
8.3	Intra prediction process	133
8.3.1	Intra_4x4 prediction process for luma samples	133
8.3.2	Intra_8x8 prediction process for luma samples	140
8.3.3	Intra_16x16 prediction process for luma samples	148
8.3.4	Intra prediction process for chroma samples	150
8.3.5	Sample construction process for I_PCM macroblocks	154
8.4	Inter prediction process	155
8.4.1	Derivation process for motion vector components and reference indices	158
8.4.2	Decoding process for Inter prediction samples	170
8.4.3	Derivation process for prediction weights	179
8.5	Transform coefficient decoding process and picture construction process prior to deblocking filter process	182
8.5.1	Specification of transform decoding process for 4x4 luma residual blocks	182
8.5.2	Specification of transform decoding process for luma samples of Intra_16x16 macroblock prediction mode	183
8.5.3	Specification of transform decoding process for 8x8 luma residual blocks	184
8.5.4	Specification of transform decoding process for chroma samples	184
8.5.5	Specification of transform decoding process for chroma samples with ChromaArrayType equal to 3	186
8.5.6	Inverse scanning process for 4x4 transform coefficients and scaling lists	186
8.5.7	Inverse scanning process for 8x8 transform coefficients and scaling lists	187
8.5.8	Derivation process for chroma quantisation parameters	189
8.5.9	Derivation process for scaling functions	189
8.5.10	Scaling and transformation process for DC transform coefficients for Intra_16x16 macroblock type	191
8.5.11	Scaling and transformation process for chroma DC transform coefficients	191
8.5.12	Scaling and transformation process for residual 4x4 blocks	193
8.5.13	Scaling and transformation process for residual 8x8 blocks	196
8.5.14	Picture construction process prior to deblocking filter process	200
8.5.15	Intra residual transform-bypass decoding process	201
8.6	Decoding process for P macroblocks in SP slices or SI macroblocks	202
8.6.1	SP decoding process for non-switching pictures	202
8.6.2	SP and SI slice decoding process for switching pictures	205
8.7	Deblocking filter process	207

8.7.1	Filtering process for block edges	211
8.7.2	Filtering process for a set of samples across a horizontal or vertical block edge	213
9	Parsing process	219
9.1	Parsing process for Exp-Golomb codes	219
9.1.1	Mapping process for signed Exp-Golomb codes	221
9.1.2	Mapping process for coded block pattern	221
9.2	CAVLC parsing process for transform coefficient levels	224
9.2.1	Parsing process for total number of non-zero transform coefficient levels and number of trailing ones	225
9.2.2	Parsing process for level information	229
9.2.3	Parsing process for run information	230
9.2.4	Combining level and run information	233
9.3	CABAC parsing process for slice data	233
9.3.1	Initialisation process	235
9.3.2	Binarization process	259
9.3.3	Decoding process flow	268
9.3.4	Arithmetic encoding process (informative)	290
Annex A (normative) Profiles and levels		298
A.1	Requirements on video decoder capability	298
A.2	Profiles	298
A.2.1	Baseline profile	298
A.2.2	Main profile	299
A.2.3	Extended profile	299
A.2.4	High profile	300
A.2.5	High 10 profile	301
A.2.6	High 4:2:2 profile	301
A.2.7	High 4:4:4 Predictive profile	302
A.2.8	High 10 Intra profile	302
A.2.9	High 4:2:2 Intra profile	303
A.2.10	High 4:4:4 Intra profile	303
A.2.11	CAVLC 4:4:4 Intra profile	304
A.3	Levels	304
A.3.1	Level limits common to the Baseline, Constrained Baseline, Main, and Extended profiles	304
A.3.2	Level limits common to the High, Progressive High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profiles	307
A.3.3	Profile-specific level limits	309
A.3.4	Effect of level limits on frame rate (informative)	314
A.3.5	Effect of level limits on maximum DPB size in units of frames (informative)	317
Annex B (normative) Byte stream format		319
B.1	Byte stream NAL unit syntax and semantics	319
B.1.1	Byte stream NAL unit syntax	319
B.1.2	Byte stream NAL unit semantics	319
B.2	Byte stream NAL unit decoding process	320
B.3	Decoder byte-alignment recovery (informative)	320
Annex C (normative) Hypothetical reference decoder		322
C.1	Operation of coded picture buffer (CPB)	326
C.1.1	Timing of bitstream arrival	326
C.1.2	Timing of coded picture removal	327
C.2	Operation of the decoded picture buffer (DPB)	328
C.2.1	Decoding of gaps in frame_num and storage of "non-existing" frames	329
C.2.2	Picture decoding and output	329
C.2.3	Removal of pictures from the DPB before possible insertion of the current picture	330
C.2.4	Current decoded picture marking and storage	331
C.3	Bitstream conformance	332

C.4	Decoder conformance	334
C.4.1	Operation of the output order DPB	335
C.4.2	Decoding of gaps in frame_num and storage of "non-existing" pictures	335
C.4.3	Picture decoding	335
C.4.4	Removal of pictures from the DPB before possible insertion of the current picture	336
C.4.5	Current decoded picture marking and storage	337
Annex D (normative) Supplemental enhancement information		341
D.1	SEI payload syntax	342
D.1.1	Buffering period SEI message syntax	344
D.1.2	Picture timing SEI message syntax	344
D.1.3	Pan-scan rectangle SEI message syntax	345
D.1.4	Filler payload SEI message syntax	346
D.1.5	User data registered by ITU-T Rec. T.35 SEI message syntax	346
D.1.6	User data unregistered SEI message syntax	346
D.1.7	Recovery point SEI message syntax	346
D.1.8	Decoded reference picture marking repetition SEI message syntax	347
D.1.9	Spare picture SEI message syntax	347
D.1.10	Scene information SEI message syntax	348
D.1.11	Sub-sequence information SEI message syntax	348
D.1.12	Sub-sequence layer characteristics SEI message syntax	348
D.1.13	Sub-sequence characteristics SEI message syntax	349
D.1.14	Full-frame freeze SEI message syntax	349
D.1.15	Full-frame freeze release SEI message syntax	349
D.1.16	Full-frame snapshot SEI message syntax	349
D.1.17	Progressive refinement segment start SEI message syntax	350
D.1.18	Progressive refinement segment end SEI message syntax	350
D.1.19	Motion-constrained slice group set SEI message syntax	350
D.1.20	Film grain characteristics SEI message syntax	351
D.1.21	Deblocking filter display preference SEI message syntax	351
D.1.22	Stereo video information SEI message syntax	352
D.1.23	Post-filter hint SEI message syntax	352
D.1.24	Tone mapping information SEI message syntax	353
D.1.25	Frame packing arrangement SEI message syntax	354
D.1.26	Reserved SEI message syntax	354
D.2	SEI payload semantics	354
D.2.1	Buffering period SEI message semantics	354
D.2.2	Picture timing SEI message semantics	355
D.2.3	Pan-scan rectangle SEI message semantics	360
D.2.4	Filler payload SEI message semantics	361
D.2.5	User data registered by ITU-T Rec. T.35 SEI message semantics	361
D.2.6	User data unregistered SEI message semantics	362
D.2.7	Recovery point SEI message semantics	362
D.2.8	Decoded reference picture marking repetition SEI message semantics	364
D.2.9	Spare picture SEI message semantics	364
D.2.10	Scene information SEI message semantics	366
D.2.11	Sub-sequence information SEI message semantics	368
D.2.12	Sub-sequence layer characteristics SEI message semantics	369
D.2.13	Sub-sequence characteristics SEI message semantics	370
D.2.14	Full-frame freeze SEI message semantics	372
D.2.15	Full-frame freeze release SEI message semantics	372
D.2.16	Full-frame snapshot SEI message semantics	372
D.2.17	Progressive refinement segment start SEI message semantics	372
D.2.18	Progressive refinement segment end SEI message semantics	373
D.2.19	Motion-constrained slice group set SEI message semantics	373
D.2.20	Film grain characteristics SEI message semantics	374
D.2.21	Deblocking filter display preference SEI message semantics	380
D.2.22	Stereo video information SEI message semantics	382
D.2.23	Post-filter hint SEI message semantics	382
D.2.24	Tone mapping information SEI message semantics	383
D.2.25	Frame packing arrangement SEI message semantics	385

D.2.26	Reserved SEI message semantics	395
Annex E (normative) Video usability information		396
E.1	VUI syntax	397
E.1.1	VUI parameters syntax	397
E.1.2	HRD parameters syntax	398
E.2	VUI semantics	398
E.2.1	VUI parameters semantics	398
E.2.2	HRD parameters semantics	411
Annex F (informative) Patent Rights		413
Annex G (normative) Scalable video coding		415
G.1	Scope	415
G.2	Normative references	415
G.3	Definitions	415
G.4	Abbreviations	419
G.5	Conventions	419
G.6	Source, coded, decoded and output data formats, scanning processes, neighbouring and reference layer relationships	419
G.6.1	Derivation process for reference layer macroblocks	419
G.6.2	Derivation process for reference layer partitions	422
G.6.3	Derivation process for reference layer sample locations in resampling	423
G.6.4	SVC derivation process for macroblock and sub-macroblock partition indices	425
G.7	Syntax and semantics	425
G.7.1	Method of specifying syntax in tabular form	425
G.7.2	Specification of syntax functions, categories, and descriptors	425
G.7.3	Syntax in tabular form	425
G.7.4	Semantics	437
G.8	SVC decoding process	471
G.8.1	SVC initialisation and decoding processes	472
G.8.2	SVC reference picture lists construction and decoded reference picture marking process	492
G.8.3	SVC intra decoding processes	503
G.8.4	SVC Inter prediction process	513
G.8.5	SVC transform coefficient decoding and sample array construction processes	526
G.8.6	Resampling processes for prediction data, intra samples, and residual samples	543
G.8.7	SVC deblocking filter processes	573
G.8.8	Specification of bitstream subsets	585
G.9	Parsing process	586
G.9.1	Alternative parsing process for coded block pattern	587
G.9.2	Alternative CAVLC parsing process for transform coefficient levels	588
G.9.3	Alternative CABAC parsing process for slice data in scalable extension	592
G.10	Profiles and levels	595
G.10.1	Profiles	595
G.10.2	Levels	598
G.11	Byte stream format	603
G.12	Hypothetical reference decoder	603
G.13	Supplemental enhancement information	603
G.13.1	SEI payload syntax	604
G.13.2	SEI payload semantics	610
G.14	Video usability information	638
G.14.1	SVC VUI parameters extension syntax	639
G.14.2	SVC VUI parameters extension semantics	639
Annex H (normative) Multiview video coding		642
H.1	Scope	642
H.2	Normative references	642
H.3	Definitions	642

H.4	Abbreviations	644
H.5	Conventions	644
H.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships	644
H.7	Syntax and semantics	645
H.7.1	Method of specifying syntax in tabular form	645
H.7.2	Specification of syntax functions, categories, and descriptors	645
H.7.3	Syntax in tabular form	645
H.7.4	Semantics	649
H.8	MVC decoding process	663
H.8.1	MVC decoding process for picture order count	663
H.8.2	MVC decoding process for reference picture lists construction	664
H.8.3	MVC decoded reference picture marking process	668
H.8.4	MVC inter prediction and inter-view prediction process	668
H.8.5	Specification of bitstream subsets	669
H.9	Parsing process	673
H.10	Profiles and levels	673
H.10.1	Profiles	673
H.10.2	Levels	674
H.11	Byte stream format	678
H.12	MVC hypothetical reference decoder	678
H.13	MVC SEI messages	678
H.13.1	SEI message syntax	678
H.13.2	SEI message semantics	684
H.14	Video usability information	696
H.14.1	MVC VUI parameters extension syntax	697
H.14.2	MVC VUI parameters extension semantics	697

LIST OF FIGURES	Figure 6-1 - Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a frame	18
Figure 6-2	- Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields	19
Figure 6-3	- Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a frame	19
Figure 6-4	- Nominal vertical and horizontal sampling locations of 4:2:2 samples top and bottom fields	20
Figure 6-5	- Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a frame	20
Figure 6-6	- Nominal vertical and horizontal sampling locations of 4:4:4 samples top and bottom fields	21
Figure 6-7	- A picture with 11 by 9 macroblocks that is partitioned into two slices	22
Figure 6-8	- Partitioning of the decoded frame into macroblock pairs	22
Figure 6-9	- Macroblock partitions, sub-macroblock partitions, macroblock partition scans, and sub-macroblock partition scans	24
Figure 6-10	- Scan for 4x4 luma blocks	25
Figure 6-11	- Scan for 8x8 luma blocks	25
Figure 6-12	- Neighbouring macroblocks for a given macroblock	27
Figure 6-13	- Neighbouring macroblocks for a given macroblock in MBAFF frames	28
Figure 6-14	- Determination of the neighbouring macroblock, blocks, and partitions (informative) ..	29

Figure 7-1 - Structure of an access unit not containing any NAL units with nal_unit_type equal to 0, 7, 8, or in the range of 12 to 18, inclusive, or in the range of 20 to 31, inclusive	70
Figure 8-1 - Intra_4x4 prediction mode directions (informative)	135
Figure 8-2 - Example for temporal direct-mode motion vector inference (informative)	167
Figure 8-3 - Directional segmentation prediction (informative)	168
Figure 8-4 - Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation	174
Figure 8-5 - Fractional sample position dependent variables in chroma interpolation and surrounding integer position samples A, B, C, and D	177
Figure 8-6 - Assignment of the indices of dcY to luma4x4BlkIdx	183
Figure 8-7 - Assignment of the indices of dcC to chroma4x4BlkIdx: (a) ChromaArrayType equal to 1, (b) ChromaArrayType equal to 2	185
Figure 8-8 - 4x4 block scans. (a) Zig-zag scan. (b) Field scan (informative)	187
Figure 8-9 - 8x8 block scans. (a) 8x8 zig-zag scan. (b) 8x8 field scan (informative)	188
Figure 8-10 - Boundaries in a macroblock to be filtered	208
Figure 8-11 - Convention for describing samples across a 4x4 block horizontal or vertical boundary	212
Figure 9-1 - Illustration of CABAC parsing process for a syntax element SE (informative)	235
Figure 9-2 - Overview of the arithmetic decoding process for a single bin (informative)	284
Figure 9-3 - Flowchart for decoding a decision	285
Figure 9-4 - Flowchart of renormalization	288
Figure 9-5 - Flowchart of bypass decoding process	289
Figure 9-6 - Flowchart of decoding a decision before termination	290
Figure 9-7 - Flowchart for encoding a decision	292
Figure 9-8 - Flowchart of renormalization in the encoder	293
Figure 9-9 - Flowchart of PutBit(B)	294
Figure 9-10 - Flowchart of encoding bypass	295
Figure 9-11 - Flowchart of encoding a decision before termination	296
Figure 9-12 - Flowchart of flushing at termination	296
Figure C-1 - Structure of byte streams and NAL unit streams for HRD conformance checks	322
Figure C-2 - HRD buffer model	324
Figure D-1 - Rearrangement and upconversion of checkerboard interleaving (frame_packing_arrangement_type equal to 0)	390

Figure D-2 - Rearrangement and upconversion of column interleaving with frame_packing_arrangement_type equal to 1, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (4, 8) for both constituent frames	390
Figure D-3 - Rearrangement and upconversion of column interleaving with frame_packing_arrangement_type equal to 1, quincunx_sampling_flag equal to 0, (x, y) equal to (0, 0) or (4, 8) for constituent frame 0 and (x, y) equal to (12, 8) for constituent frame 1	391
Figure D-4 - Rearrangement and upconversion of row interleaving with frame_packing_arrangement_type equal to 2, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (8, 4) for both constituent frames	391
Figure D-5 - Rearrangement and upconversion of row interleaving with frame_packing_arrangement_type equal to 2, quincunx_sampling_flag equal to 0, (x, y) equal to (0, 0) or (8, 4) for constituent frame 0, and (x, y) equal to (8, 12) for constituent frame 1	392
Figure D-6 - Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (4, 8) for both constituent frames	392
Figure D-7 - Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, (x, y) equal to (12, 8) for constituent frame 0, and (x, y) equal to (0, 0) or (4, 8) for constituent frame 1	393
Figure D-8 - Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (8, 4) for both constituent frames	393
Figure D-9 - Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, (x, y) equal to (8, 12) for constituent frame 0, and (x, y) equal to (0, 0) or (8, 4) for constituent frame 1	394
Figure D-10 - Rearrangement and upconversion of side-by-side packing arrangement with quincunx sampling (frame_packing_arrangement_type equal to 3 with quincunx_sampling_flag equal to 1)	394
Figure D-11 - Rearrangement of a temporal interleaving frame arrangement (frame_packing_arrangement_type equal to 5)	395
Figure E-1 - Location of chroma samples for top and bottom fields for chroma_format_idc equal to 1 (4:2:0 chroma format) as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field	407
LIST OF TABLES Table 5-1 - Operation precedence from highest (at top of table) to lowest (at bottom of table)	13
Table 6-1 - SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag	17
Table 6-2 - Specification of input and output assignments for subclauses 6.4.11.1 to 6.4.11.7	29
Table 6-3 - Specification of mbAddrN	34
Table 6-4 - Specification of mbAddrN and yM	35
Table 7-1 - NAL unit type codes, syntax element categories, and NAL unit type classes	63

Table 7-2 - Assignment of mnemonic names to scaling list indices and specification of fall-back rule	75
Table 7-3 - Specification of default scaling lists Default_4x4_Intra and Default_4x4_Inter	75
Table 7-4 - Specification of default scaling lists Default_8x8_Intra and Default_8x8_Inter	76
Table 7-5 - Meaning of primary_pic_type	84
Table 7-6 - Name association to slice_type	87
Table 7-7 - modification_of_pic_nums_idc operations for modification of reference picture lists	93
Table 7-8 - Interpretation of adaptive_ref_pic_marking_mode_flag	95
Table 7-9 - Memory management control operation (memory_management_control_operation) values	96
Table 7-10 - Allowed collective macroblock types for slice_type	99
Table 7-11 - Macroblock types for I slices	100
Table 7-12 - Macroblock type with value 0 for SI slices	101
Table 7-13 - Macroblock type values 0 to 4 for P and SP slices	102
Table 7-14 - Macroblock type values 0 to 22 for B slices	103
Table 7-15 - Specification of CodedBlockPatternChroma values	105
Table 7-16 - Relationship between intra_chroma_pred_mode and spatial prediction modes	106
Table 7-17 - Sub-macroblock types in P macroblocks	107
Table 7-18 - Sub-macroblock types in B macroblocks	108
Table 8-1 - Refined slice group map type	118
Table 8-2 - Specification of Intra4x4PredMode[luma4x4BlkIdx] and associated names	134
Table 8-3 - Specification of Intra8x8PredMode[luma8x8BlkIdx] and associated names	141
Table 8-4 - Specification of Intra16x16PredMode and associated names	148
Table 8-5 - Specification of Intra chroma prediction modes and associated names	151
Table 8-6 - Specification of the variable colPic	160
Table 8-7 - Specification of PicCodingStruct(X)	160
Table 8-8 - Specification of mbAddrCol, yM, and vertMvScale	162
Table 8-9 - Assignment of prediction utilization flags	164
Table 8-10 - Derivation of the vertical component of the chroma vector in field coding mode	170
Table 8-11 - Differential full-sample luma locations	175
Table 8-12 - Assignment of the luma prediction sample predPartLXL[xL, yL]	176
Table 8-13 - Specification of mapping of idx to cij for zig-zag and field scan	187

Table 8-14 - Specification of mapping of idx to cij for 8x8 zig-zag and 8x8 field scan	188
Table 8-15 - Specification of QPC as a function of qPI	189
Table 8-16 - Derivation of offset dependent threshold variables and from indexA and indexB	216
Table 8-17 - Value of variable tC0 as a function of indexA and bS	217
Table 9-1 - Bit strings with "prefix" and "suffix" bits and assignment to codeNum ranges (informative)	220
Table 9-2 - Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative) .	220
Table 9-3 - Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v)	221
Table 9-4 - Assignment of codeNum to values of coded_block_pattern for macroblock prediction modes	222
Table 9-5 - coeff_token mapping to TotalCoeff(coeff_token) and TrailingOnes(coeff_token)	227
Table 9-6 - Codeword table for level_prefix (informative)	230
Table 9-7 - total_zeros tables for 4x4 blocks with tzVlcIndex 1 to 7	231
Table 9-8 - total_zeros tables for 4x4 blocks with tzVlcIndex 8 to 15	232
Table 9-9 - total_zeros tables for chroma DC 2x2 and 2x4 blocks	232
Table 9-10 - Tables for run_before	233
Table 9-11 - Association of ctxIdx and syntax elements for each slice type in the initialisation process	236
Table 9-12 - Values of variables m and n for ctxIdx from 0 to 10	237
Table 9-13 - Values of variables m and n for ctxIdx from 11 to 23	238
Table 9-14 - Values of variables m and n for ctxIdx from 24 to 39	238
Table 9-15 - Values of variables m and n for ctxIdx from 40 to 53	238
Table 9-16 - Values of variables m and n for ctxIdx from 54 to 59, and 399 to 401	239
Table 9-17 - Values of variables m and n for ctxIdx from 60 to 69	239
Table 9-18 - Values of variables m and n for ctxIdx from 70 to 104	240
Table 9-19 - Values of variables m and n for ctxIdx from 105 to 165	241
Table 9-20 - Values of variables m and n for ctxIdx from 166 to 226	242
Table 9-21 - Values of variables m and n for ctxIdx from 227 to 275	243
Table 9-22 - Values of variables m and n for ctxIdx from 277 to 337	244
Table 9-23 - Values of variables m and n for ctxIdx from 338 to 398	245
Table 9-24 - Values of variables m and n for ctxIdx from 402 to 459	246
Table 9-25 - Values of variables m and n for ctxIdx from 460 to 483	247

Table 9-26 - Values of variables m and n for ctxIdx from 484 to 571	248
Table 9-27 - Values of variables m and n for ctxIdx from 572 to 659	250
Table 9-28 - Values of variables m and n for ctxIdx from 660 to 717	252
Table 9-29 - Values of variables m and n for ctxIdx from 718 to 775	253
Table 9-30 - Values of variables m and n for ctxIdx from 776 to 863	254
Table 9-31 - Values of variables m and n for ctxIdx from 864 to 951	256
Table 9-32 - Values of variables m and n for ctxIdx from 952 to 1011	258
Table 9-33 - Values of variables m and n for ctxIdx from 1012 to 1023	259
Table 9-34 - Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset	261
Table 9-35 - Bin string of the unary binarization (informative)	264
Table 9-36 - Binarization for macroblock types in I slices	266
Table 9-37 - Binarization for macroblock types in P, SP, and B slices	267
Table 9-38 - Binarization for sub-macroblock types in P, SP, and B slices	268
Table 9-39 - Assignment of ctxIdxInc to binIdx for all ctxIdxOffset values except those related to the syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	270
Table 9-40 - Assignment of ctxIdxBlockCatOffset to ctxBlockCat for syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	271
Table 9-41 - Specification of ctxIdxInc for specific values of ctxIdxOffset and binIdx	280
Table 9-42 - Specification of ctxBlockCat for the different blocks	281
Table 9-43 - Mapping of scanning position to ctxIdxInc for ctxBlockCat = 5, 9, or 13	282
Table 9-44 - Specification of rangeTabLPS depending on pStateIdx and qCodiRangeIdx	286
Table 9-45 - State transition table	287
Table A-1 - Level limits	307
Table A-2 - Specification of cpbBrVclFactor and cpbBrNalFactor	310
Table A-3 - Baseline and Constrained Baseline profile level limits	311
Table A-4 - Main, High, Progressive High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profile level limits	312
Table A-5 - Extended profile level limits	313
Table A-6 - Maximum frame rates (frames per second) for some example frame sizes	314
Table A-7 - Maximum DPB size (frames) for some example frame sizes	317
Table D-1 - Interpretation of pic_struct	357

Table D-2 - Mapping of ct_type to source picture scan	358
Table D-3 - Definition of counting_type values	359
Table D-4 - scene_transition_type values	367
Table D-5 - model_id values	375
Table D-6 - blending_mode_id values	376
Table D-7 - filter_hint_type values	383
Table D-8 - Definition of frame_packing_arrangement_type	386
Table D-9 - Definition of content_interpretation_type	387
Table E-1 - Meaning of sample aspect ratio indicator	399
Table E-2 - Meaning of video_format	400
Table E-3 - Colour primaries	401
Table E-4 - Transfer characteristics	402
Table E-5 - Matrix coefficients	405
Table E-6 - Divisor for computation of tfi,dpb(n)	408
Table F-1 - Organisations providing patent rights licensing notices	413
Table G-1 - Name association to slice_type for NAL units with nal_unit_type equal to 20	456
Table G-2 - Interpretation of adaptive_ref_base_pic_marking_mode_flag	465
Table G-3 - Memory management base control operation (memory_management_base_control_operation) values	466
Table G-4 - Allowed collective macroblock types for slice_type	469
Table G-5 - Inferred macroblock type I_BL for EI slices	469
Table G-6 - Scale values cS for transform coefficient level scaling	534
Table G-7 - Macroblock type predictors mbTypeILPred	552
Table G-8 - Sub-macroblock type predictors subMbTypeILPred[mbPartIdx]	552
Table G-9 - 16-phase luma interpolation filter for resampling in Intra_Base prediction	562
Table G-10 - Mapping of (nX, nY) to coeffTokenIdx and vice versa	589
Table G-11 - Association of ctxIdx and syntax elements for each slice type in the initialisation process	593
Table G-12 - Values of variables m and n for ctxIdx from 1024 to 1026	593
Table G-13 - Values of variables m and n for ctxIdx from 1027 to 1030	593
Table G-14 - Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset	594

Table G-15 - Assignment of ctxIdxInc to binIdx for the ctxIdxOffset values related to the syntax elements base_mode_flag and residual_prediction_flag	594
Table G-16 - Scalable Baseline profile level limits	603
Table G-17 - Specification of cpbBrVclFactor and cpbBrNalFactor	603
Table H-1 - modification_of_pic_nums_idc operations for modification of reference picture lists ...	662
Table H-2 - Association between camera parameter variables and syntax elements	694