ISO/IEC 14496-10:2014-09 (E)

Information technology - Coding of audio-visual objects - Part 10: Advanced Video Coding

Contents

Page

0 Introduction xvii
0.1 Prologue xvii
0.2 Purpose xvii
0.3 Applications xvii
0.4 Publication and versions of this Specification xvii
0.5 Profiles and levels xviii
0.6 Overview of the design characteristics xix
0.6.1 Predictive coding xix
0.6.2 Coding of progressive and interlaced video xx
0.6.3 Picture partitioning into macroblocks and smaller partitions xx
0.6.4 Spatial redundancy reduction xx
0.7 How to read this Specification xx

1 Scope 1

2 Normative references 1

3 Definitions 1

4 Abbreviations 9

5 Conventions 10
5.1 Arithmetic operators 10
5.2 Logical operators 11
5.3 Relational operators 11
5.4 Bit-wise operators 11
5.5 Assignment operators 11
5.6 Range notation 12
5.7 Mathematical functions 12
5.8 Order of operation precedence 13
5.9 Variables, syntax elements, and tables 14
5.10 Text description of logical operations 14
5.11 Processes 15

6 Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships 16
6.1 Bitstream formats 16
6.2 Source, decoded, and output picture formats 16
6.3 Spatial subdivision of pictures and slices 21
6.4 Inverse scanning processes and derivation processes for neighbours 22
6.4.1 Inverse macroblock scanning process 22
6.4.2 Inverse macroblock partition and sub-macroblock partition scanning process 23
6.4.3 Inverse 4x4 luma block scanning process 25
6.4.4 Inverse 4x4 Cb or Cr block scanning process for ChromaArrayType equal to 3 25
6.4.5 Inverse 8x8 luma block scanning process 25
6.4.6 Inverse 8x8 Cb or Cr block scanning process for ChromaArrayType equal to 3 26
6.4.7 Inverse 4x4 chroma block scanning process 26
6.4.8 Derivation process of the availability for macroblock addresses 26
6.4.9 Derivation process for neighbouring macroblock addresses and their availability 26
6.4.10 Derivation process for neighbouring macroblock addresses and their availability in MBAFF frames 27

6.4.11 Derivation processes for neighbouring macroblocks, blocks, and partitions 28
6.4.12 Derivation process for neighbouring locations 33
6.4.13 Derivation processes for block and partition indices 35

7 Syntax and semantics 37
7.1 Method of specifying syntax in tabular form 37
7.2 Specification of syntax functions, categories, and descriptors 38
7.3 Syntax in tabular form 40
7.3.1 NAL unit syntax 40
7.3.2 Raw byte sequence payloads and RBSP trailing bits syntax 40
7.3.3 Slice header syntax 49
7.3.4 Slice data syntax 54
7.3.5 Macroblock layer syntax 55
7.4 Semantics 62
7.4.1 NAL unit semantics 62
7.4.2 Raw byte sequence payloads and RBSP trailing bits semantics 72
7.4.3 Slice header semantics 86
7.4.4 Slice data semantics 98
7.4.5 Macroblock layer semantics 98

8 Decoding process 111
8.1 NAL unit decoding process 112
8.2 Slice decoding process 113
8.2.1 Decoding process for picture order count 113
8.2.2 Decoding process for macroblock to slice group map 117
8.2.3 Decoding process for slice data partitions 121
8.2.4 Decoding process for reference picture lists construction 121
8.2.5 Decoded reference picture marking process 128
8.3 Intra prediction process 133
8.3.1 Intra_4x4 prediction process for luma samples 133
8.3.2 Intra_8x8 prediction process for luma samples 140
8.3.3 Intra_16x16 prediction process for luma samples 148
8.3.4 Intra prediction process for chroma samples 150
8.3.5 Sample construction process for I_PCM macroblocks 154
8.4 Inter prediction process 155
8.4.1 Derivation process for motion vector components and reference indices 158
8.4.2 Decoding process for Inter prediction samples 170
8.4.3 Derivation process for prediction weights 179
8.5 Transform coefficient decoding process and picture construction process prior to deblocking filter process 182
8.5.1 Specification of transform decoding process for 4x4 luma residual blocks 182
8.5.2 Specification of transform decoding process for luma samples of Intra_16x16 macroblock prediction mode 183
8.5.3 Specification of transform decoding process for 8x8 luma residual blocks 184
8.5.4 Specification of transform decoding process for chroma samples 184
8.5.5 Specification of transform decoding process for chroma samples with ChromaArrayType equal to 3 186
8.5.6 Inverse scanning process for 4x4 transform coefficients and scaling lists 186
8.5.7 Inverse scanning process for 8x8 transform coefficients and scaling lists 187
8.5.8 Derivation process for chroma quantisation parameters 189
8.5.9 Derivation process for scaling functions 189
8.5.10 Scaling and transformation process for DC transform coefficients for Intra_16x16 macroblock type 191
8.5.11 Scaling and transformation process for chroma DC transform coefficients 191
8.5.12 Scaling and transformation process for residual 4x4 blocks 193
8.5.13 Scaling and transformation process for residual 8x8 blocks 196
8.5.14 Picture construction process prior to deblocking filter process 200
8.5.15 Intra residual transform-bypass decoding process 201
8.6 Decoding process for P macroblocks in SP slices or SI macroblocks 202
8.6.1 SP decoding process for non-switching pictures 202
8.6.2 SP and SI slice decoding process for switching pictures 205
8.7 Deblocking filter process 207

8.7.1 Filtering process for block edges 211
8.7.2 Filtering process for a set of samples across a horizontal or vertical block edge 213

9 Parsing process 219
9.1 Parsing process for Exp-Golomb codes 219
9.1.1 Mapping process for signed Exp-Golomb codes 221
9.1.2 Mapping process for coded block pattern 221
9.2 CAVLC parsing process for transform coefficient levels 224
9.2.1 Parsing process for total number of non-zero transform coefficient levels and number of trailing ones 225
9.2.2 Parsing process for level information 229
9.2.3 Parsing process for run information 230
9.2.4 Combining level and run information 233
9.3 CABAC parsing process for slice data 233
9.3.1 Initialisation process 235
9.3.2 Binarization process 259
9.3.3 Decoding process flow 268
9.3.4 Arithmetic encoding process (informative) 290

Annex A (normative) Profiles and levels 298

A.1 Requirements on video decoder capability 298
A.2 Profiles 298
A.2.1 Baseline profile 298
A.2.2 Main profile 299
A.2.3 Extended profile 299
A.2.4 High profile 300
A.2.5 High 10 profile 301
A.2.6 High 4:2:2 profile 301
A.2.7 High 4:4:4 Predictive profile 302
A.2.8 High 10 Intra profile 302
A.2.9 High 4:2:2 Intra profile 303
A.2.10 High 4:4:4 Intra profile 303
A.2.11 CAVLC 4:4:4 Intra profile 304
A.3 Levels 304
A.3.1 Level limits common to the Baseline, Constrained Baseline, Main, and Extended profiles 304
A.3.2 Level limits common to the High, Progressive High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profiles 307
A.3.3 Profile-specific level limits 309
A.3.4 Effect of level limits on frame rate (informative) 314
A.3.5 Effect of level limits on maximum DPB size in units of frames (informative) 317

Annex B (normative) Byte stream format 319

B.1 Byte stream NAL unit syntax and semantics 319
B.1.1 Byte stream NAL unit syntax 319
B.1.2 Byte stream NAL unit semantics 319
B.2 Byte stream NAL unit decoding process 320
B.3 Decoder byte-alignment recovery (informative) 320

Annex C (normative) Hypothetical reference decoder 322

C.1 Operation of coded picture buffer (CPB) 326
C.1.1 Timing of bitstream arrival 326
C.1.2 Timing of coded picture removal 327
C.2 Operation of the decoded picture buffer (DPB) 328
C.2.1 Decoding of gaps in frame_num and storage of "non-existing" frames 329
C.2.2 Picture decoding and output 329
C.2.3 Removal of pictures from the DPB before possible insertion of the current picture 330
C.2.4 Current decoded picture marking and storage 331
C.3 Bitstream conformance 332

C.4 Decoder conformance 334
C.4.1 Operation of the output order DPB 335
C.4.2 Decoding of gaps in frame_num and storage of "non-existing" pictures 335
C.4.3 Picture decoding 335
C.4.4 Removal of pictures from the DPB before possible insertion of the current picture 336
C.4.5 Current decoded picture marking and storage 337

Annex D (normative) Supplemental enhancement information 341

D.1 SEI payload syntax 342
D.1.1 Buffering period SEI message syntax 344
D.1.2 Picture timing SEI message syntax 344
D.1.3 Pan-scan rectangle SEI message syntax 345
D.1.4 Filler payload SEI message syntax 346
D.1.5 User data registered by ITU-T Rec. T.35 SEI message syntax 346
D.1.6 User data unregistered SEI message syntax 346
D.1.7 Recovery point SEI message syntax 346
D.1.8 Decoded reference picture marking repetition SEI message syntax 347
D.1.9 Spare picture SEI message syntax 347
D.1.10 Scene information SEI message syntax 348
D.1.11 Sub-sequence information SEI message syntax 348
D.1.12 Sub-sequence layer characteristics SEI message syntax 348
D.1.13 Sub-sequence characteristics SEI message syntax 349
D.1.14 Full-frame freeze SEI message syntax 349
D.1.15 Full-frame freeze release SEI message syntax 349
D.1.16 Full-frame snapshot SEI message syntax 349
D.1.17 Progressive refinement segment start SEI message syntax 350
D.1.18 Progressive refinement segment end SEI message syntax 350
D.1.19 Motion-constrained slice group set SEI message syntax 350
D.1.20 Film grain characteristics SEI message syntax 351
D.1.21 Deblocking filter display preference SEI message syntax 351
D.1.22 Stereo video information SEI message syntax 352
D.1.23 Post-filter hint SEI message syntax 352
D.1.24 Tone mapping information SEI message syntax 353
D.1.25 Frame packing arrangement SEI message syntax 354
D.1.26 Reserved SEI message syntax 354
D.2 SEI payload semantics 354
D.2.1 Buffering period SEI message semantics 354
D.2.2 Picture timing SEI message semantics 355
D.2.3 Pan-scan rectangle SEI message semantics 360
D.2.4 Filler payload SEI message semantics 361
D.2.5 User data registered by ITU-T Rec. T.35 SEI message semantics 361
D.2.6 User data unregistered SEI message semantics 362
D.2.7 Recovery point SEI message semantics 362
D.2.8 Decoded reference picture marking repetition SEI message semantics 364
D.2.9 Spare picture SEI message semantics 364
D.2.10 Scene information SEI message semantics 366
D.2.11 Sub-sequence information SEI message semantics 368
D.2.12 Sub-sequence layer characteristics SEI message semantics 369
D.2.13 Sub-sequence characteristics SEI message semantics 370
D.2.14 Full-frame freeze SEI message semantics 372
D.2.15 Full-frame freeze release SEI message semantics 372
D.2.16 Full-frame snapshot SEI message semantics 372
D.2.17 Progressive refinement segment start SEI message semantics 372
D.2.18 Progressive refinement segment end SEI message semantics 373
D.2.19 Motion-constrained slice group set SEI message semantics 373
D.2.20 Film grain characteristics SEI message semantics 374
D.2.21 Deblocking filter display preference SEI message semantics 380
D.2.22 Stereo video information SEI message semantics 382
D.2.23 Post-filter hint SEI message semantics 382
D.2.24 Tone mapping information SEI message semantics 383
D.2.25 Frame packing arrangement SEI message semantics 385

D.2.26 Reserved SEI message semantics 395

Annex E (normative) Video usability information 396

E.1 VUI syntax 397
E.1.1 VUI parameters syntax 397
E.1.2 HRD parameters syntax 398
E.2 VUI semantics 398
E.2.1 VUI parameters semantics 398
E.2.2 HRD parameters semantics 411

Annex F (informative) Patent Rights 413

Annex G (normative) Scalable video coding 415

G.1 Scope 415
G.2 Normative references 415
G.3 Definitions 415
G.4 Abbreviations 419
G.5 Conventions 419
G.6 Source, coded, decoded and output data formats, scanning processes, neighbouring and reference layer relationships 419
G.6.1 Derivation process for reference layer macroblocks 419
G.6.2 Derivation process for reference layer partitions 422
G.6.3 Derivation process for reference layer sample locations in resampling 423
G.6.4 SVC derivation process for macroblock and sub-macroblock partition indices 425
G.7 Syntax and semantics 425
G.7.1 Method of specifying syntax in tabular form 425
G.7.2 Specification of syntax functions, categories, and descriptors 425
G.7.3 Syntax in tabular form 425
G.7.4 Semantics 437
G.8 SVC decoding process 471
G.8.1 SVC initialisation and decoding processes 472
G.8.2 SVC reference picture lists construction and decoded reference picture marking process 492
G.8.3 SVC intra decoding processes 503
G.8.4 SVC Inter prediction process 513
G.8.5 SVC transform coefficient decoding and sample array construction processes 526
G.8.6 Resampling processes for prediction data, intra samples, and residual samples 543
G.8.7 SVC deblocking filter processes 573
G.8.8 Specification of bitstream subsets 585
G.9 Parsing process 586
G.9.1 Alternative parsing process for coded block pattern 587
G.9.2 Alternative CAVLC parsing process for transform coefficient levels 588
G.9.3 Alternative CABAC parsing process for slice data in scalable extension 592
G.10 Profiles and levels 595
G.10.1 Profiles 595
G.10.2 Levels 598
G.11 Byte stream format 603
G.12 Hypothetical reference decoder 603
G.13 Supplemental enhancement information 603
G.13.1 SEI payload syntax 604
G.13.2 SEI payload semantics 610
G.14 Video usability information 638
G.14.1 SVC VUI parameters extension syntax 639
G.14.2 SVC VUI parameters extension semantics 639

Annex H (normative) Multiview video coding 642

H.1 Scope 642
H.2 Normative references 642
H.3 Definitions 642

H.4 Abbreviations 644
H.5 Conventions 644
H.6 Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships 644
H.7 Syntax and semantics 645
H.7.1 Method of specifying syntax in tabular form 645
H.7.2 Specification of syntax functions, categories, and descriptors 645
H.7.3 Syntax in tabular form 645
H.7.4 Semantics 649
H.8 MVC decoding process 663
H.8.1 MVC decoding process for picture order count 663
H.8.2 MVC decoding process for reference picture lists construction 664
H.8.3 MVC decoded reference picture marking process 668
H.8.4 MVC inter prediction and inter-view prediction process 668
H.8.5 Specification of bitstream subsets 669
H.9 Parsing process 673
H.10 Profiles and levels 673
H.10.1 Profiles 673
H.10.2 Levels 674
H.11 Byte stream format 678
H.12 MVC hypothetical reference decoder 678
H.13 MVC SEI messages 678
H.13.1 SEI message syntax 678
H.13.2 SEI message semantics 684
H.14 Video usability information 696
H.14.1 MVC VUI parameters extension syntax 697
H.14.2 MVC VUI parameters extension semantics 697

LIST OF FIGURES Figure 6-1 - Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a frame 18

Figure 6-2 - Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields 19

Figure 6-3 - Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a frame 19

Figure 6-4 - Nominal vertical and horizontal sampling locations of 4:2:2 samples top and bottom fields 20

Figure 6-5 - Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a frame 20

Figure 6-6 - Nominal vertical and horizontal sampling locations of 4:4:4 samples top and bottom fields 21

Figure 6-7 - A picture with 11 by 9 macroblocks that is partitioned into two slices 22

Figure 6-8 - Partitioning of the decoded frame into macroblock pairs 22

Figure 6-9 - Macroblock partitions, sub-macroblock partitions, macroblock partition scans, and sub-macroblock partition scans 24

Figure 6-10 - Scan for 4x4 luma blocks 25

Figure 6-11 - Scan for 8x8 luma blocks 25

Figure 6-12 - Neighbouring macroblocks for a given macroblock 27

Figure 6-13 - Neighbouring macroblocks for a given macroblock in MBAFF frames 28

Figure 6-14 - Determination of the neighbouring macroblock, blocks, and partitions (informative) .. 29

Figure 7-1 - Structure of an access unit not containing any NAL units with nal_unit_type equal to 0, 7, 8, or in the range of 12 to 18, inclusive, or in the range of 20 to 31, inclusive 70

Figure 8-1 - Intra_4x4 prediction mode directions (informative) 135

Figure 8-2 - Example for temporal direct-mode motion vector inference (informative) 167

Figure 8-3 - Directional segmentation prediction (informative) 168

Figure 8-4 - Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation 174

Figure 8-5 - Fractional sample position dependent variables in chroma interpolation and surrounding integer position samples A, B, C, and D 177

Figure 8-6 - Assignment of the indices of dcY to luma4x4BlkIdx 183

Figure 8-7 - Assignment of the indices of dcC to chroma4x4BlkIdx: (a) ChromaArrayType equal to 1, (b) ChromaArrayType equal to 2 185

Figure 8-8 - 4x4 block scans. (a) Zig-zag scan. (b) Field scan (informative) 187

Figure 8-9 - 8x8 block scans. (a) 8x8 zig-zag scan. (b) 8x8 field scan (informative) 188

Figure 8-10 - Boundaries in a macroblock to be filtered 208

Figure 8-11 - Convention for describing samples across a 4x4 block horizontal or vertical boundary 212

Figure 9-1 - Illustration of CABAC parsing process for a syntax element SE (informative) 235

Figure 9-2 - Overview of the arithmetic decoding process for a single bin (informative) 284

Figure 9-3 - Flowchart for decoding a decision 285

Figure 9-4 - Flowchart of renormalization 288

Figure 9-5 - Flowchart of bypass decoding process 289

Figure 9-6 - Flowchart of decoding a decision before termination 290

Figure 9-7 - Flowchart for encoding a decision 292

Figure 9-8 - Flowchart of renormalization in the encoder 293

Figure 9-9 - Flowchart of PutBit(B) 294

Figure 9-10 - Flowchart of encoding bypass 295

Figure 9-11 - Flowchart of encoding a decision before termination 296

Figure 9-12 - Flowchart of flushing at termination 296

Figure C-1 - Structure of byte streams and NAL unit streams for HRD conformance checks 322

Figure C-2 - HRD buffer model 324

Figure D-1 - Rearrangement and upconversion of checkerboard interleaving (frame_packing_arrangement_type equal to 0) 390

Figure D-2 - Rearrangement and upconversion of column interleaving with frame_packing_arrangement_type equal to 1, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (4, 8) for both constituent frames 390

Figure D-3 - Rearrangement and upconversion of column interleaving with frame_packing_arrangement_type equal to 1, quincunx_sampling_flag equal to 0, (x, y) equal to (0, 0) or (4, 8) for constituent frame 0 and (x, y) equal to (12, 8) for constituent frame 1 391

Figure D-4 - Rearrangement and upconversion of row interleaving with frame_packing_arrangement_type equal to 2, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (8, 4) for both constituent frames 391

Figure D-5 - Rearrangement and upconversion of row interleaving with frame_packing_arrangement_type equal to 2, quincunx_sampling_flag equal to 0, (x, y) equal to (0, 0) or (8, 4) for constituent frame 0, and (x, y) equal to (8, 12) for constituent frame 1 392

Figure D-6 - Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (4, 8) for both constituent frames 392

Figure D-7 - Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, (x, y) equal to (12, 8) for constituent frame 0, and (x, y) equal to (0, 0) or (4, 8) for constituent frame 1 393

Figure D-8 - Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (8, 4) for both constituent frames 393

Figure D-9 - Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, (x, y) equal to (8, 12) for constituent frame 0, and (x, y) equal to (0, 0) or (8, 4) for constituent frame 1 394

Figure D-10 - Rearrangement and upconversion of side-by-side packing arrangement with quincunx sampling (frame_packing_arrangement_type equal to 3 with quincunx_sampling_flag equal to 1) 394

Figure D-11 - Rearrangement of a temporal interleaving frame arrangement (frame_packing_arrangement_type equal to 5) 395

Figure E-1 - Location of chroma samples for top and bottom fields for chroma_format_idc equal to 1 (4:2:0 chroma format) as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field 407

LIST OF TABLES Table 5-1 - Operation precedence from highest (at top of table) to lowest (at bottom of table) 13

Table 6-1 - SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag 17

Table 6-2 - Specification of input and output assignments for subclauses 6.4.11.1 to 6.4.11.7 29

Table 6-3 - Specification of mbAddrN 34

Table 6-4 - Specification of mbAddrN and yM 35

Table 7-1 - NAL unit type codes, syntax element categories, and NAL unit type classes 63

Table 7-2 - Assignment of mnemonic names to scaling list indices and specification of fall-back rule 75

Table 7-3 - Specification of default scaling lists Default_4x4_Intra and Default_4x4_Inter 75

Table 7-4 - Specification of default scaling lists Default_8x8_Intra and Default_8x8_Inter 76

Table 7-5 - Meaning of primary_pic_type 84

Table 7-6 - Name association to slice_type 87

Table 7-7 - modification_of_pic_nums_idc operations for modification of reference picture lists 93

Table 7-8 - Interpretation of adaptive_ref_pic_marking_mode_flag 95

Table 7-9 - Memory management control operation (memory_management_control_operation) values 96

Table 7-10 - Allowed collective macroblock types for slice_type 99

Table 7-11 - Macroblock types for I slices 100

Table 7-12 - Macroblock type with value 0 for SI slices 101

Table 7-13 - Macroblock type values 0 to 4 for P and SP slices 102

Table 7-14 - Macroblock type values 0 to 22 for B slices 103

Table 7-15 - Specification of CodedBlockPatternChroma values 105

Table 7-16 - Relationship between intra_chroma_pred_mode and spatial prediction modes 106

Table 7-17 - Sub-macroblock types in P macroblocks 107

Table 7-18 - Sub-macroblock types in B macroblocks 108

Table 8-1 - Refined slice group map type 118

Table 8-2 - Specification of Intra4x4PredMode[luma4x4BlkIdx] and associated names 134

Table 8-3 - Specification of Intra8x8PredMode[luma8x8BlkIdx] and associated names 141

Table 8-4 - Specification of Intra16x16PredMode and associated names 148

Table 8-5 - Specification of Intra chroma prediction modes and associated names 151

Table 8-6 - Specification of the variable colPic 160

Table 8-7 - Specification of PicCodingStruct(X) 160

Table 8-8 - Specification of mbAddrCol, yM, and vertMvScale 162

Table 8-9 - Assignment of prediction utilization flags 164

Table 8-10 - Derivation of the vertical component of the chroma vector in field coding mode 170

Table 8-11 - Differential full-sample luma locations 175

Table 8-12 - Assignment of the luma prediction sample predPartLXL[xL, yL] 176

Table 8-13 - Specification of mapping of idx to cij for zig-zag and field scan 187

Table 8-14 - Specification of mapping of idx to cij for 8x8 zig-zag and 8x8 field scan 188

Table 8-15 - Specification of QPC as a function of qPI 189

Table 8-16 - Derivation of offset dependent threshold variables and from indexA and indexB 216

Table 8-17 - Value of variable tC0 as a function of indexA and bS 217

Table 9-1 - Bit strings with "prefix" and "suffix" bits and assignment to codeNum ranges (informative) 220

Table 9-2 - Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative) . 220

Table 9-3 - Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v) 221

Table 9-4 - Assignment of codeNum to values of coded_block_pattern for macroblock prediction modes 222

Table 9-5 - coeff_token mapping to TotalCoeff(coeff_token) and TrailingOnes(coeff_token) 227

Table 9-6 - Codeword table for level_prefix (informative) 230

Table 9-7 - total_zeros tables for 4x4 blocks with tzVlcIndex 1 to 7 231

Table 9-8 - total_zeros tables for 4x4 blocks with tzVlcIndex 8 to 15 232

Table 9-9 - total_zeros tables for chroma DC 2x2 and 2x4 blocks 232

Table 9-10 - Tables for run_before 233

Table 9-11 - Association of ctxIdx and syntax elements for each slice type in the initialisation process 236

Table 9-12 - Values of variables m and n for ctxIdx from 0 to 10 237

Table 9-13 - Values of variables m and n for ctxIdx from 11 to 23 238

Table 9-14 - Values of variables m and n for ctxIdx from 24 to 39 238

Table 9-15 - Values of variables m and n for ctxIdx from 40 to 53 238

Table 9-16 - Values of variables m and n for ctxIdx from 54 to 59, and 399 to 401 239

Table 9-17 - Values of variables m and n for ctxIdx from 60 to 69 239

Table 9-18 - Values of variables m and n for ctxIdx from 70 to 104 240

Table 9-19 - Values of variables m and n for ctxIdx from 105 to 165 241

Table 9-20 - Values of variables m and n for ctxIdx from 166 to 226 242

Table 9-21 - Values of variables m and n for ctxIdx from 227 to 275 243

Table 9-22 - Values of variables m and n for ctxIdx from 277 to 337 244

Table 9-23 - Values of variables m and n for ctxIdx from 338 to 398 245

Table 9-24 - Values of variables m and n for ctxIdx from 402 to 459 246

Table 9-25 - Values of variables m and n for ctxIdx from 460 to 483 247

Table 9-26 - Values of variables m and n for ctxIdx from 484 to 571 248
Table 9-27 - Values of variables m and n for ctxIdx from 572 to 659 250
Table 9-28 - Values of variables m and n for ctxIdx from 660 to 717 252
Table 9-29 - Values of variables m and n for ctxIdx from 718 to 775 253
Table 9-30 - Values of variables m and n for ctxIdx from 776 to 863 254
Table 9-31 - Values of variables m and n for ctxIdx from 864 to 951 256
Table 9-32 - Values of variables m and n for ctxIdx from 952 to 1011 258
Table 9-33 - Values of variables m and n for ctxIdx from 1012 to 1023 259
Table 9-34 - Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset 261
Table 9-35 - Bin string of the unary binarization (informative) 264
Table 9-36 - Binarization for macroblock types in I slices 266
Table 9-37 - Binarization for macroblock types in P, SP, and B slices 267
Table 9-38 - Binarization for sub-macroblock types in P, SP, and B slices 268
Table 9-39 - Assignment of ctxIdxInc to binIdx for all ctxIdxOffset values except those related to the syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1 270
Table 9-40 - Assignment of ctxIdxBlockCatOffset to ctxBlockCat for syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1 271
Table 9-41 - Specification of ctxIdxInc for specific values of ctxIdxOffset and binIdx 280
Table 9-42 - Specification of ctxBlockCat for the different blocks 281
Table 9-43 - Mapping of scanning position to ctxIdxInc for ctxBlockCat = = 5, 9, or 13 282
Table 9-44 - Specification of rangeTabLPS depending on pStateIdx and qCodIRangeIdx 286
Table 9-45 - State transition table 287
Table A-1 - Level limits 307
Table A-2 - Specification of cpbBrVclFactor and cpbBrNalFactor 310
Table A-3 - Baseline and Constrained Baseline profile level limits 311
Table A-4 - Main, High, Progressive High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profile level limits 312
Table A-5 - Extended profile level limits 313
Table A-6 - Maximum frame rates (frames per second) for some example frame sizes 314
Table A-7 - Maximum DPB size (frames) for some example frame sizes 317
Table D-1 - Interpretation of pic_struct 357

Table D-2 - Mapping of ct_type to source picture scan 358

Table D-3 - Definition of counting_type values 359

Table D-4 - scene_transition_type values 367

Table D-5 - model_id values 375

Table D-6 - blending_mode_id values 376

Table D-7 - filter_hint_type values 383

Table D-8 - Definition of frame_packing_arrangement_type 386

Table D-9 - Definition of content_interpretation_type 387

Table E-1 - Meaning of sample aspect ratio indicator 399

Table E-2 - Meaning of video_format 400

Table E-3 - Colour primaries 401

Table E-4 - Transfer characteristics 402

Table E-5 - Matrix coefficients 405

Table E-6 - Divisor for computation of tfi,dpb(n) 408

Table F-1 - Organisations providing patent rights licensing notices 413

Table G-1 - Name association to slice_type for NAL units with nal_unit_type equal to 20 456

Table G-2 - Interpretation of adaptive_ref_base_pic_marking_mode_flag 465

Table G-3 - Memory management base control operation (memory_management_base_control_operation) values 466

Table G-4 - Allowed collective macroblock types for slice_type 469

Table G-5 - Inferred macroblock type I_BL for EI slices 469

Table G-6 - Scale values cS for transform coefficient level scaling 534

Table G-7 - Macroblock type predictors mbTypeILPred 552

Table G-8 - Sub-macroblock type predictors subMbTypeILPred[mbPartIdx] 552

Table G-9 - 16-phase luma interpolation filter for resampling in Intra_Base prediction 562

Table G-10 - Mapping of (nX, nY) to coeffTokenIdx and vice versa 589

Table G-11 - Association of ctxIdx and syntax elements for each slice type in the initialisation process 593

Table G-12 - Values of variables m and n for ctxIdx from 1024 to 1026 593

Table G-13 - Values of variables m and n for ctxIdx from 1027 to 1030 593

Table G-14 - Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset 594

Table G-15 - Assignment of ctxIdxInc to binIdx for the ctxIdxOffset values related to the syntax elements base_mode_flag and residual_prediction_flag 594

Table G-16 - Scalable Baseline profile level limits 603

Table G-17 - Specification of cpbBrVclFactor and cpbBrNalFactor 603

Table H-1 - modification_of_pic_nums_idc operations for modification of reference picture lists ... 662

Table H-2 - Association between camera parameter variables and syntax elements 694