

# ISO/IEC 18000-7:2014-09 (E)

## Information technology - Radio frequency identification for item management - Part 7: Parameters for active air interface communications at 433 MHz

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Conformance .....</b>	<b>1</b>
2.1	RF emissions general population .....	1
2.2	RF emissions and susceptibility health care setting .....	1
2.3	Command structure and extensibility .....	1
2.4	Mandatory commands .....	2
2.5	Optional commands .....	2
2.6	Custom commands .....	2
2.7	Proprietary commands .....	2
<b>3</b>	<b>Normative references .....</b>	<b>2</b>
<b>4</b>	<b>Terms and definitions .....</b>	<b>3</b>
<b>5</b>	<b>Symbols and abbreviated terms .....</b>	<b>3</b>
<b>6</b>	<b>433,92 MHz active narrowband specification .....</b>	<b>3</b>
6.1	Physical layer .....	3
6.2	Data Link layer .....	4
6.3	Tag commands .....	16
6.4	Tag collection and collision arbitration .....	50
6.5	Multi-packet UDB Collection .....	53
6.6	Physical and Media Access Control (MAC) parameters .....	55
6.7	Security architecture .....	59
<b>7</b>	<b>Extended Mode .....</b>	<b>78</b>
7.1	General description .....	78
7.2	Physical (PHY) Layer .....	81
7.3	MAC Layer .....	86
7.4	Application layer Framework .....	111
<b>188</b>	<b>Annex B (informative) Derivation of Session Key KS Using SHA-1 .....</b>	<b>190</b>
	<b>Annex C (informative) Overview of PKI and Digital Certificates .....</b>	<b>191</b>
	<b>Bibliography .....</b>	<b>202</b>