ISO/IEC 14496-22:2015-10 (E)

Information technology - Coding of audio-visual objects - Part 22: Open Font Format

Contents

Page

Foreword viii

Introduction x

1 Scope 1

2 Normative references 2

3 Abbreviated terms 2

4 The Open font file format 3
4.1 Description 3
4.2 Filenames 3
4.3 Data types 3
4.4 Table version numbers 4
4.5 Open font structure 5
4.5.1 Table directory 5
4.5.2 Calculating checksums 6
4.6 Font collections 6
4.6.1 The Font Colelction file structure 7
4.6.2 TTC header 7

5 Open font tables 8
5.1 General 8
5.2 Required common tables 8
5.2.1 cmap - Character to glyph index mapping table 9
5.2.2 head - Font header 20
5.2.3 hhea - Horizontal header 22
5.2.4 hmtx - Horizontal metrics 23
5.2.5 maxp - Maximum profile 23
5.2.6 name - Naming table 24
5.2.7 OS/2 - Global font information table 43
5.2.8 Font class parameters - see informative Annex B for details 65
5.2.9 post - PostScript 65
5.3 TrueType outline tables 67
5.3.1 cvt - Control value table 68
5.3.2 fpgm - Font program 68
5.3.3 glyf - Glyf data 68
5.3.4 loca - Index to location 71
5.3.5 prep - Control value program 72
5.3.6 gasp - Grid-fitting and scan conversion procedure 72
5.4 PostScript outline tables 74
5.4.1 CFF - PostScript font program (Compact Font Format) table 74
5.4.2 VORG - Vertical origin table 74
5.5 Table for SVG glyph outlines 76
5.5.1 SVG - The SVG (Scalable Vector Graphics) table 76
5.5.2 Color Palettes 77
5.5.3 Glyph Identifiers 77
5.5.4 Glyph Semantics and Metrics 78
5.5.5 Glyph Rendering 78
5.6 Bitmap glyph tables 80
5.6.1 EBDT - Embedded bitmap data table 80

5.6.2 EBLC - Embedded bitmap location table ... 84
5.6.3 EBSC - Embedded bitmap scaling table ... 91
5.6.4 CBDT - Color bitmap data table ... 92
5.6.5 CBLC - Color bitmap location table ... 94
5.7 Optional tables ... 95
5.7.1 DSIG - Digital signature table ... 96
5.7.2 hdmx - Horizontal device metrics ... 98
5.7.3 kern - Kerning ... 99
5.7.4 LTSH - Linear threshold ... 102
5.7.5 PCLT - PCL 5 table ... 103
5.7.6 VDMX - Vertical device metrics ... 111
5.7.7 vhea - Vertical header table ... 114
5.7.8 vmtx - Vertical metric table ... 117
5.7.9 COLR - Color Table ... 119
5.7.10 CPAL - Palette Table ... 121

6 Advanced Open Font layout tables ... 123
6.1 Advanced Open Font layout extensions ... 123
6.1.1 Overview of advanced typographic layout extensions ... 123
6.1.2 TrueType versus OFF layout ... 125
6.1.3 OFF layout terminology ... 125
6.1.4 Text processing with OFF layout ... 128
6.2 OFF layout common table formats ... 129
6.2.1 Overview ... 129
6.2.2 Table organization ... 131
6.2.3 Scripts and languages ... 132
6.2.4 Features and lookups ... 134
6.2.5 Common table examples ... 143
6.3 Advanced typographic tables ... 152
6.3.1 BASE Baseline table ... 152
6.3.2 GDEF - The glyph definition table ... 173
6.3.3 GPOS - The glyph positioning table ... 186
6.3.4 GSUB - The glyph substitution table ... 246
6.3.5 JSTF - The justification table ... 286
6.3.6 MATH - The mathematical typesetting table ... 298
6.4 Layout tag registry ... 313
6.4.1 Scripts tags ... 313
6.4.2 Language tags ... 317
6.4.3 Feature tags ... 338
6.4.4 Baseline tags ... 402

7 Recommendations for OFF fonts ... 407
7.1 Byte ordering ... 407
7.2 'sfnt' version ... 407
7.3 Mixing outline formats ... 407
7.4 Filenames ... 407
7.5 Table alignment and length ... 407
7.6 First four glyphs in fonts ... 408
7.7 Shape of .notdef glyph ... 408
7.8 'BASE' table ... 408
7.9 'cmap' table ... 409
7.10 'cvt' table ... 409
7.11 'fpgm' table ... 409
7.12 'glyf' table ... 409
7.13 'hdmx' table ... 409
7.14 'head' table ... 410
7.15 'hhea' table ... 410
7.16 'hmtx' table ... 410
7.17 'kern' table ... 410
7.18 'loca' table ... 411
7.19 'LTSH' table ... 411
7.20 'maxp' table ... 411

7.21 'name' table 411
7.22 'OS/2' table 413
7.23 sTypoAscender, sTypoDescender and sTypoLineGap 413
7.24 'post' table 413
7.25 'prep' table 414
7.26 'VDMX' table 414
7.27 TrueType Collections 414

8 General recommendations 414
8.1 Optimized table ordering 414
8.2 Non-standard (Symbol) fonts 414
8.3 Device resolutions 415
8.4 Baseline to baseline distances 415
8.5 Style bits 416
8.6 Drop-out control 416
8.7 Embedded bitmaps 416
8.8 OFF CJK font guidelines 417

Annex A (informative) Patent Statements 418

Annex B (informative) Font Class and Font Subclass parameters 419

B.1 Introduction 419
B.2 sFamilyClass 419
B.3 Class ID=0 No Classification 419
B.4 Class ID=1 Oldstyle Serifs 419
B.4.1 Subclass ID = 0 : No Classification 419
B.4.2 Subclass ID = 1 : IBM Rounded Legibility 420
B.4.3 Subclass ID = 2 : Garalde 420
B.4.4 Subclass ID = 3 : Venetian 420
B.4.5 Subclass ID = 4 : Modified Venetian 420
B.4.6 Subclass ID = 5 : Dutch Modern 420
B.4.7 Subclass ID = 6 : Dutch Traditional 420
B.4.8 Subclass ID = 7 : Contemporary 420
B.4.9 Subclass ID = 8 : Calligraphic 420
B.4.10 Subclass ID = 9-14 : (reserved for future use) 420
B.4.11 Subclass ID = 15 : Miscellaneous 421
B.5 Class ID=2 Transitional Serifs 421
B.5.1 Subclass ID = 0 : No Classification 421
B.5.2 Subclass ID = 1 : Direct Line 421
B.5.3 Subclass ID = 2 : Script 421
B.5.4 Subclass ID = 3-14 : (reserved for future use) 421
B.5.5 Subclass ID = 15 : Miscellaneous 421
B.6 Class ID=3 Modern Serifs 421
B.6.1 Subclass ID = 0 : No Classification 421
B.6.2 Subclass ID = 1 : Italian 422
B.6.3 Subclass ID = 2 : Script 422
B.6.4 Subclass ID = 3-14 : (reserved for future use) 422
B.6.5 Subclass ID = 15 : Miscellaneous 422
B.7 Class ID=4 Clarendon Serifs 422
B.7.1 Subclass ID = 0 : No Classification 422
B.7.2 Subclass ID = 1 : Clarendon 422
B.7.3 Subclass ID = 2 : Modern 422
B.7.4 Subclass ID = 3 : Traditional 422
B.7.5 Subclass ID = 4 : Newspaper 423
B.7.6 Subclass ID = 5 : Stub Serif 423
B.7.7 Subclass ID = 6 : Monotone 423
B.7.8 Subclass ID = 7 : Typewriter 423
B.7.9 Subclass ID = 8-14: (reserved for future use) 423
B.7.10 Subclass ID = 15 : Miscellaneous 423
B.8 Class ID=5 Slab Serifs 423
B.8.1 Subclass ID = 0 : No Classification 423

B.8.2 Subclass ID = 1 : Monotone 423
B.8.3 Subclass ID = 2 : Humanist 424
B.8.4 Subclass ID = 3 : Geometric 424
B.8.5 Subclass ID = 4 : Swiss 424
B.8.6 Subclass ID = 5 : Typewriter 424
B.8.7 Subclass ID = 6-14 : (reserved for future use) 424
B.8.8 Subclass ID = 15 : Miscellaneous 424
B.9 Class ID=6 (reserved for future use) 424
B.10 Class ID=7 Freeform Serifs 424
B.10.1 Subclass ID = 0 : No Classification 424
B.10.2 Subclass ID = 1 : Modern 425
B.10.3 Subclass ID = 2-14 : (reserved for future use) 425
B.10.4 Subclass ID = 15 : Miscellaneous 425
B.11 Class ID=8 Sans Serifs 425
B.11.1 Subclass ID = 0 : No Classification 425
B.11.2 Subclass ID = 1 : IBM Neo-grotesque Gothic 425
B.11.3 Subclass ID = 2 : Humanist 425
B.11.4 Subclass ID = 3 : Low-x Round Geometric 425
B.11.5 Subclass ID = 4 : High-x Round Geometric 425
B.11.6 Subclass ID = 5 : Neo-grotesque Gothic 426
B.11.7 Subclass ID = 6 : Modified Neo-grotesque Gothic 426
B.11.8 Subclass ID = 7-8 : (reserved for future use) 426
B.11.9 Subclass ID = 9 : Typewriter Gothic 426
B.11.10 Subclass ID = 10 : Matrix 426
B.11.11 Subclass ID = 11-14 : (reserved for future use) 426
B.11.12 Subclass ID = 15 : Miscellaneous 426
B.12 Class ID=9 Ornamentals 426
B.12.1 Subclass ID = 0 : No Classification 426
B.12.2 Subclass ID = 1 : Engraver 426
B.12.3 Subclass ID = 2 : Black Letter 427
B.12.4 Subclass ID = 3 : Decorative 427
B.12.5 Subclass ID = 4 : Three Dimensional 427
B.12.6 Subclass ID = 5-14 : (reserved for future use) 427
B.12.7 Subclass ID = 15 : Miscellaneous 427
B.13 Class ID=10 Scripts 427
B.13.1 Subclass ID = 0 : No Classification 427
B.13.2 Subclass ID = 1 : Uncial 427
B.13.3 Subclass ID = 2 : Brush Joined 427
B.13.4 Subclass ID = 3 : Formal Joined 428
B.13.5 Subclass ID = 4 : Monotone Joined 428
B.13.6 Subclass ID = 5 : Calligraphic 428
B.13.7 Subclass ID = 6 : Brush Unjoined 428
B.13.8 Subclass ID = 7 : Formal Unjoined 428
B.13.9 Subclass ID = 8 : Monotone Unjoined 428
B.13.10 Subclass ID = 9-14 : (reserved for future use) 428
B.13.11 Subclass ID = 15 : Miscellaneous 428
B.14 Class ID=11 (reserved for future use) 429
B.15 Class ID=12 Symbolic 429
B.15.1 Subclass ID = 0 : No Classification 429
B.15.2 Subclass ID = 1-2 : (reserved for future use) 429
B.15.3 Subclass ID = 3 : Mixed Serif 429
B.15.4 Subclass ID = 4-5 : (reserved for future use) 429
B.15.5 Subclass ID = 6 : Oldstyle Serif 429
B.15.6 Subclass ID = 7 : Neo-grotesque Sans Serif 429
B.15.7 Subclass ID = 8-14 : (reserved for future use) 429
B.15.8 Subclass ID = 15 : Miscellaneous 430
B.16 Class ID=13 Reserved 430
B.17 Class ID=14 Reserved 430

Annex C (informative) Earlier versions of OS/2 - OS/2 and Windows metrics 431

C.1 OS/2 - OS/2 and Windows metrics (version 0) 431

C.2 OS/2 - OS/2 and Windows metrics (version 1) 450
C.3 OS/2 - OS/2 and Windows metrics (version 2) 471
C.4 OS/2 - OS/2 and Windows metrics (version 3) 490
C.5 OS/2 - OS/2 and Windows metrics (version 4) 509

Annex D (informative) OFF Mirroring Pairs List 531

Annex E (normative) Registration of Media Type: application/font-sfnt 538

Bibliography 541