

# ISO/IEC 14496-22:2015-10 (E)

## Information technology - Coding of audio-visual objects - Part 22: Open Font Format

---

Contents	Page
Foreword .....	viii
Introduction .....	x
1 Scope .....	1
2 Normative references .....	2
3 Abbreviated terms .....	2
4 The Open font file format .....	3
4.1 Description .....	3
4.2 Filenames .....	3
4.3 Data types .....	3
4.4 Table version numbers .....	4
4.5 Open font structure .....	5
4.5.1 Table directory .....	5
4.5.2 Calculating checksums .....	6
4.6 Font collections .....	6
4.6.1 The Font Colelction file structure .....	7
4.6.2 TTC header .....	7
5 Open font tables .....	8
5.1 General .....	8
5.2 Required common tables .....	8
5.2.1 cmap - Character to glyph index mapping table .....	9
5.2.2 head - Font header .....	20
5.2.3 hhea - Horizontal header .....	22
5.2.4 hmtx - Horizontal metrics .....	23
5.2.5 maxp - Maximum profile .....	23
5.2.6 name - Naming table .....	24
5.2.7 OS/2 - Global font information table .....	43
5.2.8 Font class parameters - see informative Annex B for details .....	65
5.2.9 post - PostScript .....	65
5.3 TrueType outline tables .....	67
5.3.1 cvt - Control value table .....	68
5.3.2 fpdm - Font program .....	68
5.3.3 glyf - Glyf data .....	68
5.3.4 loca - Index to location .....	71
5.3.5 prep - Control value program .....	72
5.3.6 gasp - Grid-fitting and scan conversion procedure .....	72
5.4 PostScript outline tables .....	74
5.4.1 CFF - PostScript font program (Compact Font Format) table .....	74
5.4.2 VORG - Vertical origin table .....	74
5.5 Table for SVG glyph outlines .....	76
5.5.1 SVG - The SVG (Scalable Vector Graphics) table .....	76
5.5.2 Color Palettes .....	77
5.5.3 Glyph Identifiers .....	77
5.5.4 Glyph Semantics and Metrics .....	78
5.5.5 Glyph Rendering .....	78
5.6 Bitmap glyph tables .....	80
5.6.1 EBDT - Embedded bitmap data table .....	80

5.6.2	<b>EBLC</b> - Embedded bitmap location table .....	84
5.6.3	<b>EBSC</b> - Embedded bitmap scaling table .....	91
5.6.4	<b>CBDT</b> - Color bitmap data table .....	92
5.6.5	<b>CBLC</b> - Color bitmap location table .....	94
5.7	Optional tables .....	95
5.7.1	<b>DSIG</b> - Digital signature table .....	96
5.7.2	<b>hdmx</b> - Horizontal device metrics .....	98
5.7.3	<b>kern</b> - Kerning .....	99
5.7.4	<b>LTS defense</b> - Linear threshold .....	102
5.7.5	<b>PCLT</b> - PCL 5 table .....	103
5.7.6	<b>VDMX</b> - Vertical device metrics .....	111
5.7.7	<b>vhea</b> - Vertical header table .....	114
5.7.8	<b>vmtx</b> - Vertical metric table .....	117
5.7.9	<b>COLR</b> - Color Table .....	119
5.7.10	<b>CPAL</b> - Palette Table .....	121
6	<b>Advanced Open Font layout tables</b> .....	123
6.1	<b>Advanced Open Font layout extensions</b> .....	123
6.1.1	<b>Overview of advanced typographic layout extensions</b> .....	123
6.1.2	<b>TrueType versus OFF layout</b> .....	125
6.1.3	<b>OFF layout terminology</b> .....	125
6.1.4	<b>Text processing with OFF layout</b> .....	128
6.2	<b>OFF layout common table formats</b> .....	129
6.2.1	<b>Overview</b> .....	129
6.2.2	<b>Table organization</b> .....	131
6.2.3	<b>Scripts and languages</b> .....	132
6.2.4	<b>Features and lookups</b> .....	134
6.2.5	<b>Common table examples</b> .....	143
6.3	<b>Advanced typographic tables</b> .....	152
6.3.1	<b>BASE Baseline table</b> .....	152
6.3.2	<b>GDEF</b> - The glyph definition table .....	173
6.3.3	<b>GPOS</b> - The glyph positioning table .....	186
6.3.4	<b>GSUB</b> - The glyph substitution table .....	246
6.3.5	<b>JSTF</b> - The justification table .....	286
6.3.6	<b>MATH</b> - The mathematical typesetting table .....	298
6.4	<b>Layout tag registry</b> .....	313
6.4.1	<b>Scripts tags</b> .....	313
6.4.2	<b>Language tags</b> .....	317
6.4.3	<b>Feature tags</b> .....	338
6.4.4	<b>Baseline tags</b> .....	402
7	<b>Recommendations for OFF fonts</b> .....	407
7.1	<b>Byte ordering</b> .....	407
7.2	<b>'sfnt' version</b> .....	407
7.3	<b>Mixing outline formats</b> .....	407
7.4	<b>Filenames</b> .....	407
7.5	<b>Table alignment and length</b> .....	407
7.6	<b>First four glyphs in fonts</b> .....	408
7.7	<b>Shape of .notdef glyph</b> .....	408
7.8	<b>'BASE' table</b> .....	408
7.9	<b>'cmap' table</b> .....	409
7.10	<b>'cvt' table</b> .....	409
7.11	<b>'fpgm' table</b> .....	409
7.12	<b>'glyf' table</b> .....	409
7.13	<b>'hdmx' table</b> .....	409
7.14	<b>'head' table</b> .....	410
7.15	<b>'hhea' table</b> .....	410
7.16	<b>'hmtx' table</b> .....	410
7.17	<b>'kern' table</b> .....	410
7.18	<b>'loca' table</b> .....	411
7.19	<b>'LTSH' table</b> .....	411
7.20	<b>'maxp' table</b> .....	411

7.21	'name' table .....	411
7.22	'OS/2' table .....	413
7.23	sTypoAscender, sTypoDescender and sTypoLineGap .....	413
7.24	'post' table .....	413
7.25	'prep' table .....	414
7.26	'VDMX' table .....	414
7.27	TrueType Collections .....	414
8	General recommendations .....	414
8.1	Optimized table ordering .....	414
8.2	Non-standard (Symbol) fonts .....	414
8.3	Device resolutions .....	415
8.4	Baseline to baseline distances .....	415
8.5	Style bits .....	416
8.6	Drop-out control .....	416
8.7	Embedded bitmaps .....	416
8.8	OFF CJK font guidelines .....	417
	Annex A (informative) Patent Statements .....	418
	Annex B (informative) Font Class and Font Subclass parameters .....	419
B.1	Introduction .....	419
B.2	sFamilyClass .....	419
B.3	Class ID=0 No Classification .....	419
B.4	Class ID=1 Oldstyle Serifs .....	419
B.4.1	Subclass ID = 0 : No Classification .....	419
B.4.2	Subclass ID = 1 : IBM Rounded Legibility .....	420
B.4.3	Subclass ID = 2 : Garalde .....	420
B.4.4	Subclass ID = 3 : Venetian .....	420
B.4.5	Subclass ID = 4 : Modified Venetian .....	420
B.4.6	Subclass ID = 5 : Dutch Modern .....	420
B.4.7	Subclass ID = 6 : Dutch Traditional .....	420
B.4.8	Subclass ID = 7 : Contemporary .....	420
B.4.9	Subclass ID = 8 : Calligraphic .....	420
B.4.10	Subclass ID = 9-14 : (reserved for future use) .....	420
B.4.11	Subclass ID = 15 : Miscellaneous .....	421
B.5	Class ID=2 Transitional Serifs .....	421
B.5.1	Subclass ID = 0 : No Classification .....	421
B.5.2	Subclass ID = 1 : Direct Line .....	421
B.5.3	Subclass ID = 2 : Script .....	421
B.5.4	Subclass ID = 3-14 : (reserved for future use) .....	421
B.5.5	Subclass ID = 15 : Miscellaneous .....	421
B.6	Class ID=3 Modern Serifs .....	421
B.6.1	Subclass ID = 0 : No Classification .....	421
B.6.2	Subclass ID = 1 : Italian .....	422
B.6.3	Subclass ID = 2 : Script .....	422
B.6.4	Subclass ID = 3-14 : (reserved for future use) .....	422
B.6.5	Subclass ID = 15 : Miscellaneous .....	422
B.7	Class ID=4 Clarendon Serifs .....	422
B.7.1	Subclass ID = 0 : No Classification .....	422
B.7.2	Subclass ID = 1 : Clarendon .....	422
B.7.3	Subclass ID = 2 : Modern .....	422
B.7.4	Subclass ID = 3 : Traditional .....	422
B.7.5	Subclass ID = 4 : Newspaper .....	423
B.7.6	Subclass ID = 5 : Stub Serif .....	423
B.7.7	Subclass ID = 6 : Monotone .....	423
B.7.8	Subclass ID = 7 : Typewriter .....	423
B.7.9	Subclass ID = 8-14: (reserved for future use) .....	423
B.7.10	Subclass ID = 15 : Miscellaneous .....	423
B.8	Class ID=5 Slab Serifs .....	423
B.8.1	Subclass ID = 0 : No Classification .....	423

B.8.2	Subclass ID = 1 : Monotone .....	423
B.8.3	Subclass ID = 2 : Humanist .....	424
B.8.4	Subclass ID = 3 : Geometric .....	424
B.8.5	Subclass ID = 4 : Swiss .....	424
B.8.6	Subclass ID = 5 : Typewriter .....	424
B.8.7	Subclass ID = 6-14 : (reserved for future use) .....	424
B.8.8	Subclass ID = 15 : Miscellaneous .....	424
B.9	Class ID=6 (reserved for future use) .....	424
B.10	Class ID=7 Freeform Serifs .....	424
B.10.1	Subclass ID = 0 : No Classification .....	424
B.10.2	Subclass ID = 1 : Modern .....	425
B.10.3	Subclass ID = 2-14 : (reserved for future use) .....	425
B.10.4	Subclass ID = 15 : Miscellaneous .....	425
B.11	Class ID=8 Sans Serifs .....	425
B.11.1	Subclass ID = 0 : No Classification .....	425
B.11.2	Subclass ID = 1 : IBM Neo-grotesque Gothic .....	425
B.11.3	Subclass ID = 2 : Humanist .....	425
B.11.4	Subclass ID = 3 : Low-x Round Geometric .....	425
B.11.5	Subclass ID = 4 : High-x Round Geometric .....	425
B.11.6	Subclass ID = 5 : Neo-grotesque Gothic .....	426
B.11.7	Subclass ID = 6 : Modified Neo-grotesque Gothic .....	426
B.11.8	Subclass ID = 7-8 : (reserved for future use) .....	426
B.11.9	Subclass ID = 9 : Typewriter Gothic .....	426
B.11.10	Subclass.....	ID = 10 : Matrix 426
B.11.11	Subclass.....	ID = 11-14 : (reserved for future use) 426
B.11.12	Subclass.....	ID = 15 : Miscellaneous 426
B.12	Class ID=9 Ornamentals .....	426
B.12.1	Subclass ID = 0 : No Classification .....	426
B.12.2	Subclass ID = 1 : Engraver .....	426
B.12.3	Subclass ID = 2 : Black Letter .....	427
B.12.4	Subclass ID = 3 : Decorative .....	427
B.12.5	Subclass ID = 4 : Three Dimensional .....	427
B.12.6	Subclass ID = 5-14 : (reserved for future use) .....	427
B.12.7	Subclass ID = 15 : Miscellaneous .....	427
B.13	Class ID=10 Scripts .....	427
B.13.1	Subclass ID = 0 : No Classification .....	427
B.13.2	Subclass ID = 1 : Uncial .....	427
B.13.3	Subclass ID = 2 : Brush Joined .....	427
B.13.4	Subclass ID = 3 : Formal Joined .....	428
B.13.5	Subclass ID = 4 : Monotone Joined .....	428
B.13.6	Subclass ID = 5 : Calligraphic .....	428
B.13.7	Subclass ID = 6 : Brush Unjoined .....	428
B.13.8	Subclass ID = 7 : Formal Unjoined .....	428
B.13.9	Subclass ID = 8 : Monotone Unjoined .....	428
B.13.10	Subclass.....	ID = 9-14 : (reserved for future use) 428
B.13.11	Subclass.....	ID = 15 : Miscellaneous 428
B.14	Class ID=11 (reserved for future use) .....	429
B.15	Class ID=12 Symbolic .....	429
B.15.1	Subclass ID = 0 : No Classification .....	429
B.15.2	Subclass ID = 1-2 : (reserved for future use) .....	429
B.15.3	Subclass ID = 3 : Mixed Serif .....	429
B.15.4	Subclass ID = 4-5 : (reserved for future use) .....	429
B.15.5	Subclass ID = 6 : Oldstyle Serif .....	429
B.15.6	Subclass ID = 7 : Neo-grotesque Sans Serif .....	429
B.15.7	Subclass ID = 8-14 : (reserved for future use) .....	429
B.15.8	Subclass ID = 15 : Miscellaneous .....	430
B.16	Class ID=13 Reserved .....	430
B.17	Class ID=14 Reserved .....	430
	Annex C (informative) Earlier versions of OS/2 - OS/2 and Windows metrics .....	431
C.1	OS/2 - OS/2 and Windows metrics (version 0) .....	431

C.2	OS/2 - OS/2 and Windows metrics (version 1) .....	450
C.3	OS/2 - OS/2 and Windows metrics (version 2) .....	471
C.4	OS/2 - OS/2 and Windows metrics (version 3) .....	490
C.5	OS/2 - OS/2 and Windows metrics (version 4) .....	509
<b>Annex D (informative) OFF Mirroring Pairs List .....</b>		<b>531</b>
<b>Annex E (normative) Registration of Media Type: application/font-sfnt .....</b>		<b>538</b>
<b>Bibliography .....</b>		<b>541</b>