

ISO/IEC 8825-3:2015-11 (E)

Information technology - ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)

CONTENTS

| | <i>Page</i> |
|---|-------------|
| Introduction | x |
| Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN) | 1 |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 2.1 Identical Recommendations International Standards | 1 |
| 2.2 Additional references | 2 |
| 3 Definitions | 2 |
| 3.1 ASN.1 definitions | 2 |
| 3.2 ECN-specific definitions | 2 |
| 4 Abbreviations | 5 |
| 5 Definition of ECN syntax | 5 |
| 6 Encoding conventions and notation | 5 |
| 7 The ECN character set | 5 |
| 8 ECN lexical items | 6 |
| 8.1 Encoding object references | 6 |
| 8.2 Encoding object set references | 6 |
| 8.3 Encoding class references | 7 |
| 8.4 Reserved word items | 7 |
| 8.5 Reserved encoding class name items | 7 |
| 8.6 Non-ECN item | 7 |
| 9 ECN Concepts | 8 |
| 9.1 Encoding Control Notation (ECN) specifications | 8 |
| 9.2 Encoding classes | 8 |
| 9.3 Encoding structures | 9 |
| 9.4 Encoding objects | 9 |
| 9.5 Encoding object sets | 9 |
| 9.6 Defining new encoding classes | 10 |
| 9.7 Defining encoding objects | 11 |
| 9.8 Differential encoding-decoding | 11 |
| 9.9 Encoders options in encodings | 12 |
| 9.10 Properties of encoding objects | 12 |
| 9.11 Parameterization | 12 |
| 9.12 Governors | 13 |
| 9.13 General aspects of encodings | 13 |
| 9.14 Identification of information elements | 14 |
| 9.15 Reference fields and determinants | 14 |
| 9.16 Replacement classes and structures | 14 |
| 9.17 Mapping abstract values onto fields of encoding structures | 15 |
| 9.18 Transforms and transform composites | 16 |
| 9.19 Contents of Encoding Definition Modules | 16 |
| 9.20 Contents of the Encoding Link Module | 17 |

| | | |
|------|---|----|
| 9.21 | Defining encodings for primitive encoding classes..... | 17 |
| 9.22 | Application of encodings | 19 |
| 9.23 | Combined encoding object set | 19 |
| 9.24 | Application point..... | 19 |
| 9.25 | Conditional encodings..... | 20 |
| 9.26 | Other conditions for applying encodings | 20 |
| 9.27 | Encoding control for the open type | 21 |
| 9.28 | Changes to ASN.1 Recommendations International Standards..... | 21 |
| 10 | Identifying encoding classes, encoding objects, and encoding object sets | 21 |
| 11 | Encoding ASN.1 types | 24 |
| 11.1 | General | 24 |
| 11.2 | Built-in encoding classes used for implicitly generated encoding structures | 25 |
| 11.3 | Simplification and expansion of ASN.1 notation for encoding purposes..... | 25 |
| 11.4 | The implicitly generated encoding structure | 27 |
| 12 | The Encoding Link Module (ELM)..... | 28 |
| 12.1 | Structure of the ELM..... | 28 |
| 12.2 | Encoding types | 28 |
| 13 | Application of encodings..... | 29 |
| 13.1 | General | 29 |
| 13.2 | The combined encoding object set and its application | 29 |
| 14 | The Encoding Definition Module (EDM) | 32 |
| 15 | The renames clause..... | 33 |
| 15.1 | Explicitly generated and exported structures..... | 33 |
| 15.2 | Name changes | 34 |
| 15.3 | Specifying the region for name changes | 35 |
| 16 | Encoding class assignments..... | 36 |
| 16.1 | General | 36 |
| 16.2 | Encoding structure definition | 39 |
| 16.3 | Alternative encoding structure | 42 |
| 16.4 | Repetition encoding structure..... | 43 |
| 16.5 | Concatenation encoding structure | 43 |
| 17 | Encoding object assignments..... | 44 |
| 17.1 | General | 44 |
| 17.2 | Encoding with a defined syntax | 44 |
| 17.3 | Encoding with encoding object sets | 45 |
| 17.4 | Encoding using value mappings..... | 46 |
| 17.5 | Encoding an encoding structure | 46 |
| 17.6 | Differential encoding-decoding..... | 48 |
| 17.7 | Encoding options..... | 49 |
| 17.8 | Non-ECN definition of encoding objects | 50 |
| 18 | Encoding object set assignments | 50 |
| 18.1 | General | 50 |
| 18.2 | Built-in encoding object sets | 51 |
| 19 | Mapping values | 52 |
| 19.1 | General | 52 |
| 19.2 | Mapping by explicit values | 53 |
| 19.3 | Mapping by matching fields..... | 54 |
| 19.4 | Mapping by #TRANSFORM encoding objects | 55 |
| 19.5 | Mapping by abstract value ordering | 56 |
| 19.6 | Mapping by value distribution | 57 |
| 19.7 | Mapping integer values to bits | 58 |

| | | |
|--------|--|----|
| 20 | Defining encoding objects using defined syntax | 59 |
| 21 | Types used in defined syntax specification | 60 |
| 21.1 | The Unit type | 60 |
| 21.2 | The EncodingSpaceSize type..... | 60 |
| 21.3 | The EncodingSpaceDetermination type..... | 61 |
| 21.4 | The UnusedBitsDetermination type..... | 61 |
| 21.5 | The OptionalityDetermination type | 62 |
| 21.6 | The AlternativeDetermination type | 63 |
| 21.7 | The RepetitionSpaceDetermination type..... | 63 |
| 21.8 | The Justification type | 64 |
| 21.9 | The Padding type | 65 |
| 21.10 | The Pattern and Non-Null-Pattern types | 65 |
| 21.11 | The RangeCondition type..... | 66 |
| 21.12 | The Comparison type..... | 66 |
| 21.13 | The SizeRangeCondition type | 67 |
| 21.14 | The ReversalSpecification type | 67 |
| 21.15 | The ResultSize type | 68 |
| 21.16 | The HandleValueSet type..... | 68 |
| 21.17 | The IntegerMapping type | 69 |
| 22 | Commonly used encoding property groups | 69 |
| 22.1 | Replacement specification..... | 69 |
| 22.1.1 | Encoding properties, syntax and purpose | 69 |
| 22.1.2 | Specification restrictions | 70 |
| 22.1.3 | Encoder actions | 71 |
| 22.1.4 | Decoder actions..... | 72 |
| 22.2 | Pre-alignment and padding specification | 72 |
| 22.2.1 | Encoding properties, syntax and purpose | 72 |
| 22.2.2 | Specification constraints | 72 |
| 22.2.3 | Encoder actions | 73 |
| 22.2.4 | Decoder actions..... | 73 |
| 22.3 | Start pointer specification..... | 73 |
| 22.3.1 | Encoding properties, syntax and purpose | 73 |
| 22.3.2 | Specification constraints | 73 |
| 22.3.3 | Encoder actions | 73 |
| 22.3.4 | Decoder actions..... | 74 |
| 22.4 | Encoding space specification | 74 |
| 22.4.1 | Encoding properties, syntax and purpose | 74 |
| 22.4.2 | Specification restrictions | 75 |
| 22.4.3 | Encoder actions | 75 |
| 22.4.4 | Decoder actions..... | 76 |
| 22.5 | Optionality determination | 76 |
| 22.5.1 | Encoding properties, syntax and purpose | 76 |
| 22.5.2 | Specification restrictions | 76 |
| 22.5.3 | Encoder actions | 77 |
| 22.5.4 | Decoder actions..... | 77 |
| 22.6 | Alternative determination..... | 78 |
| 22.6.1 | Encoding properties, syntax and purpose | 78 |
| 22.6.2 | Specification restrictions | 78 |
| 22.6.3 | Encoder actions | 79 |
| 22.6.4 | Decoder actions..... | 79 |
| 22.7 | Repetition space specification | 79 |
| 22.7.1 | Encoding properties, syntax and purpose | 79 |
| 22.7.2 | Specification constraints | 80 |
| 22.7.3 | Encoder actions | 81 |
| 22.7.4 | Decoder actions..... | 82 |
| 22.8 | Value padding and justification..... | 82 |
| 22.8.1 | Encoding properties, syntax, and purpose | 82 |
| 22.8.2 | Specification restrictions | 83 |
| 22.8.3 | Encoder actions | 83 |
| 22.8.4 | Decoder actions..... | 84 |

| | | |
|---------|---|-----|
| 22.9 | Identification handle specification | 84 |
| 22.9.1 | Encoding properties, syntax and purpose | 84 |
| 22.9.2 | Specification constraints | 85 |
| 22.9.3 | Encoders actions | 85 |
| 22.9.4 | Decoders actions | 85 |
| 22.10 | Concatenation specification | 86 |
| 22.10.1 | Encoding properties, syntax and purpose | 86 |
| 22.10.2 | Specification constraints | 86 |
| 22.10.3 | Encoder actions | 86 |
| 22.10.4 | Decoder actions | 87 |
| 22.11 | Contained type encoding specification | 87 |
| 22.11.1 | Encoding properties, syntax and purpose | 87 |
| 22.11.2 | Encoder actions | 87 |
| 22.11.3 | Decoder actions | 87 |
| 22.12 | Bit reversal specification | 87 |
| 22.12.1 | Encoding properties, syntax, and purpose | 87 |
| 22.12.2 | Specification constraints | 88 |
| 22.12.3 | Encoder actions | 88 |
| 22.12.4 | Decoder actions | 88 |
| 23 | Defined syntax specification for bit-field and constructor classes | 88 |
| 23.1 | Defining encoding objects for classes in the alternatives category | 88 |
| 23.1.1 | The defined syntax | 88 |
| 23.1.2 | Purpose and restrictions | 89 |
| 23.1.3 | Encoder actions | 89 |
| 23.1.4 | Decoder actions | 90 |
| 23.2 | Defining encoding objects for classes in the bitstring category | 90 |
| 23.2.1 | The defined syntax | 90 |
| 23.2.2 | Model for the encoding of classes in the bitstring category | 91 |
| 23.2.3 | Purpose and restrictions | 91 |
| 23.2.4 | Encoder actions | 92 |
| 23.2.5 | Decoder actions | 92 |
| 23.3 | Defining encoding objects for classes in the boolean category | 92 |
| 23.3.1 | The defined syntax | 92 |
| 23.3.2 | Purpose and restrictions | 94 |
| 23.3.3 | Encoder actions | 94 |
| 23.3.4 | Decoder actions | 94 |
| 23.4 | Defining encoding objects for classes in the characterstring category | 95 |
| 23.4.1 | The defined syntax | 95 |
| 23.4.2 | Model for the encoding of classes in the characterstring category | 95 |
| 23.4.3 | Purpose and restrictions | 96 |
| 23.4.4 | Encoder actions | 96 |
| 23.4.5 | Decoder actions | 97 |
| 23.5 | Defining encoding objects for classes in the concatenation category | 97 |
| 23.5.1 | The defined syntax | 97 |
| 23.5.2 | Purpose and restrictions | 98 |
| 23.5.3 | Encoder actions | 99 |
| 23.5.4 | Decoder actions | 99 |
| 23.6 | Defining encoding objects for classes in the integer category | 99 |
| 23.6.1 | The defined syntax | 99 |
| 23.6.2 | Purpose and restrictions | 99 |
| 23.6.3 | Encoder actions | 100 |
| 23.6.4 | Decoder actions | 100 |
| 23.7 | Defining encoding objects for the #CONDITIONAL-INT class | 100 |
| 23.7.1 | The defined syntax | 100 |
| 23.7.2 | Purpose and restrictions | 101 |
| 23.7.3 | Encoder actions | 102 |
| 23.7.4 | Decoder actions | 103 |
| 23.8 | Defining encoding objects for classes in the null category | 103 |
| 23.8.1 | The defined syntax | 103 |

| | | |
|---------|---|-----|
| 23.9 | Defining encoding objects for classes in the octetstring category | 105 |
| 23.9.1 | The defined syntax | 105 |
| 23.9.2 | Model for the encoding of classes in the octetstring category | 106 |
| 23.9.3 | Purpose and restrictions | 106 |
| 23.9.4 | Encoder actions | 107 |
| 23.9.5 | Decoder actions | 107 |
| 23.10 | Defining encoding objects for classes in the open type category | 108 |
| 23.10.1 | The defined syntax | 108 |
| 23.10.2 | Model for the encoding of classes in the open type category | 109 |
| 23.10.3 | Purpose and restrictions | 109 |
| 23.10.4 | Encoder actions | 109 |
| 23.10.5 | Decoder actions | 110 |
| 23.11 | Defining encoding objects for classes in the optionality category | 110 |
| 23.11.1 | The defined syntax | 110 |
| 23.11.2 | Purpose and restrictions | 111 |
| 23.11.3 | Encoder actions | 111 |
| 23.11.4 | Decoder actions | 111 |
| 23.12 | Defining encoding objects for classes in the pad category | 111 |
| 23.12.1 | The defined syntax | 111 |
| 23.12.2 | Purpose and restrictions | 112 |
| 23.12.3 | Encoder actions | 113 |
| 23.12.4 | Decoder actions | 113 |
| 23.13 | Defining encoding objects for classes in the repetition category | 113 |
| 23.13.1 | The defined syntax | 113 |
| 23.13.2 | Purpose and restrictions | 113 |
| 23.13.3 | Encoder actions | 114 |
| 23.13.4 | Decoder actions | 114 |
| 23.14 | Defining encoding objects for the #CONDITIONAL-REPETITION class | 114 |
| 23.14.1 | The defined syntax | 114 |
| 23.14.2 | Purpose and restrictions | 115 |
| 23.14.3 | Encoder actions | 116 |
| 23.14.4 | Decoder actions | 116 |
| 23.15 | Defining encoding objects for classes in the tag category | 117 |
| 23.15.1 | The defined syntax | 117 |
| 23.15.2 | Purpose and restrictions | 118 |
| 23.15.3 | Encoder actions | 118 |
| 23.15.4 | Decoder actions | 119 |
| 23.16 | Defining encoding objects for classes in the other categories | 119 |
| 24 | Defined syntax specification for the #TRANSFORM encoding class | 119 |
| 24.1 | Summary of encoding properties and defined syntax | 119 |
| 24.2 | Source and target of transforms | 121 |
| 24.3 | The int-to-int transform | 122 |
| 24.4 | The bool-to-bool transform | 123 |
| 24.5 | The bool-to-int transform | 124 |
| 24.6 | The int-to-bool transform | 124 |
| 24.7 | The int-to-chars transform | 124 |
| 24.8 | The int-to-bits transform | 125 |
| 24.9 | The bits-to-int transform | 126 |
| 24.10 | The char-to-bits transform | 127 |
| 24.11 | The bits-to-char transform | 129 |
| 24.12 | The bit-to-bits transform | 129 |
| 24.13 | The bits-to-bits transform | 130 |
| 24.14 | The chars-to-composite-char transform | 130 |
| 24.15 | The bits-to-composite-bits transform | 131 |
| 24.16 | The octets-to-composite-bits transform | 131 |
| 24.17 | The composite-char-to-chars transform | 131 |
| 24.18 | The composite-bits-to-bits transform | 131 |
| 24.19 | The composite-bits-to-octets transform | 132 |

| | | |
|---------|---|-----|
| 25 | Complete encodings and the #OUTER class | 132 |
| 25.1 | Encoding properties, syntax and purpose for the #OUTER class..... | 132 |
| 25.2 | Encoder actions for #OUTER | 133 |
| 25.3 | Decoder actions for #OUTER | 133 |
| Annex A | Addendum to Rec. ITU-T X.680 ISO/IEC 8824-1..... | 135 |
| A.1 | Exports and imports clauses | 135 |
| A.2 | Addition of REFERENCE | 136 |
| A.3 | Notation for character string values | 136 |
| Annex B | Addendum to Rec. ITU-T X.681 ISO/IEC 8824-2..... | 137 |
| B.1 | Definitions..... | 137 |
| B.2 | Additional lexical items | 137 |
| B.2.1 | Ordered value list field references..... | 137 |
| B.2.2 | Ordered encoding object list field references | 137 |
| B.2.3 | Encoding class field references | 137 |
| B.3 | Addition of "ENCODING-CLASS"..... | 137 |
| B.4 | FieldSpec additions | 138 |
| B.5 | Fixed-type ordered value list field spec..... | 138 |
| B.6 | Fixed-class encoding object field spec | 138 |
| B.7 | Variable-class encoding object field spec | 138 |
| B.8 | Fixed-class encoding object set field spec..... | 139 |
| B.9 | Fixed-class ordered encoding object list field spec | 139 |
| B.10 | Encoding class field spec | 139 |
| B.11 | Ordered value list notation | 140 |
| B.12 | Ordered encoding object list notation..... | 140 |
| B.13 | Primitive field names | 140 |
| B.14 | Additional reserved words | 140 |
| B.15 | Definition of encoding objects | 141 |
| B.16 | Additions to "Setting" | 141 |
| Annex C | Addendum to Rec. ITU-T X.683 ISO/IEC 8824-4..... | 143 |
| D.1 | General examples | 146 |
| D.1.1 | An encoding object for a boolean type..... | 146 |
| D.1.2 | An encoding object for an integer type | 147 |
| D.1.3 | Another encoding object for an integer type | 147 |
| D.1.4 | An encoding object for an integer type with holes..... | 147 |
| D.1.5 | A more complex encoding object for an integer type | 148 |
| D.1.6 | Positive integers encoded in BCD..... | 148 |
| D.1.7 | An encoding object of class #BITS..... | 149 |
| D.1.8 | An encoding object for an octetstring type..... | 150 |
| D.1.9 | An encoding object for a character string type..... | 150 |
| D.1.10 | Mapping character values to bit values | 150 |
| D.1.11 | An encoding object for a sequence type..... | 151 |
| D.1.12 | An encoding object for a choice type..... | 151 |
| D.1.13 | Encoding a bitstring containing another encoding | 152 |
| D.1.14 | An encoding object set | 152 |
| D.1.15 | ASN.1 definitions..... | 153 |
| D.1.16 | EDM definitions..... | 153 |
| D.1.17 | ELM definitions | 154 |

| | | |
|---------|---|-----|
| D.2 | Specialization examples | 154 |
| D.2.1 | Encoding by distributing values to an alternative encoding structure | 154 |
| D.2.2 | Encoding by mapping ordered abstract values to an alternative encoding structure | 155 |
| D.2.3 | Compression of non-continuous value ranges | 155 |
| D.2.4 | Compression of non-continuous value ranges using a transform | 156 |
| D.2.5 | Compression of an unevenly distributed value set by mapping ordered abstract values | 156 |
| D.2.6 | Presence of an optional component depending on the value of another component | 156 |
| D.2.7 | The presence of an optional component depends on some external condition | 157 |
| D.2.8 | A variable length list | 157 |
| D.2.9 | Equal length lists | 158 |
| D.2.10 | Uneven choice alternative probabilities | 159 |
| D.2.11 | A version 1 message | 160 |
| D.2.12 | The encoding object set | 161 |
| D.2.13 | ASN.1 definitions | 161 |
| D.2.14 | EDM definitions | 162 |
| D.2.15 | ELM definitions | 162 |
| D.3 | Explicitly generated structure examples | 162 |
| D.3.1 | Sequence with optional components defined by a pointer | 163 |
| D.3.2 | Addition of a boolean type as a presence determinant | 163 |
| D.3.3 | Sequence with optional components identified by a unique tag and delimited by a length field | 165 |
| D.3.4 | Sequence-of type with a count | 166 |
| D.3.5 | Encoding object sets | 166 |
| D.3.6 | ASN.1 definitions | 167 |
| D.3.7 | EDM definitions | 167 |
| D.3.8 | ELM definitions | 167 |
| D.4 | A more-bit encoding example | 168 |
| D.4.1 | Description of the problem | 168 |
| D.4.2 | Use of ASN.1 to provide the more-bit determinant | 168 |
| D.4.3 | Use of value mappings to provide the more-bit determinant | 169 |
| D.4.4 | Use of the replacement mechanism to provide the more-bit determinant | 170 |
| D.5 | Legacy protocol specified with tabular notation | 170 |
| D.5.1 | Introduction | 170 |
| D.5.2 | Encoding definition for the top-level message structure | 172 |
| D.5.3 | Encoding definition for a message structure | 172 |
| D.5.4 | Encoding for the sequence type "B" | 173 |
| D.5.5 | Encoding for an octet-aligned sequence-of type with a length determinant | 173 |
| D.5.6 | Encoding for an octet-aligned sequence-of type which continues to the end of the PDU | 173 |
| D.5.7 | EDM definitions | 173 |
| D.5.8 | ELM definitions | 174 |
| Annex E | Support for Huffman encodings | 175 |
| Annex F | Additional information on the Encoding Control Notation (ECN) | 177 |
| Annex G | Summary of the ECN notation | 178 |