ISO/IEC/IEEE 8802-1AX:2016-01 (E)

Information technology - Telecommunications and information exchange between systems - Loc al and metropolitan area networks - Specific requirements - Part 1AX: Link aggregation

Contents

Page

1. Overview ... 1

1.1 Scope ... 1
1.2 Purpose ... 1
1.3 State diagram conventions ... 2

2. Normative references ... 3

3. Definitions ... 4

4. Acronyms and abbreviations ... 7

5. Conformance ... 8

5.1 Requirements terminology ... 8
5.2 Protocol Implementation Conformance Statement ... 8
5.3 Link Aggregation requirements ... 8
5.3.1 Link Aggregation options ... 9
5.4 Distributed Resilient Network Interconnect requirements ... 9
5.4.1 Distribution Resilient Network Interconnect options ... 9

6. Link Aggregation ... 11

6.1 Overview ... 11
6.1.1 Goals and objectives ... 11
6.1.2 Positioning of Link Aggregation within the IEEE 802 architecture ... 12
6.1.3 LLDP Parser/Multiplexer ... 13
6.1.3.1 LLDP Parser state diagram ... 14
6.1.3.1.1 LLDP Parser Function ... 14
6.1.3.1.2 Constants ... 14
6.1.3.1.3 Variables ... 14
6.1.3.1.4 State diagram ... 14
6.2 Link Aggregation operation ... 15
6.2.1 Principles of Link Aggregation ... 15
6.2.2 Service interfaces ... 16
6.2.3 Frame Collector ... 17
6.2.3.1 Frame Collector state diagram ... 17
6.2.3.1.1 Constants ... 17
6.2.3.1.2 Variables ... 17
6.2.3.1.3 Messages ... 17
6.2.3.1.4 State diagram ... 17
6.2.4 Frame Distributor ... 18
6.2.4.1 Frame Distributor state diagram ... 19
6.2.4.1.1 Variables ... 19
6.2.4.1.2 Messages ... 19
6.2.4.1.3 State diagram ... 19
6.2.5 Marker Generator/Receiver (optional) ... 19
6.2.6 Marker Responder ... 20
6.2.7 Protocol Parser/Multiplexer ... 20
6.2.7.1 Protocol Parser state diagram ... 20
6.2.7.1.1 Functions ... 20

6.2.7.1.2 Variables ... 21
6.2.7.1.3 Messages ... 21
6.2.7.1.4 State diagram ... 21
6.2.8 Aggregator Parser/Multiplexer ... 22
6.2.8.1 Aggregator Parser state diagram ... 22
6.2.8.1.1 Constants ... 22
6.2.8.1.2 Variables ... 22
6.2.8.1.3 Messages ... 23
6.2.8.1.4 State Diagram ... 23
6.2.9 Aggregator ... 24
6.2.10 Control Parser/Multiplexer ... 24
6.2.10.1 Control Parser state diagram ... 24
6.2.10.1.1 Control Parser Function ... 24
6.2.10.1.2 Constants ... 24
6.2.10.1.3 Variables ... 25
6.2.11 Addressing ... 25
6.2.11.1 Source address (SA) ... 25
6.2.11.2 Destination address ... 25
6.3 Link Aggregation Control ... 26
6.3.1 Characteristics of Link Aggregation Control ... 27
6.3.2 System identification ... 28
6.3.3 Aggregator identification ... 28
6.3.4 Port identification ... 28
6.3.5 Capability identification ... 29
6.3.6 Link Aggregation Group identification ... 30
6.3.6.1 Construction of the Link Aggregation Group Identifier ... 30
6.3.6.2 Representation of the Link Aggregation Group Identifier ... 31
6.3.7 Selecting a Link Aggregation Group ... 31
6.3.8 Agreeing on a Link Aggregation Group ... 32
6.3.9 Attaching a link to an Aggregator ... 32
6.3.10 Signaling readiness to transfer user data ... 32
6.3.11 Enabling the Frame Collector and Frame Distributor ... 33
6.3.12 MAC_Operational status ... 33
6.3.13 Monitoring the membership of a Link Aggregation Group ... 33
6.3.14 Detaching a link from an Aggregator ... 34
6.3.15 Configuration and administrative control of Link Aggregation ... 34
6.3.16 Link Aggregation Control state information ... 34
6.4 Link Aggregation Control Protocol ... 35
6.4.1 LACP design elements ... 35
6.4.2 LACPDU structure and encoding ... 35
6.4.2.1 Transmission and representation of octets ... 35
6.4.2.2 Encapsulation of LACPDUs in frames ... 36
6.4.2.3 LACPDU structure ... 36
6.4.2.4 Version 2 TLVs ... 40
6.4.2.4.1 Port Algorithm TLV ... 40
6.4.2.4.2 Port Conversation ID Digest TLV ... 41
6.4.2.4.3 Port Conversation Mask TLVs ... 41
6.4.2.4.4 Port Conversation Service Mapping TLV ... 44
6.4.3 LACP state machine overview ... 44
6.4.4 Constants ... 46
6.4.5 Variables associated with the System ... 46
6.4.6 Variables associated with each Aggregator ... 47
6.4.7 Variables associated with each Aggregation Port ... 48
6.4.8 Variables used for managing the operation of the state machines ... 50

6.4.9 Functions ... 52
6.4.10 Timers ... 54
6.4.11 Messages ... 54
6.4.12 Receive machine ... 54
6.4.13 Periodic Transmission machine ... 56
6.4.14 Selection Logic ... 57
6.4.14.1 Selection Logic—Requirements ... 58
6.4.14.2 Selection Logic—Recommended default operation ... 59
6.4.15 Mux machine ... 60
6.4.16 Transmit machine ... 64
6.4.17 Churn Detection machines ... 64
6.4.18 Long LACPDU machine ... 65
6.5 Marker protocol ... 67
6.5.1 Introduction ... 67
6.5.2 Sequence of operations ... 67
6.5.3 Marker and Marker Response PDU structure and encoding ... 68
6.5.3.1 Transmission and representation of octets ... 68
6.5.3.2 Encapsulation of Marker and Marker Response PDU in frames ... 68
6.5.3.3 Marker and Marker Response PDU structure ... 68
6.5.4 Protocol definition ... 70
6.5.4.1 Operation of the marker protocol ... 70
6.5.4.2 Marker Responder state diagram ... 70
6.5.4.2.1 Variables ... 70
6.5.4.2.2 Messages ... 71
6.6 Conversation-sensitive frame collection and distribution ... 71
6.6.1 Conversation-sensitive collection and distribution state diagrams ... 72
6.6.1.1 Conversion-sensitive collection state diagram ... 72
6.6.1.1.1 Variables ... 72
6.6.1.1.2 Variables associated with each Aggregation Port ... 73
6.6.1.1.3 Functions ... 73
6.6.1.1.4 Messages ... 73
6.6.1.1.5 State diagram ... 73
6.6.2 Conversation-sensitive LACP state diagrams ... 74
6.6.2.1 Per-Aggregator Variables ... 74
6.6.2.2 Variables associated with each Aggregation Port ... 76
6.6.2.3 Variables used for managing the operation of the state diagrams ... 78
6.6.2.4 Functions ... 78
6.6.2.5 Timers ... 81
6.6.2.6 Messages ... 81
6.6.2.7 State diagrams ... 81
6.7 Configuration capabilities and restrictions ... 87
6.7.1 Use of system and port priorities ... 87
6.7.2 Dynamic allocation of operational Keys ... 87
6.7.3 Link Aggregation on shared-medium links ... 88
6.7.4 Selection Logic variants ... 88
6.7.4.1 Reduced reconfiguration ... 88
6.7.4.2 Limited Aggregator availability ... 89

7. Management ... 90

7.1 Overview ... 90
7.1.1 Systems management overview ... 90
7.1.2 Management model ... 91
7.2 Managed objects ... 91

7.2.1 Introduction ... 91
7.2.2 Overview of managed objects ... 92
7.2.2.1 Text description of managed objects ... 92
7.2.3 Containment ... 93
7.2.4 Naming ... 93
7.2.5 Capabilities ... 94
7.3 Management for Link Aggregation ... 98
7.3.1 Aggregator managed object class ... 98
7.3.1.1 Aggregator attributes ... 99
7.3.1.1.1 aAggID ... 99
7.3.1.1.2 aAggDescription ... 99
7.3.1.1.3 aAggName ... 100
7.3.1.1.4 aAggActorSystemID ... 100
7.3.1.1.5 aAggActorSystemPriority ... 100
7.3.1.1.6 aAggAggregateOrIndividual ... 100
7.3.1.1.7 aAggActorAdminKey ... 100
7.3.1.1.8 aAggActorOperKey ... 101
7.3.1.1.9 aAggMACAddress ... 101
7.3.1.1.10 aAggPartnerSystemID ... 101
7.3.1.1.11 aAggPartnerSystemPriority ... 101
7.3.1.1.12 aAggPartnerOperKey ... 102
7.3.1.1.13 aAggAdminState ... 102
7.3.1.1.14 aAggOperState ... 102
7.3.1.1.15 aAggTimeOfLastOperChange ... 102
7.3.1.1.16 aAggDataRate ... 103
7.3.1.1.17 aAggOctetsTxOK ... 103
7.3.1.1.18 aAggOctetsRxOK ... 103
7.3.1.1.19 aAggFramesTxOK ... 103
7.3.1.1.20 aAggFramesRxOK ... 104
7.3.1.1.21 aAggMulticastFramesTxOK ... 104
7.3.1.1.22 aAggMulticastFramesRxOK ... 104
7.3.1.1.23 aAggBroadcastFramesTxOK ... 104
7.3.1.1.24 aAggBroadcastFramesRxOK ... 105
7.3.1.1.25 aAggFramesDiscardedOnTx ... 105
7.3.1.1.26 aAggFramesDiscardedOnRx ... 105
7.3.1.1.27 aAggFramesWithTxErrors ... 105
7.3.1.1.28 aAggFramesWithRxErrors ... 106
7.3.1.1.29 aAggUnknownProtocolFrames ... 106
7.3.1.1.30 aAggPortList ... 106
7.3.1.1.31 aAggLinkUpDownNotificationEnable ... 106
7.3.1.1.32 aAggCollectorMaxDelay ... 106
7.3.1.1.33 aAggPortAlgorithm ... 107
7.3.1.1.34 aAggPartnerAdminPortAlgorithm ... 107
7.3.1.1.35 aAggConversationAdminLink[] ... 107
7.3.1.1.36 aAggPartnerAdminPortConversationListDigest ... 107
7.3.1.1.37 aAggAdminDiscardWrongConversation ... 108
7.3.1.1.38 aAggAdminServiceConversationMap[] ... 108
7.3.1.1.39 aAggPartnerAdminConvServiceMappingDigest ... 108
7.3.1.2 Aggregator Notifications ... 108
7.3.1.2.1 nAggLinkUpNotification ... 108
7.3.1.2.2 nAggLinkDownNotification ... 109
7.3.2 Aggregation Port managed object class ... 109
7.3.2.1 Aggregation Port Attributes ... 109
7.3.2.1.1 aAggPortID ... 109

7.3.2.1.2 aAggPortActorSystemPriority ... 109
7.3.2.1.3 aAggPortActorSystemID ... 109
7.3.2.1.4 aAggPortActorAdminKey ... 110
7.3.2.1.5 aAggPortActorOperKey ... 110
7.3.2.1.6 aAggPortPartnerAdminSystemPriority ... 110
7.3.2.1.7 aAggPortPartnerOperSystemPriority ... 110
7.3.2.1.8 aAggPortPartnerAdminSystemID ... 110
7.3.2.1.9 aAggPortPartnerOperSystemID ... 111
7.3.2.1.10 aAggPortPartnerAdminKey ... 111
7.3.2.1.11 aAggPortPartnerOperKey ... 111
7.3.2.1.12 aAggPortSelectedAggID ... 111
7.3.2.1.13 aAggPortAttachedAggID ... 111
7.3.2.1.14 aAggPortActorPort ... 112
7.3.2.1.15 aAggPortActorPortPriority ... 112
7.3.2.1.16 aAggPortPartnerAdminPort ... 112
7.3.2.1.17 aAggPortPartnerOperPort ... 112
7.3.2.1.18 aAggPortPartnerAdminPortPriority ... 112
7.3.2.1.19 aAggPortPartnerOperPortPriority ... 113
7.3.2.1.20 aAggPortActorAdminState ... 113
7.3.2.1.21 aAggPortActorOperState ... 113
7.3.2.1.22 aAggPortPartnerAdminState ... 113
7.3.2.1.23 aAggPortPartnerOperState ... 114
7.3.2.1.24 aAggPortAggregateOrIndividual ... 114
7.3.2.1.25 aAggPortOperConversationPasses ... 114
7.3.2.1.26 aAggPortOperConversationCollected ... 114
7.3.2.1.27 aAggPortLinkNumberID ... 114
7.3.2.1.28 aAggPortPartnerAdminLinkNumberID ... 115
7.3.2.1.29 aAggPortWTRTime ... 115
7.3.2.2 Aggregation Port Extension Attributes ... 115
7.3.2.2.1 aAggPortProtocolDA ... 115
7.3.3 Aggregation Port Statistics managed object class ... 115
7.3.3.1 Aggregation Port Statistics attributes ... 116
7.3.3.1.1 aAggPortStatsID ... 116
7.3.3.1.2 aAggPortStatsLACPDUsRx ... 116
7.3.3.1.3 aAggPortStatsMarkerPDUsRx ... 116
7.3.3.1.4 aAggPortStatsMarkerResponsePDUsRx ... 116
7.3.3.1.5 aAggPortStatsUnknownRx ... 116
7.3.3.1.6 aAggPortStatsIllegalRx ... 117
7.3.3.1.7 aAggPortStatsLACPDUsTx ... 117
7.3.3.1.8 aAggPortStatsMarkerPDUsTx ... 117
7.3.3.1.9 aAggPortStatsMarkerResponsePDUsTx ... 117
7.3.4 Aggregation Port Debug Information managed object class ... 117
7.3.4.1 Aggregation Port Debug Information attributes ... 117
7.3.4.1.1 aAggPortDebugInformationID ... 117
7.3.4.1.2 aAggPortDebugRxState ... 118
7.3.4.1.3 aAggPortDebugLastRxTime ... 118
7.3.4.1.4 aAggPortDebugMuxState ... 118
7.3.4.1.5 aAggPortDebugMuxReason ... 119
7.3.4.1.6 aAggPortDebugActorChurnState ... 119
7.3.4.1.7 aAggPortDebugPartnerChurnState ... 119
7.3.4.1.8 aAggPortDebugActorChurnCount ... 119
7.3.4.1.9 aAggPortDebugPartnerChurnCount ... 120
7.3.4.1.10 aAggPortDebugActorSyncTransitionCount ... 120
7.3.4.1.11 aAggPortDebugPartnerSyncTransitionCount ... 120

7.3.4.1.12 aAggPortDebugActorChangeCount 120
7.3.4.1.13 aAggPortDebugPartnerChangeCount 120
7.3.4.1.14 aAggPortDebugActorCDSChurnState 120
7.3.4.1.15 aAggPortDebugPartnerCDSChurnState 121
7.3.4.1.16 aAggPortDebugActorCDSChurnCount 121
7.3.4.1.17 aAggPortDebugPartnerCDSChurnCount 121
7.4 Management for Distributed Resilient Network Interconnect 121
7.4.1 Distributed Relay Managed Object Class 121
7.4.1.1 Distributed Relay Attributes 122
7.4.1.1.1 aDrniID 122
7.4.1.1.2 aDrniDescription 122
7.4.1.1.3 aDrniName 122
7.4.1.1.4 aDrniPortalAddr 122
7.4.1.1.5 aDrniPortalPriority 122
7.4.1.1.6 aDrniThreePortalSystem 123
7.4.1.1.7 aDrniPortalSystemNumber 123
7.4.1.1.8 aDrniIntraPortalLinkList 123
7.4.1.1.9 aDrniAggregator 123
7.4.1.1.10 aDrniConvAdminGateway[] 123
7.4.1.1.11 aDrniNeighborAdminConvGatewayListDigest 124
7.4.1.1.12 aDrniNeighborAdminConvPortListDigest 124
7.4.1.1.13 aDrniGatewayAlgorithm 124
7.4.1.1.14 aDrniNeighborAdminGatewayAlgorithm 124
7.4.1.1.15 aDrniNeighborAdminPortAlgorithm 125
7.4.1.1.16 aDrniNeighborAdminDRCPState 125
7.4.1.1.17 aDrniEncapsulationMethod 125
7.4.1.1.18 aDrniIPLEncapMap 125
7.4.1.1.19 aDrniNetEncapMap 126
7.4.1.1.20 aDrniDRPortConversationPasses 126
7.4.1.1.21 aDrniDRGatewayConversationPasses 126
7.4.1.1.22 aDrniPSI 126
7.4.1.1.23 aDrniPortConversationControl 127
7.4.1.1.24 aDrniIntraPortalPortProtocolDA 127
7.4.2 IPP Managed Objects Class 127
7.4.2.1 IPP Attributes 127
7.4.2.1.1 aIPPID 127
7.4.2.1.2 aIPPPortConversationPasses 127
7.4.2.1.3 aIPPGatewayConversationDirection 128
7.4.2.1.4 aIPPAdminState 128
7.4.2.1.5 aIPPOperState 128
7.4.2.1.6 aIPPTimeOfLastOperChange 128
7.4.3 IPP Statistics managed object class 129
7.4.3.1 IPP Statistics attributes 129
7.4.3.1.1 aIPPStatsID 129
7.4.3.1.2 aIPPStatsDRCPDUsRx 129
7.4.3.1.3 aIPPStatsIllegalRx 129
7.4.3.1.4 aIPPStatsDRCPDUsTx 129
7.4.4 IPP Debug Information managed object class 129
7.4.4.1 IPP Debug Information attributes 130
7.4.4.1.1 aIPPDebugInformationID 130
7.4.4.1.2 aIPPDebugDRCPRxState 130
7.4.4.1.3 aIPPDebugLastRxTime 130
7.4.4.1.4 aIPPDebugDifferPortalReason 130

8. Frame distribution and collection algorithms 131

8.1 Conversation Identifiers 131
8.2 Per-service frame distribution 131
8.2.1 Goals and objectives 131
8.2.2 Overview 131
8.2.3 Port Conversation Identifiers 132

9. Distributed Resilient Network Interconnect 133

9.1 Goals and objectives 133
9.2 Distributed Relay 134
9.3 Distributed Relay operation and procedures 136
9.3.1 Portal Topology 139
9.3.2 Intra-Portal Link 140
9.3.2.1 Network / IPL sharing by time 140
9.3.2.2 Network / IPL sharing by tag 141
9.3.2.3 Network / IPL sharing by encapsulation 141
9.3.3 Protocol Identification 142
9.3.4 DR Function state machines 142
9.3.4.1 Service interfaces 143
9.3.4.2 Per-DR Function variables 143
9.3.4.3 Per-IPP Intra-Portal Port variables 144
9.3.4.4 Functions 144
9.3.4.5 Messages 145
9.3.4.6 DR Function: Aggregator Port reception state machine 145
9.3.4.7 DR Function: Gateway distribution state machine 145
9.3.4.8 DR Function: IPP N reception state machine 146
9.4 Distributed Relay Control Protocol 147
9.4.1 Establishing the Portal and Distributed Relay 149
9.4.2 DRCPDU transmission, addressing, and protocol identification 149
9.4.2.1 Destination MAC Address 149
9.4.2.2 Source MAC Address 150
9.4.2.3 Priority 150
9.4.2.4 Encapsulation of DRCPDUs in frames 150
9.4.3 DRCPDU structure and encoding 150
9.4.3.1 Transmission and representation of octets 150
9.4.3.2 DRCPDU structure 151
9.4.3.3 Conversation Vector TLVs 158
9.4.3.3.1 2P Gateway Conversation Vector TLV 158
9.4.3.3.2 3P Gateway Conversation Vector-1 TLV 159
9.4.3.3.3 3P Gateway Conversation Vector-2 TLV 159
9.4.3.3.4 2P Port Conversation Vector TLV 160
9.4.3.3.5 3P Port Conversation Vector-1 TLV 160
9.4.3.3.6 3P Port Conversation Vector-2 TLV 161
9.4.3.4 Network/IPL sharing TLVs 161
9.4.3.4.1 Network/IPL Sharing Method TLV 162
9.4.3.4.2 Network/IPL Sharing Encapsulation TLV 163
9.4.3.5 Organization-Specific TLV 163
9.4.4 DRCP Control Parser/Multiplexer 164
9.4.4.1 Control Parser state diagram 164
9.4.4.1.1 Control Parser Function 164
9.4.4.1.2 Constants 164
9.4.4.1.3 Variables 164

9.4.5 DRCP state machine overview ... 165
9.4.6 Constants ... 166
9.4.7 Variables associated with the Distributed Relay ... 167
9.4.8 Per-DR Function variables ... 167
9.4.9 Per-IPP Intra-Portal Port variables ... 170
9.4.10 Variables used for managing the operation of the state machines ... 176
9.4.11 Functions ... 178
9.4.12 Timers ... 191
9.4.13 Messages ... 191
9.4.14 DRCPDU Receive machine ... 191
9.4.15 DRCP Periodic Transmission machine ... 194
9.4.16 Portal System machine ... 195
9.4.17 DRNI Gateway and Aggregator machines ... 196
9.4.18 DRNI IPP machines ... 197
9.4.19 DRCPDU Transmit machine ... 198
9.4.20 Network/IPL sharing machine ... 199

Annex A (normative) Protocol Implementation Conformance Statement (PICS) proforma ... 201

A.1 Introduction ... 201
A.1.1 Abbreviations and special symbols ... 201
A.1.2 Instructions for completing the PICS proforma ... 202
A.1.3 Additional information ... 202
A.1.4 Exceptional information ... 202
A.1.5 Conditional items ... 203
A.1.6 Identification ... 203
A.1.6.1 Implementation identification ... 203
A.1.6.2 Protocol summary ... 203
A.2 PICS proforma for Clause 6 ... 204
A.2.1 Major capabilities/options ... 204
A.2.2 LLDP Port connectivity ... 205
A.2.3 Protocol Parser/Multiplexer support ... 205
A.2.4 Frame Collector ... 205
A.2.5 Frame Distributor ... 206
A.2.6 Marker protocol ... 206
A.2.7 Aggregator Parser/Multiplexer ... 206
A.2.8 Control Parser/Multiplexer ... 207
A.2.9 System identification ... 207
A.2.10 Aggregator identification ... 207
A.2.11 Port identification ... 208
A.2.12 Capability identification ... 208
A.2.13 Link Aggregation Group identification ... 208
A.2.14 Detaching a link from an Aggregator ... 208
A.2.15 LACPDU structure ... 209
A.2.16 Version 2 LACPDU ... 209
A.2.17 State machine variables ... 209
A.2.18 Receive machine ... 210
A.2.19 Periodic Transmission machine ... 210
A.2.20 Selection Logic ... 210
A.2.21 Mux machine ... 211
A.2.22 Transmit machine ... 211
A.2.23 Churn Detection machines ... 212
A.2.24 Marker protocol ... 212
A.2.25 Management ... 214

A.2.26 Per-Service Frame Distribution 217
A.2.27 Conversation-sensitive frame collection and distribution 218
A.2.28 Configuration capabilities and restrictions 218
A.2.29 Link Aggregation on shared-medium links 219
A.2.30 Distributed Resilient Network Interconnect 219
A.2.31 DRCPDU structure 220
A.2.32 Bridge specific support 221

Annex B (informative) Collection and distribution algorithms 222

B.1 Introduction 222
B.2 Port selection 223
B.3 Dynamic reallocation of conversations to different Aggregation Ports 223
B.4 Topology considerations in the choice of distribution algorithm 224

Annex C (informative) LACP standby link selection and dynamic Key management 226

C.1 Introduction 226
C.2 Goals 226
C.3 Standby link selection 227
C.4 Dynamic Key management 227
C.5 A dynamic Key management algorithm 227
C.6 Example 1 229
C.7 Example 2 229

Annex D (normative) SMIv2 MIB definitions for Link Aggregation 231

D.1 Introduction 231
D.2 SNMP Management Framework 231
D.3 Security considerations 231
D.4 Structure of the MIB module 232
D.4.1 Relationship to the managed objects defined in Clause 7 233
D.4.2 MIB Subtrees 238
D.4.2.1 The dot3adAgg Subtree 238
D.4.2.2 The dot3adAggPort Subtree 238
D.4.2.3 The dot3adAggNotifications Subtree 238
D.4.2.4 The dot3adDrni Subtree 238
D.4.2.5 The dot3adIPP Subtree 238
D.5 Relationship to other MIBs 238
D.5.1 Relationship to the Interfaces MIB 238
D.5.2 Layering model 239
D.5.3 ifStackTable 239
D.5.4 ifRcvAddressTable 239
D.6 Definitions for Link Aggregation MIB 239

Annex E (informative) Distributed Bridge 306

E.1 Distributed VLAN Bridge 306
E.2 Higher Layer Entities in a Distributed Bridge 310

Annex F (normative) Link Layer Discovery Protocol TLVs 311

F.1 Link Aggregation TLV 311
F.1.1 aggregation status 311
F.1.2 aggregated Port ID 312
F.1.3 Link Aggregation TLV usage rules 312
F.1.4 Use of other TLVs on an Aggregator or Aggregation Link 312

Annex G (normative) Network / IPL sharing by time—MAC Address synchronization 314

G.1 Address synchronization—design goals 315
G.2 Address synchronization—non-goals 315
G.3 Protocol summary 315
G.4 Address Synchronization Description 315
G.5 ASPDU transmission, addressing, and protocol identification 317
G.5.1 Destination MAC Address 317
G.5.2 Source MAC Address 317
G.5.3 Priority 317
G.5.4 Encapsulation of ASPDUs in frames 317