

ISO/IEC/IEEE 8802-1AX:2016-01 (E)

Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 1AX: Link aggregation

Contents	Page
1. Overview.....	1
1.1 Scope.....	1
1.2 Purpose.....	1
1.3 State diagram conventions.....	2
2. Normative references.....	3
3. Definitions.....	4
4. Acronyms and abbreviations.....	7
5. Conformance.....	8
5.1 Requirements terminology.....	8
5.2 Protocol Implementation Conformance Statement.....	8
5.3 Link Aggregation requirements.....	8
5.3.1 Link Aggregation options.....	9
5.4 Distributed Resilient Network Interconnect requirements.....	9
5.4.1 Distribution Resilient Network Interconnect options.....	9
6. Link Aggregation.....	11
6.1 Overview.....	11
6.1.1 Goals and objectives.....	11
6.1.2 Positioning of Link Aggregation within the IEEE 802 architecture.....	12
6.1.3 LLDP Parser/Multiplexer.....	13
6.1.3.1 LLDP Parser state diagram.....	14
6.1.3.1.1 LLDP Parser Function.....	14
6.1.3.1.2 Constants.....	14
6.1.3.1.3 Variables.....	14
6.1.3.1.4 State diagram.....	14
6.2 Link Aggregation operation.....	15
6.2.1 Principles of Link Aggregation.....	15
6.2.2 Service interfaces.....	16
6.2.3 Frame Collector.....	17
6.2.3.1 Frame Collector state diagram.....	17
6.2.3.1.1 Constants.....	17
6.2.3.1.2 Variables.....	17
6.2.3.1.3 Messages.....	17
6.2.3.1.4 State diagram.....	17
6.2.4 Frame Distributor.....	18
6.2.4.1 Frame Distributor state diagram.....	19
6.2.4.1.1 Variables.....	19
6.2.4.1.2 Messages.....	19
6.2.4.1.3 State diagram.....	19
6.2.5 Marker Generator/Receiver (optional).....	19
6.2.6 Marker Responder.....	20
6.2.7 Protocol Parser/Multiplexer.....	20
6.2.7.1 Protocol Parser state diagram.....	20
6.2.7.1.1 Functions.....	20

	6.2.7.1.2	Variables	21
	6.2.7.1.3	Messages	21
	6.2.7.1.4	State diagram	21
6.2.8	Aggregator Parser/Multiplexer		22
	6.2.8.1	Aggregator Parser state diagram	22
	6.2.8.1.1	Constants	22
	6.2.8.1.2	Variables	22
	6.2.8.1.3	Messages	23
	6.2.8.1.4	State Diagram	23
6.2.9	Aggregator		24
6.2.10	Control Parser/Multiplexer		24
	6.2.10.1	Control Parser state diagram	24
	6.2.10.1.1	Control Parser Function	24
	6.2.10.1.2	Constants	24
	6.2.10.1.3	Variables	25
6.2.11	Addressing		25
	6.2.11.1	Source address (SA)	25
	6.2.11.2	Destination address	25
6.3	Link Aggregation Control		26
	6.3.1	Characteristics of Link Aggregation Control	27
	6.3.2	System identification	28
	6.3.3	Aggregator identification	28
	6.3.4	Port identification	28
	6.3.5	Capability identification	29
	6.3.6	Link Aggregation Group identification	30
	6.3.6.1	Construction of the Link Aggregation Group Identifier	30
	6.3.6.2	Representation of the Link Aggregation Group Identifier	31
	6.3.7	Selecting a Link Aggregation Group	31
	6.3.8	Agreeing on a Link Aggregation Group	32
	6.3.9	Attaching a link to an Aggregator	32
	6.3.10	Signaling readiness to transfer user data	32
	6.3.11	Enabling the Frame Collector and Frame Distributor	33
	6.3.12	MAC_Operational status	33
	6.3.13	Monitoring the membership of a Link Aggregation Group	33
	6.3.14	Detaching a link from an Aggregator	34
	6.3.15	Configuration and administrative control of Link Aggregation	34
	6.3.16	Link Aggregation Control state information	34
6.4	Link Aggregation Control Protocol		35
	6.4.1	LACP design elements	35
	6.4.2	LACPDU structure and encoding	35
	6.4.2.1	Transmission and representation of octets	35
	6.4.2.2	Encapsulation of LACPDUs in frames	36
	6.4.2.3	LACPDU structure	36
	6.4.2.4	Version 2 TLVs	40
	6.4.2.4.1	Port Algorithm TLV	40
	6.4.2.4.2	Port Conversation ID Digest TLV	41
	6.4.2.4.3	Port Conversation Mask TLVs	41
	6.4.2.4.4	Port Conversation Service Mapping TLV	44
	6.4.3	LACP state machine overview	44
	6.4.4	Constants	46
	6.4.5	Variables associated with the System	46
	6.4.6	Variables associated with each Aggregator	47
	6.4.7	Variables associated with each Aggregation Port	48
	6.4.8	Variables used for managing the operation of the state machines	50

6.4.9	Functions.....	52
6.4.10	Timers	54
6.4.11	Messages.....	54
6.4.12	Receive machine	54
6.4.13	Periodic Transmission machine	56
6.4.14	Selection Logic	57
	6.4.14.1 Selection Logic—Requirements	58
	6.4.14.2 Selection Logic—Recommended default operation	59
6.4.15	Mux machine	60
6.4.16	Transmit machine	64
6.4.17	Churn Detection machines.....	64
6.4.18	Long LACPDU machine	65
6.5	Marker protocol	67
6.5.1	Introduction.....	67
6.5.2	Sequence of operations	67
6.5.3	Marker and Marker Response PDU structure and encoding	68
	6.5.3.1 Transmission and representation of octets.....	68
	6.5.3.2 Encapsulation of Marker and Marker Response PDU in frames.....	68
	6.5.3.3 Marker and Marker Response PDU structure.....	68
6.5.4	Protocol definition	70
	6.5.4.1 Operation of the marker protocol.....	70
	6.5.4.2 Marker Responder state diagram	70
	6.5.4.2.1 Variables	70
	6.5.4.2.2 Messages.....	71
6.6	Conversation-sensitive frame collection and distribution	71
6.6.1	Conversation-sensitive collection and distribution state diagrams.....	72
	6.6.1.1 Conversion-sensitive collection state diagram	72
	6.6.1.1.1 Variables.....	72
	6.6.1.1.2 Variables associated with each Aggregation Port	73
	6.6.1.1.3 Functions	73
	6.6.1.1.4 Messages.....	73
	6.6.1.1.5 State diagram	73
6.6.2	Conversation-sensitive LACP state diagrams.....	74
	6.6.2.1 Per-Aggregator Variables	74
	6.6.2.2 Variables associated with each Aggregation Port.....	76
	6.6.2.3 Variables used for managing the operation of the state diagrams	78
	6.6.2.4 Functions.....	78
	6.6.2.5 Timers	81
	6.6.2.6 Messages.....	81
	6.6.2.7 State diagrams.....	81
6.7	Configuration capabilities and restrictions	87
6.7.1	Use of system and port priorities	87
6.7.2	Dynamic allocation of operational Keys	87
6.7.3	Link Aggregation on shared-medium links	88
6.7.4	Selection Logic variants.....	88
	6.7.4.1 Reduced reconfiguration.....	88
	6.7.4.2 Limited Aggregator availability.....	89
7.	Management.....	90
7.1	Overview.....	90
	7.1.1 Systems management overview.....	90
	7.1.2 Management model.....	91
7.2	Managed objects	91

7.2.1	Introduction.....	91
7.2.2	Overview of managed objects.....	92
7.2.2.1	Text description of managed objects	92
7.2.3	Containment.....	93
7.2.4	Naming.....	93
7.2.5	Capabilities	94
7.3	Management for Link Aggregation	98
7.3.1	Aggregator managed object class	98
7.3.1.1	Aggregator attributes	99
7.3.1.1.1	aAggID	99
7.3.1.1.2	aAggDescription	99
7.3.1.1.3	aAggName	100
7.3.1.1.4	aAggActorSystemID	100
7.3.1.1.5	aAggActorSystemPriority	100
7.3.1.1.6	aAggAggregateOrIndividual	100
7.3.1.1.7	aAggActorAdminKey.....	100
7.3.1.1.8	aAggActorOperKey.....	101
7.3.1.1.9	aAggMACAddress	101
7.3.1.1.10	aAggPartnerSystemID.....	101
7.3.1.1.11	aAggPartnerSystemPriority	101
7.3.1.1.12	aAggPartnerOperKey	102
7.3.1.1.13	aAggAdminState	102
7.3.1.1.14	aAggOperState.....	102
7.3.1.1.15	aAggTimeOfLastOperChange.....	102
7.3.1.1.16	aAggDataRate.....	103
7.3.1.1.17	aAggOctetsTxOK	103
7.3.1.1.18	aAggOctetsRxOK.....	103
7.3.1.1.19	aAggFramesTxOK.....	103
7.3.1.1.20	aAggFramesRxOK	104
7.3.1.1.21	aAggMulticastFramesTxOK	104
7.3.1.1.22	aAggMulticastFramesRxOK	104
7.3.1.1.23	aAggBroadcastFramesTxOK.....	104
7.3.1.1.24	aAggBroadcastFramesRxOK	105
7.3.1.1.25	aAggFramesDiscardedOnTx	105
7.3.1.1.26	aAggFramesDiscardedOnRx	105
7.3.1.1.27	aAggFramesWithTxErrors	105
7.3.1.1.28	aAggFramesWithRxErrors	106
7.3.1.1.29	aAggUnknownProtocolFrames	106
7.3.1.1.30	aAggPortList.....	106
7.3.1.1.31	aAggLinkUpDownNotificationEnable.....	106
7.3.1.1.32	aAggCollectorMaxDelay	106
7.3.1.1.33	aAggPortAlgorithm	107
7.3.1.1.34	aAggPartnerAdminPortAlgorithm.....	107
7.3.1.1.35	aAggConversationAdminLink[].....	107
7.3.1.1.36	aAggPartnerAdminPortConversationListDigest	107
7.3.1.1.37	aAggAdminDiscardWrongConversation.....	108
7.3.1.1.38	aAggAdminServiceConversationMap[]	108
7.3.1.1.39	aAggPartnerAdminConvServiceMappingDigest	108
7.3.1.2	Aggregator Notifications	108
7.3.1.2.1	nAggLinkUpNotification.....	108
7.3.1.2.2	nAggLinkDownNotification.....	109
7.3.2	Aggregation Port managed object class.....	109
7.3.2.1	Aggregation Port Attributes.....	109
7.3.2.1.1	aAggPortID.....	109

	7.3.2.1.2	aAggPortActorSystemPriority	109
	7.3.2.1.3	aAggPortActorSystemID	109
	7.3.2.1.4	aAggPortActorAdminKey	110
	7.3.2.1.5	aAggPortActorOperKey	110
	7.3.2.1.6	aAggPortPartnerAdminSystemPriority	110
	7.3.2.1.7	aAggPortPartnerOperSystemPriority	110
	7.3.2.1.8	aAggPortPartnerAdminSystemID	110
	7.3.2.1.9	aAggPortPartnerOperSystemID	111
	7.3.2.1.10	aAggPortPartnerAdminKey.....	111
	7.3.2.1.11	aAggPortPartnerOperKey.....	111
	7.3.2.1.12	aAggPortSelectedAggID	111
	7.3.2.1.13	aAggPortAttachedAggID	111
	7.3.2.1.14	aAggPortActorPort	112
	7.3.2.1.15	aAggPortActorPortPriority	112
	7.3.2.1.16	aAggPortPartnerAdminPort.....	112
	7.3.2.1.17	aAggPortPartnerOperPort.....	112
	7.3.2.1.18	aAggPortPartnerAdminPortPriority	112
	7.3.2.1.19	aAggPortPartnerOperPortPriority	113
	7.3.2.1.20	aAggPortActorAdminState.....	113
	7.3.2.1.21	aAggPortActorOperState.....	113
	7.3.2.1.22	aAggPortPartnerAdminState	113
	7.3.2.1.23	aAggPortPartnerOperState	114
	7.3.2.1.24	aAggPortAggregateOrIndividual.....	114
	7.3.2.1.25	aAggPortOperConversationPasses	114
	7.3.2.1.26	aAggPortOperConversationCollected	114
	7.3.2.1.27	aAggPortLinkNumberID	114
	7.3.2.1.28	aAggPortPartnerAdminLinkNumberID	115
	7.3.2.1.29	aAggPortWTRTime.....	115
	7.3.2.2	Aggregation Port Extension Attributes.....	115
	7.3.2.2.1	aAggPortProtocolDA.....	115
7.3.3		Aggregation Port Statistics managed object class	115
	7.3.3.1	Aggregation Port Statistics attributes	116
	7.3.3.1.1	aAggPortStatsID	116
	7.3.3.1.2	aAggPortStatsLACPDUsRx	116
	7.3.3.1.3	aAggPortStatsMarkerPDUsRx	116
	7.3.3.1.4	aAggPortStatsMarkerResponsePDUsRx	116
	7.3.3.1.5	aAggPortStatsUnknownRx.....	116
	7.3.3.1.6	aAggPortStatsIllegalRx	117
	7.3.3.1.7	aAggPortStatsLACPDUsTx	117
	7.3.3.1.8	aAggPortStatsMarkerPDUsTx	117
	7.3.3.1.9	aAggPortStatsMarkerResponsePDUsTx	117
7.3.4		Aggregation Port Debug Information managed object class	117
	7.3.4.1	Aggregation Port Debug Information attributes	117
	7.3.4.1.1	aAggPortDebugInformationID	117
	7.3.4.1.2	aAggPortDebugRxState.....	118
	7.3.4.1.3	aAggPortDebugLastRxTime	118
	7.3.4.1.4	aAggPortDebugMuxState.....	118
	7.3.4.1.5	aAggPortDebugMuxReason	119
	7.3.4.1.6	aAggPortDebugActorChurnState	119
	7.3.4.1.7	aAggPortDebugPartnerChurnState.....	119
	7.3.4.1.8	aAggPortDebugActorChurnCount	119
	7.3.4.1.9	aAggPortDebugPartnerChurnCount	120
	7.3.4.1.10	aAggPortDebugActorSyncTransitionCount	120
	7.3.4.1.11	aAggPortDebugPartnerSyncTransitionCount	120

		7.3.4.1.12	aAggPortDebugActorChangeCount	120	
		7.3.4.1.13	aAggPortDebugPartnerChangeCount.....	120	
		7.3.4.1.14	aAggPortDebugActorCDSChurnState	120	
		7.3.4.1.15	aAggPortDebugPartnerCDSChurnState	121	
		7.3.4.1.16	aAggPortDebugActorCDSChurnCount.....	121	
		7.3.4.1.17	aAggPortDebugPartnerCDSChurnCount	121	
7.4	Management for Distributed Resilient Network Interconnect.....			121	
	7.4.1	Distributed Relay Managed Object Class		121	
		7.4.1.1	Distributed Relay Attributes	122	
			7.4.1.1.1	aDrniID	122
			7.4.1.1.2	aDrniDescription	122
			7.4.1.1.3	aDrniName.....	122
			7.4.1.1.4	aDrniPortalAddr	122
			7.4.1.1.5	aDrniPortalPriority	122
			7.4.1.1.6	aDrniThreePortalSystem	123
			7.4.1.1.7	aDrniPortalSystemNumber.....	123
			7.4.1.1.8	aDrniIntraPortalLinkList	123
			7.4.1.1.9	aDrniAggregator	123
			7.4.1.1.10	aDrniConvAdminGateway[]	123
			7.4.1.1.11	aDrniNeighborAdminConvGatewayListDigest	124
			7.4.1.1.12	aDrniNeighborAdminConvPortListDigest.....	124
			7.4.1.1.13	aDrniGatewayAlgorithm	124
			7.4.1.1.14	aDrniNeighborAdminGatewayAlgorithm	124
			7.4.1.1.15	aDrniNeighborAdminPortAlgorithm.....	125
			7.4.1.1.16	aDrniNeighborAdminDRCPState	125
			7.4.1.1.17	aDrniEncapsulationMethod	125
			7.4.1.1.18	aDrniIPLEncapMap.....	125
			7.4.1.1.19	aDrniNetEncapMap	126
			7.4.1.1.20	aDrniDRPortConversationPasses	126
			7.4.1.1.21	aDrniDRGatewayConversationPasses.....	126
			7.4.1.1.22	aDrniPSI	126
			7.4.1.1.23	aDrniPortConversationControl	127
			7.4.1.1.24	aDrniIntraPortalPortProtocolDA	127
	7.4.2	IPP Managed Objects Class		127	
		7.4.2.1	IPP Attributes.....	127	
			7.4.2.1.1	aIPPID	127
			7.4.2.1.2	aIPPPortConversationPasses	127
			7.4.2.1.3	aIPPGatewayConversationDirection	128
			7.4.2.1.4	aIPPAdminState.....	128
			7.4.2.1.5	aIPPOperState.....	128
			7.4.2.1.6	aIPPTimeOfLastOperChange.....	128
	7.4.3	IPP Statistics managed object class		129	
		7.4.3.1	IPP Statistics attributes	129	
			7.4.3.1.1	aIPPStatsID.....	129
			7.4.3.1.2	aIPPStatsDRCPDUsRx	129
			7.4.3.1.3	aIPPStatsIllegalRx	129
			7.4.3.1.4	aIPPStatsDRCPDUsTx.....	129
	7.4.4	IPP Debug Information managed object class		129	
		7.4.4.1	IPP Debug Information attributes	130	
			7.4.4.1.1	aIPPDebugInformationID.....	130
			7.4.4.1.2	aIPPDebugDRCPRxState.....	130
			7.4.4.1.3	aIPPDebugLastRxTime	130
			7.4.4.1.4	aIPPDebugDifferPortalReason	130

8.	Frame distribution and collection algorithms	131
8.1	Conversation Identifiers.....	131
8.2	Per-service frame distribution.....	131
8.2.1	Goals and objectives	131
8.2.2	Overview.....	131
8.2.3	Port Conversation Identifiers	132
9.	Distributed Resilient Network Interconnect	133
9.1	Goals and objectives	133
9.2	Distributed Relay	134
9.3	Distributed Relay operation and procedures.....	136
9.3.1	Portal Topology	139
9.3.2	Intra-Portal Link	140
9.3.2.1	Network / IPL sharing by time	140
9.3.2.2	Network / IPL sharing by tag.....	141
9.3.2.3	Network / IPL sharing by encapsulation.....	141
9.3.3	Protocol Identification	142
9.3.4	DR Function state machines	142
9.3.4.1	Service interfaces	143
9.3.4.2	Per-DR Function variables.....	143
9.3.4.3	Per-IPP Intra-Portal Port variables	144
9.3.4.4	Functions.....	144
9.3.4.5	Messages.....	145
9.3.4.6	DR Function: Aggregator Port reception state machine.....	145
9.3.4.7	DR Function: Gateway distribution state machine	145
9.3.4.8	DR Function: IPP N reception state machine	146
9.4	Distributed Relay Control Protocol	147
9.4.1	Establishing the Portal and Distributed Relay	149
9.4.2	DRCPDU transmission, addressing, and protocol identification	149
9.4.2.1	Destination MAC Address.....	149
9.4.2.2	Source MAC Address	150
9.4.2.3	Priority	150
9.4.2.4	Encapsulation of DRCPDUs in frames.....	150
9.4.3	DRCPDU structure and encoding.....	150
9.4.3.1	Transmission and representation of octets.....	150
9.4.3.2	DRCPDU structure	151
9.4.3.3	Conversation Vector TLVs.....	158
9.4.3.3.1	2P Gateway Conversation Vector TLV.....	158
9.4.3.3.2	3P Gateway Conversation Vector-1 TLV	159
9.4.3.3.3	3P Gateway Conversation Vector-2 TLV	159
9.4.3.3.4	2P Port Conversation Vector TLV	160
9.4.3.3.5	3P Port Conversation Vector-1 TLV	160
9.4.3.3.6	3P Port Conversation Vector-2 TLV	161
9.4.3.4	Network/IPL sharing TLVs	161
9.4.3.4.1	Network/IPL Sharing Method TLV	162
9.4.3.4.2	Network/IPL Sharing Encapsulation TLV	163
9.4.3.5	Organization-Specific TLV	163
9.4.4	DRCP Control Parser/Multiplexer.....	164
9.4.4.1	Control Parser state diagram.....	164
9.4.4.1.1	Control Parser Function.....	164
9.4.4.1.2	Constants	164
9.4.4.1.3	Variables.....	164

9.4.5	DRCP state machine overview	165
9.4.6	Constants.....	166
9.4.7	Variables associated with the Distributed Relay	167
9.4.8	Per-DR Function variables.....	167
9.4.9	Per-IPP Intra-Portal Port variables	170
9.4.10	Variables used for managing the operation of the state machines.....	176
9.4.11	Functions.....	178
9.4.12	Timers	191
9.4.13	Messages	191
9.4.14	DRCPDU Receive machine.....	191
9.4.15	DRCP Periodic Transmission machine.....	194
9.4.16	Portal System machine.....	195
9.4.17	DRNI Gateway and Aggregator machines	196
9.4.18	DRNI IPP machines.....	197
9.4.19	DRCPDU Transmit machine	198
9.4.20	Network/IPL sharing machine.....	199

Annex A (normative) Protocol Implementation Conformance Statement (PICS) proforma	201
---	-----

A.1	Introduction.....	201
A.1.1	Abbreviations and special symbols	201
A.1.2	Instructions for completing the PICS proforma	202
A.1.3	Additional information	202
A.1.4	Exceptional information.....	202
A.1.5	Conditional items	203
A.1.6	Identification	203
A.1.6.1	Implementation identification	203
A.1.6.2	Protocol summary	203
A.2	PICS proforma for Clause 6.....	204
A.2.1	Major capabilities/options	204
A.2.2	LLDP Port connectivity	205
A.2.3	Protocol Parser/Multiplexer support	205
A.2.4	Frame Collector.....	205
A.2.5	Frame Distributor	206
A.2.6	Marker protocol	206
A.2.7	Aggregator Parser/Multiplexer.....	206
A.2.8	Control Parser/Multiplexer.....	207
A.2.9	System identification.....	207
A.2.10	Aggregator identification	207
A.2.11	Port identification.....	208
A.2.12	Capability identification.....	208
A.2.13	Link Aggregation Group identification.....	208
A.2.14	Detaching a link from an Aggregator.....	208
A.2.15	LACPDU structure.....	209
A.2.16	Version 2 LACPDU	209
A.2.17	State machine variables.....	209
A.2.18	Receive machine	210
A.2.19	Periodic Transmission machine	210
A.2.20	Selection Logic.....	210
A.2.21	Mux machine.....	211
A.2.22	Transmit machine.....	211
A.2.23	Churn Detection machines	212
A.2.24	Marker protocol.....	212
A.2.25	Management	214

A.2.26	Per-Service Frame Distribution.....	217
A.2.27	Conversation-sensitive frame collection and distribution.....	218
A.2.28	Configuration capabilities and restrictions.....	218
A.2.29	Link Aggregation on shared-medium links.....	219
A.2.30	Distributed Resilient Network Interconnect.....	219
A.2.31	DRCPDU structure.....	220
A.2.32	Bridge specific support.....	221
Annex B (informative)	Collection and distribution algorithms.....	222
B.1	Introduction.....	222
B.2	Port selection.....	223
B.3	Dynamic reallocation of conversations to different Aggregation Ports.....	223
B.4	Topology considerations in the choice of distribution algorithm.....	224
Annex C (informative)	LACP standby link selection and dynamic Key management.....	226
C.1	Introduction.....	226
C.2	Goals.....	226
C.3	Standby link selection.....	227
C.4	Dynamic Key management.....	227
C.5	A dynamic Key management algorithm.....	227
C.6	Example 1.....	229
C.7	Example 2.....	229
Annex D (normative)	SMIPv2 MIB definitions for Link Aggregation.....	231
D.1	Introduction.....	231
D.2	SNMP Management Framework.....	231
D.3	Security considerations.....	231
D.4	Structure of the MIB module.....	232
D.4.1	Relationship to the managed objects defined in Clause 7.....	233
D.4.2	MIB Subtrees.....	238
D.4.2.1	The dot3adAgg Subtree.....	238
D.4.2.2	The dot3adAggPort Subtree.....	238
D.4.2.3	The dot3adAggNotifications Subtree.....	238
D.4.2.4	The dot3adDrni Subtree.....	238
D.4.2.5	The dot3adIPP Subtree.....	238
D.5	Relationship to other MIBs.....	238
D.5.1	Relationship to the Interfaces MIB.....	238
D.5.2	Layering model.....	239
D.5.3	ifStackTable.....	239
D.5.4	ifRevAddressTable.....	239
D.6	Definitions for Link Aggregation MIB.....	239
Annex E (informative)	Distributed Bridge.....	306
E.1	Distributed VLAN Bridge.....	306
E.2	Higher Layer Entities in a Distributed Bridge.....	310

Annex F (normative) Link Layer Discovery Protocol TLVs	311
F.1 Link Aggregation TLV	311
F.1.1 aggregation status	311
F.1.2 aggregated Port ID	312
F.1.3 Link Aggregation TLV usage rules.....	312
F.1.4 Use of other TLVs on an Aggregator or Aggregation Link.....	312
Annex G (normative) Network / IPL sharing by time—MAC Address synchronization	314
G.1 Address synchronization—design goals	315
G.2 Address synchronization—non-goals	315
G.3 Protocol summary	315
G.4 Address Synchronization Description	315
G.5 ASPDU transmission, addressing, and protocol identification.....	317
G.5.1 Destination MAC Address	317
G.5.2 Source MAC Address.....	317
G.5.3 Priority.....	317
G.5.4 Encapsulation of ASPDUs in frames	317