

# ISO/IEC 23005-2:2016-03 (E)

## Information technology - Media context and control - Part 2: Control information

---

| <b>Contents</b> |   | <b>Page</b> |
|-----------------|---|-------------|
| <b>1</b>        | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>        | <b>Normative references .....</b>                               | <b>1</b>    |
| <b>3</b>        | <b>Terms, definitions, abbreviated terms and prefixes .....</b> | <b>2</b>    |
| <b>3.1</b>      | <b>Abbreviated terms .....</b>                                  | <b>2</b>    |
| <b>3.2</b>      | <b>Use of prefixes .....</b>                                    | <b>2</b>    |
| <b>4</b>        | <b>Control information description language .....</b>           | <b>3</b>    |
| <b>4.1</b>      | <b>General .....</b>  | <b>3</b>    |
| <b>4.2</b>      | <b>Schema wrapper conventions .....</b>                         | <b>3</b>    |
| <b>4.3</b>      | <b>Mnemonics for binary representations .....</b>               | <b>3</b>    |
| <b>4.4</b>      | <b>Common header for binary representations .....</b>           | <b>3</b>    |
| <b>4.5</b>      | <b>Root element and top-level tools .....</b>                   | <b>4</b>    |
| <b>4.6</b>      | <b>Sensory device capability description .....</b>              | <b>19</b>   |
| <b>4.7</b>      | <b>Sensor capability description .....</b>                      | <b>22</b>   |
| <b>4.8</b>      | <b>User's sensory preference description .....</b>              | <b>27</b>   |
| <b>4.9</b>      | <b>Sensor adaptation preference description .....</b>           | <b>30</b>   |
| <b>5</b>        | <b>Device capability description vocabulary .....</b>           | <b>34</b>   |
| <b>5.1</b>      | <b>General .....</b>  | <b>34</b>   |
| <b>5.2</b>      | <b>Schema wrapper conventions .....</b>                         | <b>35</b>   |
| <b>5.3</b>      | <b>Light capability type .....</b>                              | <b>35</b>   |
| <b>5.4</b>      | <b>Flash capability type .....</b>                              | <b>38</b>   |
| <b>5.5</b>      | <b>Heating capability type .....</b>                            | <b>39</b>   |
| <b>5.6</b>      | <b>Cooling capability type .....</b>                            | <b>41</b>   |
| <b>5.7</b>      | <b>Wind capability type .....</b>                               | <b>43</b>   |
| <b>5.8</b>      | <b>Vibration capability type .....</b>                          | <b>45</b>   |
| <b>5.9</b>      | <b>Scent capability type .....</b>                              | <b>47</b>   |
| <b>5.10</b>     | <b>Fog capability type .....</b>                                | <b>49</b>   |
| <b>5.11</b>     | <b>Sprayer capability type .....</b>                            | <b>51</b>   |
| <b>5.12</b>     | <b>Color correction capability type .....</b>                   | <b>53</b>   |
| <b>5.13</b>     | <b>Tactile capability type .....</b>                            | <b>54</b>   |
| <b>5.14</b>     | <b>Kinesthetic capability type .....</b>                        | <b>59</b>   |
| <b>5.15</b>     | <b>RigidBodyMotion capability type .....</b>                    | <b>66</b>   |
| <b>5.16</b>     | <b>Mobile device position capability type .....</b>             | <b>80</b>   |
| <b>5.17</b>     | <b>Bubble capability type .....</b>                             | <b>85</b>   |
| <b>6</b>        | <b>Sensor capability description vocabulary .....</b>           | <b>86</b>   |
| <b>6.1</b>      | <b>General .....</b>  | <b>86</b>   |
| <b>6.2</b>      | <b>Schema wrapper conventions .....</b>                         | <b>88</b>   |
| <b>6.3</b>      | <b>Light sensor capability type .....</b>                       | <b>88</b>   |
| <b>6.4</b>      | <b>Ambient noise sensor capability type .....</b>               | <b>91</b>   |
| <b>6.5</b>      | <b>Temperature sensor capability type .....</b>                 | <b>92</b>   |
| <b>6.6</b>      | <b>Humidity sensor capability type .....</b>                    | <b>93</b>   |
| <b>6.7</b>      | <b>Distance sensor capability type .....</b>                    | <b>95</b>   |
| <b>6.8</b>      | <b>Atmospheric pressure sensor capability type .....</b>        | <b>96</b>   |
| <b>6.9</b>      | <b>Position sensor capability type .....</b>                    | <b>98</b>   |
| <b>6.10</b>     | <b>Velocity sensor capability type .....</b>                    | <b>100</b>  |
| <b>6.11</b>     | <b>Acceleration sensor capability type .....</b>                | <b>101</b>  |
| <b>6.12</b>     | <b>Orientation sensor capability type .....</b>                 | <b>102</b>  |
| <b>6.13</b>     | <b>Angular velocity sensor capability type .....</b>            | <b>104</b>  |

|      |  |     |
|------|--|-----|
| 6.14 | Angular acceleration sensor capability type .....            | 105 |
| 6.15 | Force sensor capability type .....                           | 106 |
| 6.16 | Torque sensor capability type .....                          | 107 |
| 6.17 | Pressure sensor capability type .....                        | 108 |
| 6.18 | Motion sensor capability type .....                          | 109 |
| 6.19 | Intelligent camera capability type .....                     | 112 |
| 6.20 | Bend sensor capability type .....                            | 117 |
| 6.21 | Gas sensor capability type .....                             | 119 |
| 6.22 | Dust sensor capability type .....                            | 121 |
| 6.23 | Multi interaction point sensor capability type .....         | 122 |
| 6.24 | Gaze tracking sensor capability type .....                   | 123 |
| 6.25 | Global position sensor capability type .....                 | 125 |
| 6.26 | Altitude sensor capability type .....                        | 128 |
| 6.27 | Weather sensor capability type .....                         | 130 |
| 6.28 | Camera sensor capability type .....                          | 133 |
| 6.29 | Proximity sensor capability type .....                       | 137 |
| 6.30 | Body weight sensor capability type .....                     | 138 |
| 6.31 | Engine oil temperature sensor capability type .....          | 139 |
| 6.32 | Intake air temperature sensor capability type .....          | 140 |
| 6.33 | Tire pressure monitor system sensor capability type .....    | 141 |
| 6.34 | Distance traveled sensor capability type .....               | 142 |
| 6.35 | Speed sensor capability type .....                           | 143 |
| 6.36 | Vehicle speed sensor capability type .....                   | 144 |
| 6.37 | Mass air flow sensor capability type .....                   | 145 |
| 6.38 | Fuel level sensor capability type .....                      | 146 |
| 6.39 | Manifold absolute pressure sensor capability type .....      | 146 |
| 6.40 | EngineRPM sensor capability type .....                       | 147 |
| 7    | User's sensory preference vocabulary .....                   | 148 |
| 7.1  | General .....  | 148 |
| 7.2  | Schema wrapper conventions .....                             | 149 |
| 7.3  | Light preference type .....                                  | 149 |
| 7.4  | Flash preference type .....                                  | 151 |
| 7.5  | Heating preference type .....                                | 153 |
| 7.6  | Cooling preference type .....                                | 154 |
| 7.7  | Wind preference type .....                                   | 156 |
| 7.8  | Vibration preference type .....                              | 158 |
| 7.9  | Scent preference type .....                                  | 159 |
| 7.10 | Fog preference type .....                                    | 161 |
| 7.11 | Spraying preference type .....                               | 163 |
| 7.12 | Color correction preference type .....                       | 164 |
| 7.13 | Tactile preference type .....                                | 165 |
| 7.14 | Kinesthetic preference type .....                            | 168 |
| 7.15 | RigidBodyMotion preference type .....                        | 171 |
| 7.16 | Bubble preference type .....                                 | 184 |
| 8    | Sensor adaptation preference vocabulary .....                | 185 |
| 8.1  | General .....  | 185 |
| 8.2  | Schema wrapper conventions .....                             | 186 |
| 8.3  | Light sensor adaptation preference type .....                | 186 |
| 8.4  | Ambient noise sensor adaptation preference type .....        | 188 |
| 8.5  | Temperature sensor adaptation preference type .....          | 189 |
| 8.6  | Humidity sensor adaptation preference type .....             | 190 |
| 8.7  | Distance sensor adaptation preference type .....             | 191 |
| 8.8  | Atmospheric pressure sensor adaptation preference type ..... | 192 |
| 8.9  | Position sensor adaptation preference type .....             | 193 |
| 8.10 | Velocity sensor adaptation preference type .....             | 195 |
| 8.11 | Acceleration sensor adaptation preference type .....         | 196 |
| 8.12 | Orientation sensor adaptation preference type .....          | 197 |
| 8.13 | Angular velocity sensor adaptation preference type .....     | 199 |
| 8.14 | Angular acceleration sensor adaptation preference type ..... | 200 |
| 8.15 | Force sensor adaptation preference type .....                | 201 |

|  |  |     |
|--|--|-----|
| 8.16   | Torque sensor adaptation preference type .....             | 202 |
| 8.17   | Pressure sensor adaptation preference type .....           | 203 |
| 8.18   | Motion sensor adaptation preference type .....             | 204 |
| 8.19   | Intelligent camera sensor adaptation preference type ..... | 207 |
| Annex A (normative) Classification schemes ..... |  | 212 |
| A.1  | General .....  | 212 |
| A.2  | Classification schemes .....                               | 212 |
| Annex B (informative) Schema documents .....     |  | 214 |
| B.2  | Associated MPEG-7 Schema .....                             | 214 |
| B.3  | Associated MPEG-21 Schema .....                            | 214 |
| Annex C (informative) Patent statements .....    |  | 215 |