

ISO/IEC 18305:2016-11 (E)

Information technology - Real time locating systems - Test and evaluation of localization and tracking systems

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviated terms	2
5	LTS taxonomy	3
5.1	Types of location sensors	3
5.1.1	Unimodal systems	4
5.1.2	Multimodal systems	5
5.2	Reliance on pre-existing networking / localization infrastructure	5
5.2.1	LTs requiring infrastructure	5
5.2.2	LTs capable of infrastructure-less operation	5
5.2.3	Real-time deployment of nodes facilitating localization	6
5.2.4	Opportunistic use of infrastructure/environment	6
5.3	Off-line, building-specific training	6
5.3.1	LTs requiring off-line training	6
5.3.2	LTs not requiring off-line training	7
5.4	Ultimate consumer(s) of location information	7
5.4.1	Introduction	7
5.4.2	The ELT	8
5.4.3	The tracking authority	8
5.4.4	Both the ELT and the tracking authority	8
6	LTS privacy and security considerations	8
6.1	Privacy	8
6.2	Security	9
7	T&E methodology taxonomy	9
7.1	System vs. component testing	9
7.1.1	System testing	9
7.1.2	Component testing	9
7.2	Knowledge about LTS inner-workings	10
7.2.1	T&E designed with full knowledge of LTS inner-workings	10
7.2.2	Black-box testing	10
7.3	Repeatability	10
7.3.1	Repeatable testing	10
7.3.2	Non-repeatable testing	10
7.4	Test site	10
7.4.1	Building-wide testing	10
7.4.2	Laboratory testing	11
7.5	Ground truth	11
7.5.1	Off-line surveyed test points	11
7.5.2	Reference LTS	11

8	LTS performance metrics	12
8.1	Introduction	12
8.2	Floor detection probability	13
8.3	Zone detection probability	13
8.4	Means of various errors	13
8.5	Covariance matrix of the error vector	14
8.6	Variances of magnitudes of various errors	14
8.7	RMS values of various errors	15
8.8	Absolute mean of the error vector	15
8.9	Circular Error 95% (CE95) and Circular Error Probable (CEP)	15
8.10	Vertical Error 95% (VE95) and Vertical Error Probable (VEP)	16
8.11	Spherical Error 95% (SE95) and Spherical Error Probable (SEP)	16
8.12	Coverage	16
8.13	Relative accuracy	17
8.14	Latency	17
8.15	Set-up time	18
8.16	Optional performance metrics	18
8.16.1	Location-specific accuracy	18
8.16.2	Availability	19
9	Optional performance metrics for LTS use in mission critical applications	19
9.1	Introduction	19
9.2	Susceptibility	20
9.3	Resilience	20
10	T&E considerations and scenarios	20
10.1	Building types	20
10.1.1	Introduction	20
10.1.2	Wooden structure single-family house	20
10.1.3	Medium-size brick & concrete office building	21
10.1.4	Warehouse/factory	21
10.1.5	High-rise steel structure	21
10.1.6	Subterranean structure	21
10.2	Effects of mobility	21
10.2.1	Introduction	21
10.2.2	Stationary object/person	22
10.2.3	Walking	22
10.2.4	Running	22
10.2.5	Backward walking	22
10.2.6	Sidestepping	22
10.2.7	Crawling	22
10.3	Failure modes and vulnerabilities of location sensors	23
10.4	T&E scenarios	23
11	T&E reporting requirements	30
11.1	Introduction	30
11.2	Test place and date	33
11.3	Environmental conditions	33
11.4	LTS product tested	33
11.5	Equipment used by the LTS	33
11.6	ELTD features	33
11.7	Location data format	34
11.8	Location update rate and system capacity	34
11.9	RF emission and interference issues	34
11.10	Set-up procedure	35
11.11	Building information needed by the LTS	35
11.12	LTS GUIs	36
11.12.1	ELTD GUI	36
11.12.2	Tracking authority GUI	36
11.13	Maintenance	36
11.14	Floor plans of test buildings	37

11.15	Characterization of T&E scenarios involving entities in motion	37
11.16	Presentation of numerical T&E results	38
11.17	Visualization of T&E results	43
Annex A (normative) Conversions between local Cartesian and WGS 84 coordinates		47
Annex B (informative) Location sensors and their failure modes		64
Bibliography		76