ISO/IEC/IEEE 8802-15-6:2017-10 (E)

Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 15-6: Wireless body area network

Contents

1. Overview 1
   1.1 Scope 1
   1.2 Purpose 1

2. Normative references 2

3. Definitions, acronyms, and abbreviations 2
   3.1 Definitions 2
   3.2 Special terms 7
   3.3 Acronyms and abbreviations 7

4. General framework elements 10
   4.1 General 10
   4.2 Network topology 10
   4.3 Reference model 11
   4.4 Time base 12
   4.5 MAC and security state diagrams 12
   4.6 Security paradigm 15

5. MAC frame formats 16
   5.1 Conventions 16
   5.2 General format 17
   5.3 Management type frames 27
   5.4 Control type frames 55
   5.5 Data type frames 60
   5.6 MAC/PHY Capability fields 61
   5.7 Information elements 65

6. MAC functions 77
   6.1 General 77
   6.2 Frame processing 78
   6.3 Access classification and division 88
   6.4 BAN creation/operation and node connection/disconnection 90
   6.5 Random access 92
   6.6 Improvised access and unscheduled access 98
   6.7 Scheduled access and scheduled-polling access 107
   6.8 Access continuation, termination, and timeout 110
   6.9 MICS band communication 116
   6.10 Two-hop star topology extension 121
   6.11 Clock synchronization and guard time provisioning 132
   6.12 Power management 140
   6.13 Coexistence and interference mitigation 142
   6.14 MAC/PHY capability handling/interaction and Application Specific IE usage 147
   6.15 MAC sublayer parameters 148

7. Security services 151
   7.1 Security association and disassociation 151
   7.2 PTK creation and GTK distribution 163
   7.3 Message security 165
   7.4 Optional cipher functions 172

8. Narrowband PHY specification 172
8.1 Data-rate-dependent parameters 173
8.2 PLCP preamble 176
8.3 PLCP header 178
8.4 PSDU 181
8.5 Constellation mapping 185
8.6 General requirements 187
8.7 PHY layer timing 188
8.8 Transmitter specifications 190
8.9 Receiver specifications 194

9. Ultra wideband PHY specification 196
9.1 Definition of hubs and devices 196
9.2 Modes of operation 197
9.3 Rules for use of modes and options 197
9.4 Pulse shape option 198
9.5 UWB PHY frame format 198
9.6 PSDU construction 198
9.7 PHR construction 201
9.8 Synchronization header 204
9.9 IR-UWB symbol structure 206
9.10 UWB modulations 209
9.11 IR-UWB PSDU timing parameters 215
9.12 Operating frequency bands 217
9.13 Transmit spectral mask 218
9.14 IR-UWB pulse shapes 219
9.15 Type II hybrid ARQ mechanism 224
9.16 FM-UWB 228
9.17 General UWB PHY requirements 231
9.18 General radio specifications 232

10. Human body communications PHY specification 235
10.1 General 235
10.2 HBC packet structure 235
10.3 HBC transmitter 236
10.4 PLCP Preamble 237
10.5 Start frame delimiter and rate indicator 239
10.6 PHY Header 242
10.7 PSDU 244
10.8 Transmitter specifications 247
10.9 Receiver specifications 248
10.10 General requirements 248
10.11 PHY layer timing 249

Annex A (informative) Bibliography 250

Annex B (informative) Coexistence applicability guide 251

Annex C (informative) Ultra wideband 252

Annex D (informative) Features of human body communication 256