ISO/IEC 30118-3:2018-11 (E)

Information technology - Open Connectivity Foundation (OCF) Specification - Part 3: Bridging specification

Contents

Page

1 Scope 6
2 Normative references 6
3 Terms, definitions, symbols and abbreviations 7
3.1 Terms and definitions 7
3.2 Symbols and abbreviations 9
3.3 Conventions 9
4 Document conventions and organization 9
4.1 Notation 10
4.2 Data types 10
4.3 Document structure 10
5 Operational Scenarios 10
5.1 “Deep translation” vs. “on-the-fly” 11
5.2 Use of introspection 11
5.3 Stability and loss of data 11
6 OCF Bridge Device 12
6.1 Resource Discovery 13
6.2 General Requirements 22
6.3 Security 22
6.3.1 Blocking communication of Bridged Devices with the OCF ecosystem 23
7 AllJoyn Translation 23
7.1 Requirements Specific to an AllJoyn Translator 23
7.1.1 Exposing AllJoyn producer devices to OCF Clients 23
7.1.2 Exposing OCF resources to AllJoyn consumer applications 31
7.2 On-the-Fly Translation from D-Bus and OCF payloads 36
7.2.1 Translation without aid of introspection 36
7.2.2 Translation with aid of introspection 42
8 Device Type Definitions 47
9 Resource Type definitions 47
9.1 List of resource types 47
9.2 Secure Mode 48
9.2.1 Introduction 48
9.2.2 Example URI Path 48
9.2.3 Resource Type 48
9.2.4 RAML Definition 48
9.2.5 Swagger2.0 Definition 50
9.2.6 Property Definition 52
9.2.7 CRUDN behaviour 53
9.3 AllJoyn Object 53
9.3.1 Introduction 53

9.3.2 Example URI Path 53
9.3.3 Resource Type 53
9.3.4 RAML Definition 53
9.3.5 Swagger2.0 Definition 55
9.3.6 CRUDN behaviour 57

Figures

Figure 1. OCF Bridge Device Components 7
Figure 2: Schematic overview of an OCF Bridge Device bridging non-OCF devices 12

Tables

Table 1: oic.wk.d resource type definition 26
Table 2: oic.wk.con resource type definition 28
Table 3: oic.wk.p Resource Type definition 29
Table 4: oic.wk.con.p Resource Type definition 30
Table 5: AllJoyn About Data fields 33
Table 6: AllJoyn Configuration Data fields 35
Table 7 Alphabetical list of resource types 48