

ISO/IEC 23009-1:2019-08 (E)

Information technology - Dynamic adaptive streaming over HTTP (DASH) - Part 1: Media presentation description and segment formats

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | vii |
| Introduction | | ix |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms, definitions, symbols and abbreviated terms | 2 |
| 3.1 | Terms and definitions | 2 |
| 3.2 | Symbols and abbreviated terms | 6 |
| 3.3 | Conventions | 8 |
| 4 | Overview | 8 |
| 4.1 | System description | 8 |
| 4.2 | DASH Client model | 9 |
| 4.3 | DASH data model overview | 10 |
| 4.4 | Protocols | 13 |
| 4.5 | Media stream and Representation properties | 14 |
| 4.5.1 | Switching and Random Access Support | 14 |
| 4.5.2 | Media stream access points | 14 |
| 4.5.3 | Non-overlapping Segments and Subsegments | 15 |
| 4.5.4 | Bitstream concatenation | 16 |
| 4.6 | Brands | 16 |
| 4.7 | Schemes | 16 |
| 5 | Media Presentation | 19 |
| 5.1 | General | 19 |
| 5.2 | Media Presentation Description | 19 |
| 5.2.1 | General | 19 |
| 5.2.2 | Schema | 20 |
| 5.2.3 | Elements and Attributes added in revisions and amendments | 21 |
| 5.3 | Hierarchical data model | 22 |
| 5.3.1 | General | 22 |
| 5.3.2 | Period | 27 |
| 5.3.3 | Adaptation Sets | 31 |
| 5.3.4 | Media content component | 42 |
| 5.3.5 | Representation | 44 |
| 5.3.6 | Sub-Representation | 52 |
| 5.3.7 | Common attributes and elements | 53 |
| 5.3.8 | Subsets | 59 |
| 5.3.9 | Segments and Segment information | 60 |
| 5.3.10 | Label and Group Label | 78 |
| 5.3.11 | Preselection | 79 |
| 5.4 | Media Presentation Description updates | 82 |
| 5.4.1 | General | 82 |
| 5.4.2 | MPD Reset | 83 |
| 5.5 | MPD assembly | 83 |
| 5.5.1 | General | 83 |
| 5.5.2 | Syntax and semantics | 83 |
| 5.5.3 | Processing | 84 |

| | | |
|--------|--|-----|
| 5.6 | Base URL Processing | 85 |
| 5.6.1 | Overview | 85 |
| 5.6.2 | Semantics | 85 |
| 5.6.3 | XML syntax | 86 |
| 5.6.4 | Reference resolution | 87 |
| 5.6.5 | Alternative base URLs | 87 |
| 5.7 | Program information | 87 |
| 5.7.1 | Overview | 87 |
| 5.7.2 | Semantics | 87 |
| 5.7.3 | XML syntax | 88 |
| 5.8 | Descriptors | 88 |
| 5.8.1 | General | 88 |
| 5.8.2 | Semantics of generic descriptor | 89 |
| 5.8.3 | XML syntax of generic descriptor | 90 |
| 5.8.4 | Specific descriptors | 90 |
| 5.8.5 | Specific scheme definitions | 93 |
| 5.9 | DASH metrics descriptor | 101 |
| 5.9.1 | Overview | 101 |
| 5.9.2 | Semantics | 101 |
| 5.9.3 | XML syntax | 102 |
| 5.9.4 | Metric reporting | 103 |
| 5.10 | Events | 103 |
| 5.10.1 | Overview | 103 |
| 5.10.2 | MPD Events | 103 |
| 5.10.3 | Inband Event Signalling | 106 |
| 5.10.4 | DASH-specific events | 109 |
| 5.11 | MPD Chaining | 112 |
| 5.11.1 | General | 112 |
| 5.11.2 | Regular Chaining | 112 |
| 5.11.3 | Fallback Chaining | 113 |
| 6 | Segment formats | 113 |
| 6.1 | General | 113 |
| 6.2 | Segment types | 114 |
| 6.2.1 | General | 114 |
| 6.2.2 | Initialization Segment | 114 |
| 6.2.3 | Media Segment | 114 |
| 6.2.4 | Index Segment | 116 |
| 6.2.5 | Bitstream Switching Segment | 116 |
| 6.3 | Segment formats for ISO base media file format | 116 |
| 6.3.1 | General | 116 |
| 6.3.2 | Preliminaries: Refinements of generic concepts | 116 |
| 6.3.3 | Initialization Segment format | 117 |
| 6.3.4 | Media Segment types | 117 |
| 6.3.5 | Self-Initializing Media Segment formats | 119 |
| 6.4 | Segment formats for MPEG-2 transport streams | 119 |
| 6.4.1 | General | 119 |
| 6.4.2 | Preliminaries: Refinements of generic concepts | 120 |
| 6.4.3 | Initialization Segment types and formats | 121 |
| 6.4.4 | Media Segment types and formats | 122 |
| 6.4.5 | Bitstream Switching Segment | 122 |
| 6.4.6 | Index Segment | 123 |
| 6.4.7 | Boxes used with MPEG-2 TS Index Segments | 125 |
| 7 | Combined semantics of MPD and Segment formats | 125 |
| 7.1 | Overview | 125 |
| 7.2 | General | 126 |
| 7.2.1 | Media Presentation timeline | 126 |
| 7.2.2 | Segment Index | 127 |
| 7.2.3 | Segment alignment | 127 |
| 7.2.4 | Subsegment alignment | 127 |

| | | |
|--------|--|-----|
| 7.3 | Media Presentation based on the ISO base media file format | 127 |
| 7.3.1 | General | 127 |
| 7.3.2 | Media presentation timeline | 128 |
| 7.3.3 | Authoring Rules for specific MPD attributes | 128 |
| 7.3.4 | Sub-Representations | 129 |
| 7.3.5 | Segment Timeline without Segment Index | 129 |
| 7.4 | Media Presentation based on MPEG-2 TS | 129 |
| 7.4.1 | General | 129 |
| 7.4.2 | Media presentation timeline | 130 |
| 7.4.3 | Authoring rules for specific MPD attributes | 130 |
| 7.4.4 | Sub-Representations | 131 |
| 8 | Profiles | 131 |
| 8.1 | Definition | 131 |
| 8.2 | Full profile | 133 |
| 8.2.1 | General | 133 |
| 8.2.2 | Media Presentation Description constraints | 133 |
| 8.2.3 | Segment format constraints | 133 |
| 8.3 | ISO Base media file format On Demand profile | 133 |
| 8.3.1 | General | 133 |
| 8.3.2 | Media Presentation Description constraints | 133 |
| 8.3.3 | Segment format constraints | 134 |
| 8.4 | ISO Base media file format live profile | 134 |
| 8.4.1 | General | 134 |
| 8.4.2 | Media Presentation Description constraints | 135 |
| 8.4.3 | Segment format constraints | 135 |
| 8.5 | ISO Base media file format main profile | 136 |
| 8.5.1 | General | 136 |
| 8.5.2 | Media Presentation Description constraints | 136 |
| 8.5.3 | Segment format constraints | 136 |
| 8.6 | MPEG-2 TS main profile | 137 |
| 8.6.1 | General | 137 |
| 8.6.2 | Media Presentation Description constraints | 137 |
| 8.6.3 | Segment format constraints | 137 |
| 8.6.4 | Comments and recommendations | 137 |
| 8.7 | MPEG-2 TS simple profile | 138 |
| 8.7.1 | General | 138 |
| 8.7.2 | Media Presentation Description constraints | 138 |
| 8.7.3 | Segment format constraints | 138 |
| 8.7.4 | Recommendations | 138 |
| 8.8 | ISO Base media file format extended live profile | 139 |
| 8.8.1 | General | 139 |
| 8.8.2 | Media Presentation Description constraints | 139 |
| 8.8.3 | Segment format constraints | 140 |
| 8.8.4 | Inband Events | 140 |
| 8.9 | ISO Base media file format extended On Demand profile | 140 |
| 8.9.1 | General | 140 |
| 8.9.2 | Media Presentation Description constraints | 140 |
| 8.9.3 | Segment format constraints | 141 |
| 8.10 | ISO Base media file format common profile | 142 |
| 8.10.1 | General | 142 |
| 8.10.2 | Media Presentation Description constraints | 142 |
| 8.10.3 | Segment format constraints | 142 |
| 8.11 | ISO Base media file format broadcast TV profile | 142 |
| 8.11.1 | General | 142 |
| 8.11.2 | Media Presentation Description constraints | 143 |
| 8.11.3 | Segment format constraints | 144 |
| 8.11.4 | MPD Updates and Inband Event Streams | 144 |
| | Annex A (informative)ExampleDASHClientbehaviour | 146 |
| | Annex B (normative) MPD schema | 154 |

| | |
|--|------------|
| Annex C (normative) MIME type registration for MPD | 155 |
| Annex D (normative) DASH Metrics | 159 |
| Annex E (normative) Byte range requests with regular HTTP GET methods | 165 |
| Annex F (informative) Guidelines for extending DASH with other delivery formats | 167 |
| Annex G (informative) MPD Examples and MPD Usage | 168 |
| Annex H (normative) Spatial Relationship Description | 197 |
| Annex I (normative) Flexible Insertion of URL Parameters | 208 |
| Annex J (informative) Open GOP resolution change | 223 |
| Bibliography | 224 |