ISO/IEC 21000-22:2019-08 (E)

Information technology - Multimedia framework (MPEG-21) - Part 22: User Description

Contents

Page

Foreword xi

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 General description 3
4.1 commonAttributes 3
4.1.1 Syntax 3
4.1.2 Semantics 3
4.1.3 Examples 3
4.2 ValueTypes 3
4.2.1 Syntax 3
4.2.2 Semantics 5
4.2.3 Examples 6
4.3 TimeType 6
4.3.1 Syntax 6
4.3.2 Semantics 6
4.3.3 Examples 7
4.4 ExtendedTimeType 7
4.4.1 Syntax 7
4.4.2 Semantics 7
4.4.3 Examples 9
4.5 LocationType 9
4.5.1 Syntax 9
4.5.2 Semantics 9
4.5.3 Examples 9
4.6 ClassificationSchemeAliasType 10
4.6.1 Syntax 10
4.6.2 Semantics 10
4.6.3 Examples 11
4.7 ObjectType 11
4.7.1 Syntax 11
4.7.2 Semantics 11
4.7.3 Examples 12
4.8 InformationAccessUserGroup 12
4.8.1 Syntax 12
4.8.2 Semantics 13

5 User description 13
5.1 UserDescriptionType 13
5.1.1 Syntax 13
5.1.2 Semantics 14
5.2 UserProfileType 15
5.2.1 Syntax 16
5.2.2 Semantics 16
5.2.3 Examples 16
5.3 PersonProfileType 16
5.3.1 Syntax 16

5.3.2 Semantics 17
5.3.3 Examples 17
5.4 OrganizationProfileType 18
5.4.1 Syntax 18
5.4.2 Semantics 18
5.4.3 Examples 18
5.5 DeviceProfileType 18
5.5.1 Syntax 18
5.5.2 Semantics 19
5.5.3 Examples 19
5.6 GroupedProfileType 19
5.6.1 Syntax 19
5.6.2 Semantics 20
5.6.3 Examples 20
5.7 UsageHistoryType 20
5.7.1 Syntax 20
5.7.2 Semantics 21
5.7.3 Examples 22
5.8 EventType 22
5.8.1 Syntax 22
5.8.2 Semantics 22
5.8.3 Examples 23
5.9 InteractionAtomType 23
5.9.1 Syntax 23
5.9.2 Semantics 24
5.9.3 Examples 25
5.10 ArtefactType 25
5.10.1 Syntax 25
5.10.2 Semantics 26
5.10.3 Examples 26
5.11 ObservableType 26
5.11.1 Syntax 26
5.11.2 Semantics 27
5.11.3 Examples 27
5.12 MultimediaExperienceType 28
5.12.1 Syntax 28
5.12.2 Semantics 28
5.12.3 Examples 28
5.13 StateType 30
5.13.1 Syntax 30
5.13.2 Semantics 31
5.13.3 Examples 31
5.14 PreferenceType 31
5.14.1 Syntax 32
5.14.2 Semantics 32
5.15 TextPresentationPreferencesType 33
5.15.1 Syntax 34
5.15.2 Semantics 34
5.15.3 Example 35
5.16 WebLinkPreferenceType 35
5.16.1 Syntax 35
5.16.2 Semantics 35
5.16.3 Example 36
5.17 WebLinkUsageHistoryType 36
5.17.1 Syntax 36
5.17.2 Semantics 36
5.18 ServicePreferenceType 37
5.18.1 Syntax 37
5.18.2 Semantics 37
5.18.3 Examples 37
5.19 GeneralAudioPreferenceType 37
5.19.1 Syntax 37

5.19.2 Semantics 39
5.19.3 Examples 39
5.20 AudioPresentationPreferencesType 39
5.20.1 Syntax 39
5.20.2 Semantics 40
5.21 AudioPresentationEnvironmentPreferenceType 40
5.21.1 Syntax 40
5.21.2 Semantics 41
5.21.3 Examples 42
5.22 TranslationPreferencesType 43
5.22.1 Syntax 43
5.22.2 Semantics 44
5.22.3 Examples 44
5.23 SpeechStylePreferenceType 45
5.23.1 Syntax 45
5.23.2 Semantics 45
5.24 GenderType 45
5.24.1 Syntax 45
5.24.2 Semantics 45
5.24.3 Examples 46
5.25 EmotionType 46
5.25.1 Syntax 46
5.25.2 Semantics 47
5.25.3 Examples 48
5.26 ScheduleType 49
5.26.1 Syntax 49
5.26.2 Semantics 49
5.27 ScheduleEventType 49
5.27.1 Syntax 50
5.27.2 Semantics 50
5.27.3 Examples 51
5.28 ActivityType 51
5.28.1 Syntax 51
5.28.2 Semantics 52
5.28.3 Examples 54
5.29 IntentionType 54
5.29.1 Syntax 54
5.29.2 Semantics 55
5.29.3 Examples 55
5.30 LanguageType 55
5.30.1 Syntax 55
5.30.2 Semantics 56
5.30.3 Examples 58
5.31 LanguageCompetenceReferenceType 60
5.31.1 Syntax 60
5.31.2 Semantics 60
5.32 CompetenceLevelType 61
5.32.1 Syntax 61
5.32.2 Semantics 61
5.33 AccessibilityType 61
5.33.1 Syntax 61
5.33.2 Semantics 62
5.33.3 Examples 62
5.34 SocialInformationType 63
5.34.1 Syntax 63
5.34.2 Semantics 64
5.35 KnowledgeType 64
5.35.1 Syntax 64
5.35.2 Semantics 65
5.36 ObjectSharingType 66
5.36.1 Syntax 66
5.36.2 Semantics 67

5.36.3 Examples 67
5.37 ObjectAccessibilityType 67
5.37.1 Syntax 67
5.37.2 Semantics 68
5.37.3 Examples 68
5.38 UsagePatternType 68
5.38.1 Syntax 68
5.38.2 Semantics 68
5.38.3 Examples 69
5.39 LoudnessPreferencesType 69
5.39.1 Syntax 69
5.39.2 Semantics 71
5.40 VisualExpressionType 71
5.40.1 Syntax 71
5.40.2 Semantics 73
5.41 BaseUserType 73
5.41.1 Syntax 73
5.41.2 Semantics 73

6 Context description 74
6.1 ContextDescriptionType 74
6.1.1 Syntax 74
6.1.2 Semantics 75
6.1.3 Examples 76
6.2 ContextIdentificationType 76
6.2.1 Syntax 77
6.2.2 Semantics 77
6.2.3 Examples 77
6.3 DeviceCharacteristicsType 77
6.3.1 Syntax 77
6.3.2 Semantics 78
6.3.3 Examples 78
6.4 NetworkInfoType 79
6.4.1 Syntax 79
6.4.2 Semantics 80
6.4.3 Examples 80
6.5 WeatherType 80
6.5.1 Syntax 80
6.5.2 Semantics 81
6.5.3 Examples 82
6.6 OtherEnvironmentalInfoType 82
6.6.1 Syntax 83
6.6.2 Semantics 83
6.7 AudioEnvironmentType 83
6.7.1 Syntax 83
6.7.2 Semantics 84
6.8 RecordingEnvironmentType 84
6.8.1 Syntax 84
6.8.2 Semantics 84
6.8.3 Examples 84
6.9 LoudnessEnvironmentType 85
6.9.1 Syntax 85
6.9.2 Semantics 87
6.10 VisualExpressionType 88
6.10.1 Syntax 88
6.10.2 Semantics 89
6.11 BaseContextType 89
6.11.1 Syntax 89
6.11.2 Semantics 89
6.12 ContextDescriptionType 90
6.12.1 Syntax 90
6.12.2 Semantics 91

7 Sevice description 92
7.1 BaseServiceType 92
7.1.1 Syntax 92
7.1.2 Semantics 92
7.2 ServiceDescriptionType 92
7.2.1 Syntax 93
7.2.2 Semantics 93
7.3 ServiceGeneralInformationType 94
7.3.1 Syntax 94
7.3.2 Semantics 95
7.4 ServiceTargetInformationType 95
7.4.1 Syntax 95
7.4.2 Semantics 96
7.5 ServiceTargetModelType 96
7.5.1 Syntax 96
7.5.2 Semantics 97
7.6 VocabularySetType 97
7.6.1 Syntax 97
7.6.2 Semantics 98
7.7 ServiceInterfacesType 98
7.7.1 Syntax 98
7.7.2 Semantics 98
7.8 ServiceInterfaceType 98
7.8.1 Syntax 98
7.8.2 Semantics 99
7.9 RequiredInputDataType 99
7.9.1 Syntax 99
7.9.2 Semantics 99
7.10 InternalServicesType 99
7.10.1 Syntax 100
7.10.2 Semantics 100
7.11 InternalServicesType 100
7.11.2 Semantics 100
7.12 AudioDBType 101
7.12.1 Syntax 101
7.12.2 Semantics 101
7.13 AudioDBDescriptorType 102
7.13.1 Syntax 102
7.13.2 Semantics 102
7.14 VideoDBType 102
7.14.1 Syntax 102
7.14.2 Semantics 103
7.15 VideoDBDescriptorType 104
7.15.1 Syntax 104
7.15.2 Semantics 104
7.16 ServiceObjectType 104
7.16.1 Syntax 104
7.16.2 Semantics 105
7.17 LoudnessInfoType 105
7.17.1 Syntax 105
7.17.2 Semantics 106
7.18 VisualExpressionInfoType 107
7.18.1 Syntax 107
7.18.2 Semantics 110

8 Recommendation description 111
8.1 RecommendationDescriptionType 111
8.1.1 Syntax 111
8.1.2 Semantics 112
8.2 compactUsageDescriptionType 113
8.2.1 Syntax 113

8.2.2 Semantics 114
8.2.3 Example 114
8.3 QueryDescriptionType 115
8.3.1 Syntax 115
8.3.2 Semantics 115
8.4 ProcessChainType 115
8.4.1 Syntax 115
8.4.2 Semantics 116
8.5 RecommendationInformationType 116
8.5.1 Syntax 116
8.5.2 Semantics 117
8.6 RecommendableResourceType 117
8.6.1 Syntax 117
8.6.2 Semantics 118
8.7 Resource 119
8.7.1 Syntax 119
8.7.2 Semantics 119
8.8 resourceUsageType 119
8.8.1 Syntax 119
8.8.2 Semantics 120
8.9 clusteringType 120
8.9.1 Syntax 120
8.9.2 Semantics 121
8.10 genericClusteringType 121
8.10.1 Syntax 121
8.10.2 Semantics 122
8.11 hierarchicalClusteringType 122
8.11.1 Syntax 122
8.11.2 Semantics 123
8.12 SequentialClusteringType 123
8.12.1 Syntax 123
8.12.2 Semantics 123
8.13 costFunctionMinimisationClusteringType 123
8.13.1 Syntax 124
8.13.2 Semantics 124
8.14 clusterStructureType 124
8.14.1 Syntax 124
8.14.2 Semantics 125
8.15 genericAggregateType 125
8.15.1 Syntax 125
8.15.2 Semantics 126
8.16 setMemberType 126
8.16.1 Syntax 126
8.16.2 Semantics 126
8.17 orderedSetMemberType 127
8.17.1 Syntax 127
8.17.2 Semantics 128
8.18 genericSetType 128
8.18.1 Syntax 128
8.18.2 Semantics 128
8.19 labelledSetType 129
8.19.1 Syntax 129
8.19.2 Semantics 130
8.20 orderedSetType 130
8.20.1 Syntax 130
8.20.2 Semantics 131
8.21 equivalenceSetType 131
8.21.1 Syntax 131
8.21.2 Semantics 131
8.22 linkageSetType 132
8.22.1 Syntax 132
8.22.2 Semantics 132

8.23 Member 132
8.23.1 Syntax 132
8.23.2 Semantics 133
8.24 OrderedMember 133
8.24.1 Syntax 133
8.24.2 Semantics 133
8.25 queryClauseType 133
8.25.1 Syntax 133
8.25.2 Semantics 134
8.25.3 Example 135
8.26 ORqueryClauseType 135
8.26.1 Syntax 135
8.26.2 Semantics 135
8.27 ANDqueryClauseType 136
8.27.1 Syntax 136
8.27.2 Semantics 136
8.28 LoudnessControlType 136
8.28.1 Syntax 136
8.28.2 Semantics 137
8.29 VisualExpressionType 137
8.29.1 Syntax 137
8.29.2 Semantics 138

9 Reference software 138
9.1 General 138
9.2 Development environment 138
9.3 Structure of reference software 139
9.4 Reference software classes and method 139
9.4.1 General 139
9.4.2 Encoder 139
9.4.3 Decoder 140
9.4.4 Validator 141
9.5 Example using the encoder 141
9.6 Example using the decoder 142
9.7 Example of the validator for reference software 143

10 Implementation guidelines 143
10.1 Application 1: Remote Responsive User Interface 143
10.1.1 General 143
10.1.2 Workflow 144
10.1.3 Validation 145
10.2 Application 2: Lossless audio service 148
10.2.1 General 148
10.2.2 Workflow 148
10.2.3 Validation 149
10.3 Application 3: Visual communication system 150
10.3.1 General 150
10.3.2 Workflow 151
10.3.3 Validation 152
10.4 Application 4: Translation preferences 153
10.4.1 General 153
10.4.2 Workflow 153
10.4.3 Validation 154
10.5 Application 5: Recommending multimedia services 155
10.5.1 General 155
10.5.2 Workflow 155
10.5.3 Validation 156
10.6 Application 6: User-centric application personalization in a Cloud 157
10.6.1 General 157
10.6.2 Workflow 157
10.6.3 Validation 157

Annex A (normative) 160
Annex B (normative) 161