

ISO/IEC 21000-22:2019-08 (E)

Information technology - Multimedia framework (MPEG-21) - Part 22: User Description

Contents		Page
Foreword		xi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General description	3
4.1	commonAttributes	3
4.1.1	Syntax	3
4.1.2	Semantics	3
4.1.3	Examples	3
4.2	ValueTypes	3
4.2.1	Syntax	3
4.2.2	Semantics	5
4.2.3	Examples	6
4.3	TimeType	6
4.3.1	Syntax	6
4.3.2	Semantics	6
4.3.3	Examples	7
4.4	ExtendedTimeType	7
4.4.1	Syntax	7
4.4.2	Semantics	7
4.4.3	Examples	9
4.5	LocationType	9
4.5.1	Syntax	9
4.5.2	Semantics	9
4.5.3	Examples	9
4.6	ClassificationSchemeAliasType	10
4.6.1	Syntax	10
4.6.2	Semantics	10
4.6.3	Examples	11
4.7	ObjectType	11
4.7.1	Syntax	11
4.7.2	Semantics	11
4.7.3	Examples	12
4.8	InformationAccessUserGroup	12
4.8.1	Syntax	12
4.8.2	Semantics	13
5	User description	13
5.1	UserDescriptionType	13
5.1.1	Syntax	13
5.1.2	Semantics	14
5.2	UserProfileType	15
5.2.1	Syntax	16
5.2.2	Semantics	16
5.2.3	Examples	16
5.3	PersonProfileType	16
5.3.1	Syntax	16

5.3.2	Semantics	17
5.3.3	Examples	17
5.4	OrganizationProfileType	18
5.4.1	Syntax	18
5.4.2	Semantics	18
5.4.3	Examples	18
5.5	DeviceProfileType	18
5.5.1	Syntax	18
5.5.2	Semantics	19
5.5.3	Examples	19
5.6	GroupedProfileType	19
5.6.1	Syntax	19
5.6.2	Semantics	20
5.6.3	Examples	20
5.7	UsageHistoryType	20
5.7.1	Syntax	20
5.7.2	Semantics	21
5.7.3	Examples	22
5.8	EventType	22
5.8.1	Syntax	22
5.8.2	Semantics	22
5.8.3	Examples	23
5.9	InteractionAtomType	23
5.9.1	Syntax	23
5.9.2	Semantics	24
5.9.3	Examples	25
5.10	ArtefactType	25
5.10.1	Syntax	25
5.10.2	Semantics	26
5.10.3	Examples	26
5.11	ObservableType	26
5.11.1	Syntax	26
5.11.2	Semantics	27
5.11.3	Examples	27
5.12	MultimediaExperienceType	28
5.12.1	Syntax	28
5.12.2	Semantics	28
5.12.3	Examples	28
5.13	StateType	30
5.13.1	Syntax	30
5.13.2	Semantics	31
5.13.3	Examples	31
5.14	PreferenceType	31
5.14.1	Syntax	32
5.14.2	Semantics	32
5.15	TextPresentationPreferencesType	33
5.15.1	Syntax	34
5.15.2	Semantics	34
5.15.3	Example	35
5.16	WebLinkPreferenceType	35
5.16.1	Syntax	35
5.16.2	Semantics	35
5.16.3	Example	36
5.17	WebLinkUsageHistoryType	36
5.17.1	Syntax	36
5.17.2	Semantics	36
5.18	ServicePreferenceType	37
5.18.1	Syntax	37
5.18.2	Semantics	37
5.18.3	Examples	37
5.19	GeneralAudioPreferenceType	37
5.19.1	Syntax	37

5.19.2	Semantics	39
5.19.3	Examples	39
5.20	AudioPresentationPreferencesType	39
5.20.1	Syntax	39
5.20.2	Semantics	40
5.21	AudioPresentationEnvironmentPreferenceType	40
5.21.1	Syntax	40
5.21.2	Semantics	41
5.21.3	Examples	42
5.22	TranslationPreferencesType	43
5.22.1	Syntax	43
5.22.2	Semantics	44
5.22.3	Examples	44
5.23	SpeechStylePreferenceType	45
5.23.1	Syntax	45
5.23.2	Semantics	45
5.24	GenderType	45
5.24.1	Syntax	45
5.24.2	Semantics	45
5.24.3	Examples	46
5.25	EmotionType	46
5.25.1	Syntax	46
5.25.2	Semantics	47
5.25.3	Examples	48
5.26	ScheduleType	49
5.26.1	Syntax	49
5.26.2	Semantics	49
5.27	ScheduleEventType	49
5.27.1	Syntax	50
5.27.2	Semantics	50
5.27.3	Examples	51
5.28	ActivityType	51
5.28.1	Syntax	51
5.28.2	Semantics	52
5.28.3	Examples	54
5.29	IntentionType	54
5.29.1	Syntax	54
5.29.2	Semantics	55
5.29.3	Examples	55
5.30	LanguageType	55
5.30.1	Syntax	55
5.30.2	Semantics	56
5.30.3	Examples	58
5.31	LanguageCompetenceReferenceType	60
5.31.1	Syntax	60
5.31.2	Semantics	60
5.32	CompetenceLevelType	61
5.32.1	Syntax	61
5.32.2	Semantics	61
5.33	AccessibilityType	61
5.33.1	Syntax	61
5.33.2	Semantics	62
5.33.3	Examples	62
5.34	SocialInformationType	63
5.34.1	Syntax	63
5.34.2	Semantics	64
5.35	KnowledgeType	64
5.35.1	Syntax	64
5.35.2	Semantics	65
5.36	ObjectSharingType	66
5.36.1	Syntax	66
5.36.2	Semantics	67

5.36.3	Examples	67
5.37	ObjectAccessibilityType	67
5.37.1	Syntax	67
5.37.2	Semantics	68
5.37.3	Examples	68
5.38	UsagePatternType	68
5.38.1	Syntax	68
5.38.2	Semantics	68
5.38.3	Examples	69
5.39	LoudnessPreferencesType	69
5.39.1	Syntax	69
5.39.2	Semantics	71
5.40	VisualExpressionType	71
5.40.1	Syntax	71
5.40.2	Semantics	73
5.41	BaseUserType	73
5.41.1	Syntax	73
5.41.2	Semantics	73
6	Context description	74
6.1	ContextDescriptionType	74
6.1.1	Syntax	74
6.1.2	Semantics	75
6.1.3	Examples	76
6.2	ContextIdentificationType	76
6.2.1	Syntax	77
6.2.2	Semantics	77
6.2.3	Examples	77
6.3	DeviceCharacteristicsType	77
6.3.1	Syntax	77
6.3.2	Semantics	78
6.3.3	Examples	78
6.4	NetworkInfoType	79
6.4.1	Syntax	79
6.4.2	Semantics	80
6.4.3	Examples	80
6.5	WeatherType	80
6.5.1	Syntax	80
6.5.2	Semantics	81
6.5.3	Examples	82
6.6	OtherEnvironmentalInfoType	82
6.6.1	Syntax	83
6.6.2	Semantics	83
6.7	AudioEnvironmentType	83
6.7.1	Syntax	83
6.7.2	Semantics	84
6.8	RecordingEnvironmentType	84
6.8.1	Syntax	84
6.8.2	Semantics	84
6.8.3	Examples	84
6.9	LoudnessEnvironmentType	85
6.9.1	Syntax	85
6.9.2	Semantics	87
6.10	VisualExpressionType	88
6.10.1	Syntax	88
6.10.2	Semantics	89
6.11	BaseContextType	89
6.11.1	Syntax	89
6.11.2	Semantics	89
6.12	ContextDescriptionType	90
6.12.1	Syntax	90
6.12.2	Semantics	91

7	Service description	92
7.1	BaseServiceType	92
7.1.1	Syntax	92
7.1.2	Semantics	92
7.2	ServiceDescriptionType	92
7.2.1	Syntax	93
7.2.2	Semantics	93
7.3	ServiceGeneralInformationType	94
7.3.1	Syntax	94
7.3.2	Semantics	95
7.4	ServiceTargetInformationType	95
7.4.1	Syntax	95
7.4.2	Semantics	96
7.5	ServiceTargetModelType	96
7.5.1	Syntax	96
7.5.2	Semantics	97
7.6	VocabularySetType	97
7.6.1	Syntax	97
7.6.2	Semantics	98
7.7	ServiceInterfacesType	98
7.7.1	Syntax	98
7.7.2	Semantics	98
7.8	ServiceInterfaceType	98
7.8.1	Syntax	98
7.8.2	Semantics	99
7.9	RequiredInputDataType	99
7.9.1	Syntax	99
7.9.2	Semantics	99
7.10	InternalServicesType	99
7.10.1	Syntax	100
7.10.2	Semantics	100
7.11	InternalServicesType	100
7.11.2	Semantics	100
7.12	AudioDBType	101
7.12.1	Syntax	101
7.12.2	Semantics	101
7.13	AudioDBDescriptorType	102
7.13.1	Syntax	102
7.13.2	Semantics	102
7.14	VideoDBType	102
7.14.1	Syntax	102
7.14.2	Semantics	103
7.15	VideoDBDescriptorType	104
7.15.1	Syntax	104
7.15.2	Semantics	104
7.16	ServiceObjectType	104
7.16.1	Syntax	104
7.16.2	Semantics	105
7.17	LoudnessInfoType	105
7.17.1	Syntax	105
7.17.2	Semantics	106
7.18	VisualExpressionInfoType	107
7.18.1	Syntax	107
7.18.2	Semantics	110
8	Recommendation description	111
8.1	RecommendationDescriptionType	111
8.1.1	Syntax	111
8.1.2	Semantics	112
8.2	compactUsageDescriptionType	113
8.2.1	Syntax	113

8.2.2	Semantics	114
8.2.3	Example	114
8.3	QueryDescriptionType	115
8.3.1	Syntax	115
8.3.2	Semantics	115
8.4	ProcessChainType	115
8.4.1	Syntax	115
8.4.2	Semantics	116
8.5	RecommendationInformationType	116
8.5.1	Syntax	116
8.5.2	Semantics	117
8.6	RecommendableResourceType	117
8.6.1	Syntax	117
8.6.2	Semantics	118
8.7	Resource	119
8.7.1	Syntax	119
8.7.2	Semantics	119
8.8	resourceUsageType	119
8.8.1	Syntax	119
8.8.2	Semantics	120
8.9	clusteringType	120
8.9.1	Syntax	120
8.9.2	Semantics	121
8.10	genericClusteringType	121
8.10.1	Syntax	121
8.10.2	Semantics	122
8.11	hierarchicalClusteringType	122
8.11.1	Syntax	122
8.11.2	Semantics	123
8.12	SequentialClusteringType	123
8.12.1	Syntax	123
8.12.2	Semantics	123
8.13	costFunctionMinimisationClusteringType	123
8.13.1	Syntax	124
8.13.2	Semantics	124
8.14	clusterStructureType	124
8.14.1	Syntax	124
8.14.2	Semantics	125
8.15	genericAggregateType	125
8.15.1	Syntax	125
8.15.2	Semantics	126
8.16	setMemberType	126
8.16.1	Syntax	126
8.16.2	Semantics	126
8.17	orderedSetMemberType	127
8.17.1	Syntax	127
8.17.2	Semantics	128
8.18	genericSetType	128
8.18.1	Syntax	128
8.18.2	Semantics	128
8.19	labelledSetType	129
8.19.1	Syntax	129
8.19.2	Semantics	130
8.20	orderedSetType	130
8.20.1	Syntax	130
8.20.2	Semantics	131
8.21	equivalenceSetType	131
8.21.1	Syntax	131
8.21.2	Semantics	131
8.22	linkageSetType	132
8.22.1	Syntax	132
8.22.2	Semantics	132

8.23	Member	132
8.23.1	Syntax	132
8.23.2	Semantics	133
8.24	OrderedMember	133
8.24.1	Syntax	133
8.24.2	Semantics	133
8.25	queryClauseType	133
8.25.1	Syntax	133
8.25.2	Semantics	134
8.25.3	Example	135
8.26	ORqueryClauseType	135
8.26.1	Syntax	135
8.26.2	Semantics	135
8.27	ANDqueryClauseType	136
8.27.1	Syntax	136
8.27.2	Semantics	136
8.28	LoudnessControlType	136
8.28.1	Syntax	136
8.28.2	Semantics	137
8.29	VisualExpressionType	137
8.29.1	Syntax	137
8.29.2	Semantics	138
9	Reference software	138
9.1	General	138
9.2	Development environment	138
9.3	Structure of reference software	139
9.4	Reference software classes and method	139
9.4.1	General	139
9.4.2	Encoder	139
9.4.3	Decoder	140
9.4.4	Validator	141
9.5	Example using the encoder	141
9.6	Example using the decoder	142
9.7	Example of the validator for reference software	143
10	Implementation guidelines	143
10.1	Application 1: Remote Responsive User Interface	143
10.1.1	General	143
10.1.2	Workflow	144
10.1.3	Validation	145
10.2	Application 2: Lossless audio service	148
10.2.1	General	148
10.2.2	Workflow	148
10.2.3	Validation	149
10.3	Application 3: Visual communication system	150
10.3.1	General	150
10.3.2	Workflow	151
10.3.3	Validation	152
10.4	Application 4: Translation preferences	153
10.4.1	General	153
10.4.2	Workflow	153
10.4.3	Validation	154
10.5	Application 5: Recommending multimedia services	155
10.5.1	General	155
10.5.2	Workflow	155
10.5.3	Validation	156
10.6	Application 6: User-centric application personalization in a Cloud	157
10.6.1	General	157
10.6.2	Workflow	157
10.6.3	Validation	157
Annex A (normative)	160
Annex B (normative)	161