

ISO/IEC 21122-3:2019 (E)

Information technology — JPEG XS low-latency lightweight image coding system — Part 3: Transport and container formats

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
4.1	Symbols
4.2	Abbreviated terms
4.3	Naming conventions for numerical values
5	Conformance
6	Colour specification
7	Organization of the document
Annex A	(normative) Use of JPEG XS codestreams in still image file format - JXS
A.1	General
A.2	Specification of the JXS file format
A.2.1	General
A.2.2	File identification
A.2.3	File organization
A.2.4	Greyscale, colour, multi-component specification
A.2.5	Inclusion of auxilliary channels
A.2.6	Metadata
A.2.7	Conformance with the file format
A.3	Concept of boxes
A.3.1	Key to graphical descriptions
A.3.2	Box definition
A.4	Overview of defined boxes
A.5	Defined boxes
A.5.1	JPEG XS Signature box
A.5.2	File Type box
A.5.3	JPEG XS Video Support box (superbox)
A.5.3.1	General
A.5.3.2	JPEG XS Video Information box
A.5.3.3	JPEG XS Profile and Level box
A.5.3.4	Buffer Model Description box (optional)
A.5.3.5	Mastering Display Metadata box (optional)
A.5.3.6	JPEG XS Video Transport Parameter box (optional)
A.5.4	JPEG XS Header box (superbox)
A.5.4.1	General
A.5.4.2	Image Header box
A.5.4.3	Colour Specification box
A.5.4.4	Channel Definition box (optional)
A.5.4.5	Exif box (optional)
A.5.5	Contiguous Codestream box
A.5.6	Adding intellectual property rights information in JXS

- A.5.7 XML boxes
- A.5.8 UUID boxes
- A.5.9 UUID Info boxes (superbox)
 - A.5.9.1 General
 - A.5.9.2 UUID List box
 - A.5.9.3 Data Entry URL box
- A.6 Dealing with unknown boxes
- A.7 Still image JPEG XS coding files Media Type registration
 - A.7.1 General
 - A.7.2 Registration

Annex B (normative) Use of JPEG XS codestreams in the ISO/BMFF - Motion JPEG XS

- B.1 General
- B.2 Compatibility and technology derivation
 - B.2.1 Family members
 - B.2.2 Conformance
 - B.2.3 Profiles and levels
- B.3 Sample entry and sample formats for motion sequences
 - B.3.1 General
 - B.3.2 Definition
 - B.3.3 Syntax
 - B.3.4 Semantics
 - B.3.5 Example of sample entry formats

Annex C (normative) Use of JPEG XS codestreams in the HEIF image file format

- C.1 General
- C.2 JPEG XS images and image collections
 - C.2.1 General
 - C.2.2 Image data
 - C.2.3 JPEG XS Header item property
 - C.2.3.1 Definition
 - C.2.3.2 Syntax
 - C.2.3.3 Semantics
 - C.2.4 JPEG XS auxiliary images
- C.3 JPEG XS image sequences
 - C.3.1 General
 - C.3.2 Derivation from ISO/IEC 14496-12
- C.4 JPEG XS-specific brands
 - C.4.1 JPEG XS image and image collection brands
 - C.4.1.1 General
 - C.4.1.2 Requirements on files
 - C.4.1.3 Requirements on readers
 - C.4.2 JPEG XS image sequence brands
 - C.4.2.1 General
 - C.4.2.2 Requirements on files
 - C.4.2.3 Requirements on readers
- C.5 JPEG XS coding image in ISO/IEC 23008-12 image files Media Type registration
 - C.5.1 General
 - C.5.2 Registration
- C.6 JPEG XS coding sequence in ISO/IEC 23008-12 image files Media Type registration
 - C.6.1 General
 - C.6.2 Registration
- C.7 Examples of file structures
 - C.7.1 File with a single coded image item and Exif metadata
 - C.7.2 Dual-function file with both an MP4 presentation and a coded image item

Annex D (normative) Use of JPEG XS codestreams outside of file formats

- D.1 General
- D.2 Media Type registration for JPEG XS codestreams
 - D.2.1 General
 - D.2.2 Registration