ISO/IEC 9579:2000-02 ()

Contents

Page

Contents iii

Tables viii

Figures ix

Foreword x

Introduction xi

1 Scope 1

2 Normative References 3
2.1 International Standards 3
2.2 Internet Engineering Task Force 3
2.3 Institute of Electrical and Electronics Engineers 4

3 Interoperability 5
3.1 Interoperability between implementations 5
3.2 Interoperability with conforming OSI implementations 5
3.3 Interoperability with future editions 5

4 Definitions, Conventions and Notations 6
4.1 Definitions 6
4.2 Conventions 7
4.2.1 Convention for Figures 7
4.2.2 Naming of Concepts 7
4.2.3 Naming of Parameters 7
4.2.4 Specification of RDA Protocol, RDA Operations and RDA encoding elements 7
4.2.5 Evaluation of Rules 7

iv Contents 4.3 Notations 9
4.3.1 SQL/CLI functions 9
4.3.2 Implicit encoding definitions 9
4.3.3 Encoding Attributes 9
4.3.4 Notation for encoding syntax 9

5 Model and Facilities 10
5.1 Model 10
5.2 The RDA-client environment 11
5.2.1 Service User 11
5.2.2 SQL-client Services 11
5.2.3 RDA-client Services 12
5.2.4 Transport Mapping 12
5.2.5 RDA-client 12
5.2.6 RDA Location Server 13
5.3 The RDA-server environment 14
5.3.1 Transport Mapping 14
5.3.2 RDA-server Services 14
5.3.3 RDA-server 15
5.3.4 SQL-server 15
5.3.5 RDA Support Server 15

5.4 RDA concepts and the mapping of SQL/CLI concepts 16
5.4.1 Application Communication Areas 16
5.4.1.1 Attributes 16
5.4.1.2 Diagnostics areas 16
5.4.1.3 Descriptor areas 16
5.4.2 SQL_TEXT 17
5.4.3 SQL-session and SQL-connection 17
5.4.4 SQL User Name and Password 17
5.4.5 Multi-site Transactions 17
5.4.6 SQL/CLI Handles 17
5.4.7 Connection Ident 18
5.4.8 Statement Ident 18
5.4.9 Request Ident 18
5.4.10 Encodings 18
5.5 RDA Model of Transport 19
5.5.1 Transport Provider 19
5.5.2 Transport Address 19
5.5.3 Destination SQL-server Name 19
5.5.4 Transport Connection 19
5.5.5 Transport Facilities 19
5.6 RDA Facilities for Transport Connections 21
5.6.1 RDA Suspend and Resume Facility 21
5.6.2 RDA Encoding Facility 21
5.7 RDA Facilities for Transaction Co-ordination 22
5.7.1 RDA Transaction Co-ordination Facility 22

Remote Database Access for SQL (RDA/SQL) v 5.8 RDA Facilities for Security 23
5.8.1 RDA Security Services 23
5.8.2 Use of Transport Provider security facilities 23
5.8.3 Use of Authentication in RDAConnect 24
5.8.4 Use of MessageAuthentication in RDAMessage 24

6 RDA Protocol 26
6.1 The RDA Protocol Exchange 26
6.2 RDAMessage 27
6.2.1 RDAMessage protocol element 27
6.2.2 MessageAuthentication encoding element 30
6.3 Invocation of RDA Operations 32
6.3.1 Invocation of the Request in the RDA-client environment 32
6.3.2 Evaluation of the Request in the RDA-server environment 33
6.3.3 Invocation of the Response in the RDA-server environment 34
6.3.4 Evaluation of the Response in the RDA-client environment 35
6.3.5 Transport Fail Indication 35

7 RDA Operations 37
7.1 RDA request operations 37
7.1.1 RDAConnect Operation 37
7.1.2 RDADisconnect Operation 40
7.1.3 RDAEndTran Operation 41
7.1.4 RDAClientAttribute Operation 43
7.1.5 RDAStatementPrepare Operation 44
7.1.6 RDAStatementDeallocate Operation 45
7.1.7 RDAStatementExecute Operation 46
7.1.8 RDAStatementExecDirect Operation 49
7.1.9 RDAStatementFetchRows Operation 50
7.1.10 RDAStatementCloseCursor Operation 52
7.1.11 RDAStatementCancel Operation 53
7.1.12 RDASetCursorName Operation 54
7.1.13 RDAGetCursorName Operation 55
7.1.14 RDAGetInfo Operation 56
7.1.15 RDAGetTypeInfo Operation 57
7.2 RDA response encoding element 58

7.3 Encoding components 62
7.3.1 RDAAttribute encoding element 62
7.3.2 RDADiagnostic and RDADiagnosticStatus encoding elements 65
7.3.3 RDAItemDescriptor encoding element 66
7.3.4 RDARow and RDAValue encoding elements 68

8 Exceptions 69
8.1 Exception codes for RDA-specific Conditions 69

vi Contents 8.2 Exception Behaviour 70

9 Encodings 71
9.1 The Base Encoding 72
9.2 The ASN.1 PER Encoding 73

10 Transport Mappings 74
10.1 Mapping to TCP/IP 75
10.1.1 Transport Address 75
10.1.2 Mapping of Transport Connect 75
10.1.3 Mapping of Transport Disconnect 75
10.1.4 Mapping of Transport Fail 75
10.1.5 Mapping of Transport Send 75
10.1.6 Mapping of Transport Receive 75
10.1.7 Mapping of Transport Errors 75
10.1.8 Default Encoding 75
10.2 Mapping to TLS 76
10.2.1 Mapping of Transport Connect 76
10.2.2 Mapping of encodings 76
10.2.3 Mapping of Transport Errors 76
10.2.4 Provision of mandatory security facilities 76
10.2.5 Provision of optional security facilities 76

11 Conformance 77
11.1 RDA-client Conformance 77
11.2 RDA-server Conformance 77
11.3 Claims of Conformance 77

Annex A Conformance Proforma 79

A.1. Identification 79
A.2. Supplier Details 79
A.3. Implementation Details 80
A.4. RDA Support 80
A.5. Optional facilities for RDA-clients only 81
A.6. Optional facilities for RDA-servers only 82

Annex B RDA Programming Interface 83

B.1. Notation for defining RDA/API functions 84
B.2. Mapping RDA/API to a programming language 84
B.3. Transport Handles 84

Remote Database Access for SQL (RDA/SQL) vii B.4. Transport Mapping Codes 84
B.5. Transport Connection Management 85
B.6. RDA/API functions 85
B.7. RDA/API function invocation 85
B.8. RDA/API function parameters 86

Annex C Mapping of SQL/CLI 93

C.1. SQLDisconnect 94
C.2. SQLEndTran 94

C.3. SQLSetConnectAttr, SQLSetStmtAttr and SQLSetEnvAttr 94
C.4. <set transaction statement> 95

Annex D RDA Location Server 97

D.1. RDA Location Server name and schema 97
D.2. Server Location Table 98

Annex E RDA Support Server 99

E.1. RDA Support Server name and schema 99
E.2. Server Information Table 99
E.3. Request Log Table 101

Annex F Security Service Requirements 103

F.1. Potential Vulnerabilities 103
F.2. Authentication 104
F.3. Access Control 105
F.4. Transfer Integrity 106
F.5. Transfer Confidentiality 106
F.6. Storage Integrity 106
F.7. Storage Confidentiality 107
F.8. Non-repudiation 107

Annex G Security Profiles 109

Annex H RDA Operations and Protocol in ASN.1 notation 111

Annex I Encoding of Multiple Rows 115

viii Tables Tables Table 1-Codes used to identify the protocol 27

Table 2-Codes used to identify the protocol version 27

Table 3-Codes used to identify an RDA message type 28

Table 4-Use of MessageAuthenticateParameters 31

Table 6-Codes used for attribute types 62

Table 7-Codes used for RDA defined Connection Attributes 62

Table 8-Prohibited attributes 63

Table 10-Values of Statement Ident 64

Table 11-RDADescriptorEntries required for SQL Data Types 66

Table 12-SQLSTATE class and subclass values for RDA-specific conditions 69

Table 13-RDAResponse Parameter settings for RDA generated conditions 70

Table 14-Codes used to identify TCP/IP encoding 71

Table 15-Transport Mappings 74

Table 16-Transport Mapping Codes 84

Table C.1-RDA Operations invoked when evaluating an SQL/CLI function 93

Table G.1-Security Profiles - Facilities Used 109

Table G.2-Security Profile - Services Provided 109

Remote Database Access for SQL (RDA/SQL) ix Figures Figure 1-RDA model of SQL-environment .10

Figure 2-Model of the RDA-client environment 11

Figure 3-Model of the RDA server environment 14