ISO/IEC 18013-2:2020 (E)

Personal identification — ISO-compliant driving licence — Part 2: Machine-readable technologies

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions
3.2 Abbreviated terms

4 Conformance

5 Machine-readable functionality of IDLs

5.1 Overview
5.2 General principles
5.3 Mandatory functions
5.3.1 General
5.3.2 Privilege to drive at time of licensing
5.3.3 Reference to driving privilege database
5.3.4 Age verification
5.4 Optional functions
5.4.1 Identity verification
5.4.2 Biographical data verification
5.4.3 Evidence of residence
5.4.4 Biometric authentication
5.4.5 Reciprocity of driving privileges
5.4.6 Document authentication and validation

6 Machine-readable technologies supported

7 Organization of data

7.1 Overview
7.2 Mandatory data
7.3 Optional data

8 Data structure

8.1 Conceptualisation
8.2 Data Group 1: mandatory text data elements
8.3 Data Group 2: optional licence holder details
8.4 Data Group 3: optional issuing authority details
8.5 Data Group 4: optional portrait image
8.6 Data Group 5: optional signature/usual mark image
8.7 Data groups 6, 7, 8 and 9: optional facial, fingerprint, iris and other biometric templates
8.8 Data Group 10: reserved for future use
8.9 Data Group 11: optional domestic data

9 Application identifiers

Annex A (normative) Assembly rules for categories of vehicles/restrictions/conditions field

A.1 General
A.2 Scope

A.3 Logical record format
A.4 Codes
A.4.1 International interchange
A.4.2 Domestic use
A.4.3 Supplementation/restriction/condition codes for domestic use
A.4.3.1 Format of code
A.4.3.2 Examples

Annex B (normative) Compact encoding

B.1 General
B.2 Overview
B.3 Character set encoding
B.4 Structure
B.4.1 Data file
B.4.2 Header
B.4.3 Type 1 data group
B.4.4 Type 2 data group
B.5 Implementation
B.5.1 Data Group 1: mandatory data
B.5.2 Data Group 2: optional licence holder information
B.5.3 Data Group 3: optional issuing authority details
B.5.4 Data Group 4: optional portrait images
B.5.5 Data Group 5: optional signature/mark image
B.5.6 Data Group 6: optional facial biometric template
B.5.7 Data Group 7: optional finger template
B.5.8 Data Group 8: optional iris biometric template
B.5.9 Data Group 9: optional other biometric template
B.5.10 Data Group 10: reserved for future use
B.5.11 Data Group 11: optional domestic use
B.5.12 Overall example
B.6 File structure for ICCs with contacts and for PICCs

Annex C (normative) Standard encoding for ICCs with contacts and for PICCs

C.1 Overview
C.1.1 General
C.1.2 Design considerations
C.1.3 Interoperability considerations
C.1.4 Security requirements
C.2 Compatibility with existing standards
C.2.1 Approach
C.2.2 Physical characteristics
C.2.3 Location and dimensions of contacts or coupling area
C.2.4 Electronic signals
C.2.5 Transmission protocols
C.2.5.1 ICCs with contacts
C.2.5.2 PICCs
C.2.6 Application selection
C.2.7 Security
C.2.8 Character set encoding
C.3 File structure
C.4 Data groups
C.4.1 EF.COM — Common data elements, Tag = '60', short EF identifier = ‘1E’
C.4.2 EF.DG1 Data Group 1, mandatory data, Tag = ‘61’, short EF identifier = '01'
C.4.2.1 General
C.4.2.2 Mandatory demographic data Tag = ‘5F1F’
C.4.2.3 Categories of vehicles/restrictions/conditions — Tag = ‘7F63’
C.4.3 EF.DG2 Data Group 2, optional licence holder information, Tag = ‘6B’, short EF identifier = '02'
C.4.4 EF.DG3 Data Group 3, optional issuing authority details, Tag = 6C, short EF identifier = '03'
C.4.5 EF.DG4 Data Group 4, optional portrait image, Tag = ‘65’, short EF identifier = '04'
C.4.6 EF.DG5 Data Group 5, optional signature/mark image, Tag = ‘67’, short EF identifier = '05'

C.4.7 EF.DG6 Data Group 6, optional facial biometric template, Tag = ‘75’, short EF identifier = '06'
C.4.8 EF.DG7 Data Group 7, optional finger biometric, Tag = ‘63’, short EF identifier = '07'
C.4.9 EF.DG8 Data Group 8, optional iris biometric, Tag = ‘76’, short EF identifier = '08'
C.4.10 EF.DG9 Data Group 9, optional other biometric, Tag = ‘70’, short EF identifier = '09'
C.4.11 EF.DG10 Data Group 10, reserved for future use, no Tag assigned, short EF identifier = '0A'
C.4.12 EF.DG11 Data Group 11, optional domestic data, Tag = '6D', short EF identifier = '0B'
C.5 Use of basic encoding rules of ASN.1
C.5.1 BER-TLV data object
C.5.2 Tag field
C.5.3 Length field
C.6 List of tags used
C.7 Command set
C.7.1 General
C.7.2 Command structure
C.7.3 Command list
C.7.4 Class byte
C.7.5 Commands
C.7.5.1 SELECT command
C.7.5.1.1 Definition and application area
C.7.5.1.2 Use and security conditions
C.7.5.1.3 Command APDU
C.7.5.1.4 Response APDU
C.7.5.2 READ BINARY command
C.7.5.2.1 Definition and application area
C.7.5.2.2 Use and security conditions
C.7.5.2.3 Command APDU for up to 32 kB
C.7.5.2.4 Command APDU for more than 32 kB
C.7.5.2.5 Response APDU

Annex D (normative) Images

D.1 General
D.2 Information contents and formats
D.2.1 Information contents
D.2.2 Compression methods and file formats
D.2.2.1 JPEG and JFIF
D.2.2.1.1 Image data formats
D.2.2.1.2 Image compression standard
D.2.2.1.3 Colour space translation
D.2.2.2 Options to optimise performance
D.2.2.2.1 Sub-sampling
D.2.2.2.2 Interleaving
D.2.2.2.3 Filename in computer
D.2.2.3 JPEG2000 and JP2
D.2.2.3.1 Image data formats
D.2.2.3.2 Image compression standard
D.2.2.3.3 Colour space translation
D.2.2.4 Options to optimise performance
D.2.2.4.1 Interleaving
D.2.2.4.2 Tiling
D.2.2.4.3 Filename in computer
D.2.3 WSQ
D.3 Image capturing
D.3.1 General
D.3.2 Pose
D.3.3 Depth of field
D.3.4 Orientation
D.3.5 Face size
D.3.6 Lighting
D.3.7 Background
D.3.8 Centring
D.3.9 Border
D.3.10 Colour rendering

D.3.11 Facial portrait image pixels
D.4 Signature or usual mark image capturing
D.4.1 Dimensions
D.4.2 Colour
D.4.3 Image resolution

Page count: 66