

# ISO/IEC 19785-3:2020 (E)

## Information technology — Common Biometric Exchange Formats Framework — Part 3: Patron format specifications

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
5	Conformance
6	ASN.1 type definitions for CBEFF data elements and abstract values
6.1	General
6.2	CBEFF data elements type definitions module
7	Patron format specification: Simple bit-oriented patron format (deprecated)
7.1	Patron
7.2	Patron format owner
7.3	Patron format name
7.4	Patron format type
7.5	ASN.1 OID for this patron format
7.6	Domain of use
7.7	Version identifier
7.8	CBEFF version
7.9	General
7.10	ASN.1 Specification
8	Patron format specification: Simple byte-oriented patron format
8.1	Patron
8.2	Patron format owner
8.3	Patron format name
8.4	Patron format type
8.5	ASN.1 OID for this patron format
8.6	Domain of use
8.7	Version identifier
8.8	CBEFF version
8.9	General
8.10	Patron format specification
8.11	ASN.1 Specification
9	Patron format specification: Presence byte-oriented patron format
9.1	Patron
9.2	Patron format owner
9.3	Patron format name
9.4	Patron format type
9.5	ASN.1 OID for this patron format
9.6	Domain of use
9.7	Version identifier
9.8	CBEFF version
9.9	General

- 9.10 Specification
- 9.11 ASN.1 Specification
- 10 Patron format specification: Presence bit-oriented patron format
  - 10.1 Patron
  - 10.2 Patron format owner
  - 10.3 Patron format name
  - 10.4 Patron format type
  - 10.5 ASN.1 OID for this patron format
  - 10.6 Domain of use
  - 10.7 Version identifier
  - 10.8 CBEFF version
  - 10.9 General
  - 10.10 ASN.1 Specification
- 11 Patron format specification: TLV-encoded patron format, for use with smartcards or other tokens (with implicit tag allocation authority)
  - 11.1 Patron
  - 11.2 Patron format owner
  - 11.3 Patron format name
  - 11.4 Patron format type
  - 11.5 ASN.1 OID for this patron format
  - 11.6 Domain of Use
  - 11.7 Version identifier
  - 11.8 CBEFF version
  - 11.9 General
  - 11.10 ASN.1 specification
  - 11.11 Tabular representations for information
    - 11.11.1 The Biometric Information Template used for on-card biometric comparison
    - 11.11.2 The Biometric Information Template used for off-card biometric comparison
  - 11.12 The Biometric Information Template Group Data Object
  - 11.13 Abstract values and encodings for biometric type and subtype
  - 11.14 Patron format conformance statement
    - 11.14.1 Identifying information
    - 11.14.2 CBEFF-defined data elements and abstract values
    - 11.14.3 Patron-defined data elements and abstract values
- 12 Patron format specification: Complex patron format
  - 12.1 Patron
  - 12.2 Patron format owner
  - 12.3 Patron format name
  - 12.4 Patron format type
  - 12.5 ASN.1 OID for this patron format
  - 12.6 Domain of use
  - 12.7 Version identifier
  - 12.8 CBEFF version
  - 12.9 General
  - 12.10 Specification
  - 12.11 Illustrative examples
  - 12.12 ASN.1 definition (provided for illustrative purposes only)
- 13 Patron format specification: XML-full patron format (with additional data elements)
  - 13.1 Patron
  - 13.2 Patron format owner
  - 13.3 Patron format name
  - 13.4 Patron format type
  - 13.5 ASN.1 OID for this patron format
  - 13.6 Domain of use
  - 13.7 Version identifier
  - 13.8 CBEFF version
  - 13.9 General
  - 13.10 Specification
  - 13.11 Element <BIR>
    - 13.11.1 Syntax

- 13.11.2 Semantics
  - 13.12 Element <Version>
  - 13.12.1 Syntax
  - 13.12.2 Semantics
  - 13.13 Element <CBEFFVersion>
  - 13.13.1 Syntax
  - 13.13.2 Semantics
  - 13.14 Element <BIRInfo>
  - 13.14.1 Syntax
  - 13.14.2 Semantics
  - 13.15 Element <BDBInfo>
  - 13.15.1 Syntax
  - 13.15.2 Semantics
  - 13.16 Element <Format> of BDBInfoType
  - 13.16.1 Syntax
  - 13.16.2 Semantics
  - 13.17 Element <Product>
  - 13.17.1 Syntax
  - 13.17.2 Semantics
  - 13.18 Element <CaptureDevice>
  - 13.18.1 Syntax
  - 13.18.2 Semantics
  - 13.19 Element <FeatureExtractionAlgorithm>
  - 13.19.1 Syntax
  - 13.19.2 Semantics
  - 13.20 Element <ComparisonAlgorithm>
  - 13.20.1 Syntax
  - 13.20.2 Semantics
  - 13.21 Element <CompressionAlgorithm>
  - 13.21.1 Syntax
  - 13.21.2 Semantics
  - 13.22 Element <Quality>
  - 13.22.1 Syntax
  - 13.22.2 Semantics
  - 13.23 Element <Algorithm>
  - 13.23.1 Syntax
  - 13.23.2 Semantics
  - 13.24 Element <SBInfo>
  - 13.24.1 Syntax
  - 13.24.2 Semantics
  - 13.25 Element <Format> of SBInfoType
  - 13.25.1 Syntax
  - 13.25.2 Semantics
  - 13.26 Representation of Integers
  - 13.27 Representation of Octet Strings
  - 13.28 Representation of Date and Time of the Day
  - 13.29 Representation of Universally Unique Identifiers
  - 13.30 XML schema of the patron format
  - 13.31 ASN.1 schema of the patron format
  - 13.32 An example of a simple BIR in XML encoding (complying with the ASN.1 schema, the XSD schema, and the normative textual description)
  - 13.33 An example of a complex BIR in XML encoding (complying with the ASN.1 schema, the XSD schema, and the normative textual description)
- 14 Patron format specification: full-complex patron format
- 14.1 Patron
  - 14.2 Patron format owner
  - 14.3 Patron format name
  - 14.4 Patron format type
  - 14.5 ASN.1 OID for this patron format
  - 14.6 Domain of use
  - 14.7 Version identifier
  - 14.8 CBEFF version
  - 14.9 General

- 14.10 Specification
- 14.11 Illustrative examples
- 14.12 ASN.1 definition (provided for illustrative purposes only)
- 15 Patron format specification: Biometric application programming interface (BioAPI 2.0)
- 16 Patron format specification: Self-identifying Tag-oriented Simple BIR
  - 16.1 Patron
  - 16.2 Patron format owner
  - 16.3 Patron format name
  - 16.4 Patron format type
  - 16.5 ASN.1 OID for this patron format
  - 16.6 Domain of use
  - 16.7 Version identifier
  - 16.8 CBEFF version
  - 16.9 General
  - 16.10 Specification
  - 16.11 Illustrative examples
  - 16.12 ASN.1 definition
- 17 Patron format specification: Self-identifying, Tag-oriented Complex BIR
  - 17.1 Patron
  - 17.2 Patron format owner
  - 17.3 Patron format name
  - 17.4 Patron format type
  - 17.5 ASN.1 OID for this patron format
  - 17.6 Domain of use
  - 17.7 Version identifier
  - 17.8 CBEFF version
  - 17.9 General
  - 17.10 Specification
  - 17.11 Illustrative example
  - 17.12 ASN.1 definition
- 18 Patron format specification: PAD patron format (Linking BDB with PAD Sample)
  - 18.1 Patron
  - 18.2 Patron format owner
  - 18.3 Patron format name
  - 18.4 Patron format type
  - 18.5 ASN.1 OID for this patron format
  - 18.6 Domain of use
  - 18.7 Version identifier
  - 18.8 CBEFF version
  - 18.9 General
  - 18.10 Specification
  - 18.11 Illustrative example
  - 18.12 ASN.1 definition
- 19 Patron format specification: TLV-encoded patron format for ICCs and other tokens (with explicit tag allocation authority)
  - 19.1 Patron
  - 19.2 Patron format owner
  - 19.3 Patron format name
  - 19.4 Patron format type
  - 19.5 ASN.1 OID for this patron format
  - 19.6 Domain of Use
  - 19.7 Version identifier
  - 19.8 CBEFF version
  - 19.9 General
  - 19.10 ASN.1 specification
  - 19.11 Tabular representations for information
    - 19.11.1 The Biometric Information Template used for on-card biometric comparison
    - 19.11.2 The Biometric Information Template used for off-card biometric comparison
  - 19.12 The Biometric Information Template Group Data Object

- 19.13 Abstract values and encodings for biometric type and subtype
- 19.14 Illustrative examples

**Annex A (informative) Guidelines on the specification of patron formats**

- A.1 General
- A.2 Basic encoding mechanisms
- A.3 Octet-alignment
- A.4 Length fields
- A.5 CBEFF data element values and patron format fields
- A.6 Historically used encodings of certain abstract values
- A.7 Variable length data elements
- A.8 Security Blocks

**Annex B (informative) Conformance of the defined patron formats**

- B.1 Introduction
- B.2 Identifying information
- B.3 CBEFF-defined data elements and abstract values
- B.4 Patron-defined data elements and abstract values

**Annex C (normative) Coding specifications for tagged patron formats**

- C.1 General
- C.2 Field coding
- C.3 TLV data coding
  - C.3.1 General
  - C.3.2 Tag encoding
  - C.3.3 Length encoding
  - C.3.4 Value encoding
- C.4 XML data coding
- C.5 JSON data coding
  - C.5.1 General
  - C.5.2 Containers
  - C.5.3 Integers
  - C.5.4 Booleans
  - C.5.5 Strings
  - C.5.6 Byte arrays
  - C.5.7 Array of elements or Sequence of elements
- C.6 Illustrative example of multi-coding a tagged format
  - C.6.1 General
  - C.6.2 TLV coding
  - C.6.3 XML coding
  - C.6.4 JSON coding

**Annex D (informative) Information and clarifications to Clause 11**

- D.1 Introduction
- D.2 Patron format type
- D.3 Patron format structure type
- D.4 ASN.1 OID
- D.5 CBEFF version
- D.6 General
- D.7 Terminology synchronization
- D.8 ASN.1 specification
- D.9 Tabular representation
- D.10 Conformance statement