

# ISO/IEC 19944-1:2020 (E)

## Cloud computing and distributed platforms – Data flow, data categories and data use — Part 1: Fundamentals

---

### Contents

|           |  |
|-----------|--|
|           | Foreword   |
|           | Introduction   |
| 1         | Scope  |
| 2         | Normative references   |
| 3         | Terms and definitions  |
| 3.1       | Terms related to data categories   |
| 3.2       | Terms related to cloud services and devices ecosystem                      |
| 3.3       | Terms related to privacy   |
| 3.4       | Terms related to organizational data                                       |
| 3.5       | Terms related to artificial intelligence                                   |
| 3.6       | General terms  |
| 4         | Abbreviated terms  |
| 5         | Structure of this document   |
| 5.1       | Document organization  |
| 5.2       | Overview and reference architecture  |
| 5.3       | Data taxonomies, data categories and data use statement structure          |
| 6         | Overview of devices and cloud services ecosystems                          |
| 6.1       | Background and context — Impact of devices and personalized cloud services |
| 6.2       | Ecosystem of devices and cloud services                                    |
| 6.3       | Devices and multiple user sub-roles  |
| 6.3.1     | General  |
| 6.3.2     | Bring your own device  |
| 7         | Extending the CCRA to the devices and cloud services ecosystem             |
| 7.1       | Overview   |
| 7.2       | Personal and organizational environments                                   |
| 7.3       | Device impact on the CCRA: User view                                       |
| 7.3.1     | Cloud service provider   |
| 7.3.1.1   | Sub-roles  |
| 7.3.1.1.1 | General  |
| 7.3.1.1.2 | CSP:device platform provider   |
| 7.3.1.2   | Cloud computing activities   |
| 7.3.2     | Cloud service customer   |
| 7.3.2.1   | Sub-roles  |
| 7.3.2.1.1 | General  |
| 7.3.2.1.2 | CSC:cloud service user   |
| 7.3.2.2   | Cloud computing activities   |
| 7.4       | Device impact on the CCRA: functional view                                 |
| 7.4.1     | General  |
| 7.4.2     | Functional components in the functional view                               |
| 7.4.2.1   | Device   |
| 7.4.2.2   | Device platform  |
| 7.4.2.3   | Application  |
| 7.4.2.4   | Application cloud service  |
| 7.4.2.5   | Device platform cloud service  |
| 7.4.2.6   | Application client component   |

|             |   |
|-------------|---|
| 7.4.2.7     | Application marketplace                               |
| 7.4.3       | Functional view: data flows                           |
| 8           | Data taxonomy   |
| 8.1         | Overview  |
| 8.2         | Data categories                                       |
| 8.2.1       | General   |
| 8.2.2       | Customer content data                                 |
| 8.2.2.1     | General   |
| 8.2.2.2     | Credentials   |
| 8.2.2.3     | Customer contact lists                                |
| 8.2.2.4     | Personal health data and medical records              |
| 8.2.2.5     | Personal genetic data                                 |
| 8.2.2.6     | Personal biometric data                               |
| 8.2.2.7     | Personal data of children                             |
| 8.2.2.8     | Political opinions                                    |
| 8.2.2.9     | Financial details                                     |
| 8.2.2.10    | Sensor measurement data                               |
| 8.2.3       | Derived data  |
| 8.2.3.1     | General   |
| 8.2.3.2     | End user identifiable information (EUII)              |
| 8.2.3.2.1   | General   |
| 8.2.3.2.2   | Telemetry data  |
| 8.2.3.2.3   | Connectivity data                                     |
| 8.2.3.2.4   | Observed usage of the service capability              |
| 8.2.3.2.5   | Demographic information                               |
| 8.2.3.2.6   | Profiling data  |
| 8.2.3.2.7   | Content consumption data                              |
| 8.2.3.2.8   | Client-side browsing history                          |
| 8.2.3.2.9   | Search commands and queries                           |
| 8.2.3.2.10  | User location   |
| 8.2.3.2.11  | Social data   |
| 8.2.3.2.12  | Biometric and health data                             |
| 8.2.3.2.13  | End-user contact data                                 |
| 8.2.3.2.14  | User's environmental sensor data                      |
| 8.2.3.3     | Organization identifiable information (OII)           |
| 8.2.4       | Cloud service provider data                           |
| 8.2.4.1     | General   |
| 8.2.4.2     | Access and authentication data                        |
| 8.2.4.3     | Operations data                                       |
| 8.2.5       | Account data  |
| 8.2.5.1     | General   |
| 8.2.5.2     | Account or administration contact information         |
| 8.2.5.3     | Payment instrument data                               |
| 8.3         | Data identification qualifiers                        |
| 8.3.1       | General   |
| 8.3.2       | Identified data                                       |
| 8.3.3       | Pseudonymized data                                    |
| 8.3.4       | Unlinked pseudonymized data                           |
| 8.3.5       | Anonymized data                                       |
| 8.3.6       | Aggregated data                                       |
| 8.4         | Orthogonal facets of data                             |
| 8.4.1       | General   |
| 8.4.2       | Perspective used in the definition of data facets     |
| 8.4.3       | Common orthogonal data facets                         |
| 8.4.3.1     | Introduction  |
| 8.4.3.2     | Data facets based on control                          |
| 8.4.3.2.1   | Legal control of data compared to operational control |
| 8.4.3.2.2   | Operational control data facet                        |
| 8.4.3.2.3   | Legal control data facet                              |
| 8.4.3.2.3.1 | General   |
| 8.4.3.2.3.2 | Legal entity data facet                               |
| 8.4.3.2.3.3 | Legal means data facet                                |
| 8.4.3.3     | Classification level data facet                       |

- 8.4.3.4 Categorization data facet
- 8.4.3.5 De-identification degree data facet
- 8.4.3.6 Custom data facets
- 8.4.3.7 Composite facets and associated attributes
  - 8.4.3.7.1 General
  - 8.4.3.7.2 Customer content data
  - 8.4.3.7.3 Cloud service provider data
  - 8.4.3.7.4 Derived data
  - 8.4.3.7.5 Individual, organizational, and public domain data
    - 8.4.3.7.5.1 Introduction
    - 8.4.3.7.5.2 Rights and obligations
    - 8.4.3.7.5.3 Building new composite facets from legal control data facet
      - 8.4.3.7.5.4 Co-controlled data
      - 8.4.3.7.5.5 Change of control over the data lifecycle
      - 8.4.3.7.5.6 Legal control of organizational data
- 8.4.4 Use of data facets to describe data taxonomy

## 9 Data processing and use categories

- 9.1 Overview
- 9.2 Data processing categories
  - 9.2.1 General
  - 9.2.2 Data partitioning
    - 9.2.2.1 General
    - 9.2.2.2 Horizontal partitioning or sharding
    - 9.2.2.3 Vertical partitioning
  - 9.2.3 Data integration
  - 9.2.4 Data fusion
  - 9.2.5 Data improvement
  - 9.2.6 Encryption
  - 9.2.7 Replication
  - 9.2.8 Data Deletion
    - 9.2.8.1 General
    - 9.2.8.2 Secure data deletion
  - 9.2.9 Re-identification
- 9.3 Data use categories
  - 9.3.1 General
  - 9.3.2 Provide
    - 9.3.2.1 General
    - 9.3.2.2 Provide operational support for contracted service
    - 9.3.2.3 Improvement of business support for contracted service
  - 9.3.3 Improve
  - 9.3.4 Personalize
  - 9.3.5 Offer upgrades or upsell
  - 9.3.6 Market/advertize/promote
    - 9.3.6.1 General
    - 9.3.6.2 Promote based on contextual information
    - 9.3.6.3 Promote based on personalization
  - 9.3.7 Share
    - 9.3.7.1 General
    - 9.3.7.2 Share when required to provide the service
  - 9.3.8 Collect
  - 9.3.9 Train (AI system)
- 9.4 Scopes: Boundaries of collection and use of data
  - 9.4.1 Scope concepts
  - 9.4.2 Scope types
    - 9.4.2.1 General
    - 9.4.2.2 Capability
      - 9.4.2.3 Application or service
        - 9.4.2.4 Services listed in the cloud service agreement
        - 9.4.2.5 Cloud service provider's cloud services
        - 9.4.2.6 Cloud service provider's products and services
        - 9.4.2.7 Third-party product and services
        - 9.4.2.8 Third-party and data processors
  - 9.4.3 Scope characteristics

|                |  |
|----------------|--|
| 9.4.3.1        | General  |
| 9.4.3.2        | Guaranteed capabilities of a scope   |
| 9.4.3.3        | Controlling entity of a scope  |
| 9.4.3.4        | Scope location   |
| 9.4.4          | Network connection between scopes  |
| 9.4.4.1        | General  |
| 9.4.4.2        | Guaranteed capabilities of a network connection                                      |
| 9.4.5          | Control of source scope over result scope  |
| <b>10</b>      | <b>Data use statements</b>   |
| 10.1           | Overview   |
| 10.2           | Data use statement structure   |
| 10.2.1         | Structure definition   |
| 10.2.2         | Describing the scope of applications and cloud services that apply to use statements |
| 10.2.2.1       | Using single or dual scope definitions   |
| 10.2.3         | Assumptions about when data are collected and used                                   |
| 10.2.4         | Defining promotion targets   |
| 10.2.5         | Data types   |
| 10.2.6         | Data qualifiers for data types   |
| 10.2.7         | Examples of statements about data flow in the devices and cloud services ecosystem   |
| 10.2.8         | Exceptional use statements   |
| 10.2.8.1       | General  |
| 10.2.8.2       | Structure  |
| 10.2.8.3       | Grantor  |
| 10.2.8.4       | Grantee  |
| 10.2.8.5       | Exceptional use  |
| 10.2.8.6       | Grant trigger  |
| 10.2.8.7       | Grant period   |
| 10.2.9         | Data sharing   |
| 10.3           | Use of orthogonal data facets in data use statement                                  |
| 10.3.1         | General  |
| 10.3.2         | Use of elements in the data facets as attributes                                     |
| 10.3.3         | Hierarchy of elements/attributes of data based on facets                             |
| 10.3.4         | Use of attributes to describe PII  |
| 10.3.5         | Use of attributes to tag IP data   |
| 10.3.6         | Use of attributes to tag IP data from shared pools, while respecting partner IP      |
| <b>11</b>      | <b>Data lineage and data provenance</b>  |
| 11.1           | General  |
| 11.2           | Tracing data lineage   |
| <b>12</b>      | <b>Use of taxonomy and data use statement in other computing environments</b>        |
| <b>13</b>      | <b>Use of data taxonomy and use statements in Artificial Intelligence scenarios</b>  |
| <b>Annex A</b> | <b>(informative) Diagrams of data categories and data identification qualifiers</b>  |
| A.1            | Data categories  |
| A.2            | Data identification qualifiers   |