

# ISO 17877:2000-04 (E)

## Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Private User Mobility (PUM) - Call handling additional network features

---

### Contents

Foreword	vi
Introduction	vii
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Definitions	2
4.1 External definitions	2
4.2 Additional network feature (ANF)	3
4.3 Alternative identifier	3
4.4 Destination number	3
4.5 Home Data Base (HDB)	3
4.6 Home PINX	3
4.7 Hosting address	3
4.8 Incoming PUM call	3
4.9 Originating number	3
4.10 Outgoing PUM call	3
4.11 Private User Mobility (PUM)	3
4.12 PUM registration	3
4.13 PUM user	3
4.14 PUM user identity	3
4.15 Visitor Data Base (VDB)	3
4.16 Visitor PINX	3
5 List of acronyms	3
6 ANF-PUMI stage 1 specification	4
6.1 Description	4
6.1.1 General description	4
6.1.2 Qualifications on applicability to telecommunication services	5
6.2 Procedure	5
6.2.1 Provision/withdrawal	5
6.2.2 Normal procedures	5
6.2.3 Exceptional procedures	5
6.3 Interaction with other supplementary services and ANFs	5
6.3.1 Number identification services (SS-CLIP, SS-COLP, SS-CLIR)	5
6.3.2 Calling Name Identification Presentation (SS-CNIP)	5
6.3.3 Connected Name Identification Presentation (SS-CONP)	5
6.3.4 Calling/Connected Name Identification Restriction (SS-CNIR)	5
6.3.5 Call Completion to Busy Subscriber (SS-CCBS)	5
6.3.6 Call Completion on No Reply (SS-CCNR)	5
6.3.7 Call Transfer (SS-CT)	5
6.3.8 Call Forwarding Unconditional (SS-CFU)	5
6.3.9 Call Forwarding Busy (SS-CFB)	6
6.3.10 Call Forwarding No Reply (SS-CFNR)	6
6.3.11 Call Deflection (SS-CD)	6
6.3.12 Path Replacement (ANF-PR)	6
6.3.13 Call Offer (SS-CO)	6
6.3.14 Call Intrusion (SS-CI)	6
6.3.15 Do not Disturb (SS-DND)	6

<b>6.3.16</b>	Do not Disturb Override (SS-DNDO)	<b>6</b>
<b>6.3.17</b>	Advice of Charge (SS-AOC)	<b>6</b>
<b>6.3.18</b>	Recall (SS-RE)	<b>6</b>
<b>6.3.19</b>	Call Interception (ANF-CINT)	<b>6</b>
<b>6.3.20</b>	Transit Counter (ANF-TC)	<b>6</b>
<b>6.3.21</b>	Route Restriction Class (ANF-RRC)	<b>6</b>
<b>6.3.22</b>	Message Waiting Indication (SS-MWI)	<b>6</b>
<b>6.3.23</b>	Wireless Terminal Location Registration (SS-WTLR)	<b>6</b>
<b>6.3.24</b>	Wireless Terminal Incoming Call (ANF-WTMI)	<b>6</b>
<b>6.3.25</b>	Wireless Terminal Outgoing Call (ANF-WTMO)	<b>6</b>
<b>6.3.26</b>	Wireless Terminal Authentication of a WTM User (SS-WTAT)	<b>6</b>
<b>6.3.27</b>	Wireless Terminal Authentication of the PISN (SS-WTAN)	<b>6</b>
<b>6.3.28</b>	Common Information (ANF-CMN)	<b>7</b>
<b>6.3.29</b>	Call Priority Interruption (Protection) (SS-CPI(P))	<b>7</b>
<b>6.3.30</b>	Private User Mobility Registration (SS-PUMR)	<b>7</b>
<b>6.3.31</b>	Private User Mobility Outgoing Call (ANF-PUMO)	<b>7</b>
<b>6.4</b>	Interworking considerations	<b>7</b>
<b>6.5</b>	Overall SDL	<b>7</b>
<b>7</b>	ANF-PUMO stage 1 specification	<b>7</b>
<b>7.1</b>	Description	<b>7</b>
<b>7.1.1</b>	General description	<b>7</b>
<b>7.1.2</b>	Qualifications on applicability to telecommunication services	<b>8</b>
<b>7.2</b>	Procedure	<b>8</b>
<b>7.2.1</b>	Provision/withdrawal	<b>8</b>
<b>7.2.2</b>	Normal procedures	<b>8</b>
<b>7.2.3</b>	Exceptional procedures	<b>8</b>
<b>7.3</b>	Interaction with other supplementary services and ANFs	<b>8</b>
<b>7.3.1</b>	Number identification services (SS-CLIP, SS-COLP, SS-CLIR)	<b>8</b>
<b>7.3.2</b>	Calling Name Identification Presentation (SS-CNIP)	<b>8</b>
<b>7.3.3</b>	Connected Name Identification Presentation (SS-CONP)	<b>8</b>
<b>7.3.4</b>	Calling/Connected Name Identification Restriction (SS-CNIR)	<b>8</b>
<b>7.3.5</b>	Call Completion to Busy Subscriber (SS-CCBS)	<b>8</b>
<b>7.3.6</b>	Call Completion on No Reply (SS-CCNR)	<b>8</b>
<b>7.3.7</b>	Call Transfer (SS-CT)	<b>8</b>
<b>7.3.8</b>	Call Forwarding Unconditional (SS-CFU)	<b>8</b>
<b>7.3.9</b>	Call Forwarding Busy (SS-CFB)	<b>8</b>
<b>7.3.10</b>	Call Forwarding No Reply (SS-CFNR)	<b>9</b>
<b>7.3.11</b>	Call Deflection (SS-CD)	<b>9</b>
<b>7.3.12</b>	Path Replacement (ANF-PR)	<b>9</b>
<b>7.3.13</b>	Call Offer (SS-CO)	<b>9</b>
<b>7.3.14</b>	Call Intrusion (SS-CI)	<b>9</b>
<b>7.3.15</b>	Do not Disturb (SS-DND)	<b>9</b>
<b>7.3.16</b>	Do not Disturb Override (SS-DNDO)	<b>9</b>
<b>7.3.17</b>	Advice of Charge (SS-AOC)	<b>9</b>
<b>7.3.18</b>	Recall (SS-RE)	<b>9</b>
<b>7.3.19</b>	Call Interception (ANF-CINT)	<b>9</b>
<b>7.3.20</b>	Transit Counter (ANF-TC)	<b>9</b>
<b>7.3.21</b>	Route Restriction Class (ANF-RRC)	<b>9</b>
<b>7.3.22</b>	Message Waiting Indication (SS-MWI)	<b>9</b>
<b>7.3.23</b>	Wireless Terminal Location Registration (SS-WTLR)	<b>9</b>
<b>7.3.24</b>	Wireless Terminal Incoming Call (ANF-WTMI)	<b>9</b>
<b>7.3.25</b>	Wireless Terminal Outgoing Call (ANF-WTMO)	<b>9</b>
<b>7.3.26</b>	Wireless Terminal Authentication of a WTM User (SS-WTAT)	<b>9</b>
<b>7.3.27</b>	Wireless Terminal Authentication of the PISN (SS-WTAN)	<b>9</b>
<b>7.3.28</b>	Common Information (ANF-CMN)	<b>9</b>
<b>7.3.29</b>	Call Priority Interruption (Protection) (SS-CPI(P))	<b>9</b>

<b>7.3.30</b>	Private User Mobility Registration (SS-PUMR)	<b>10</b>
<b>7.3.31</b>	Private User Mobility Incoming Call (ANF-PUMI)	<b>10</b>
<b>7.4</b>	Interworking considerations	<b>10</b>
<b>7.5</b>	Overall SDL	<b>10</b>
<b>8</b>	ANF-PUMI stage 2 specification	<b>10</b>
<b>8.1</b>	Functional model	<b>10</b>
<b>8.1.1</b>	Functional model description	<b>10</b>
<b>8.1.2</b>	Description of Functional Entities	<b>11</b>
<b>8.1.3</b>	Relationship of functional model to basic call functional model	<b>11</b>
<b>8.2</b>	Information flows	<b>12</b>
<b>8.2.1</b>	Definition of information flows	<b>12</b>
<b>8.2.2</b>	Relationship of information flows to basic call information flows	<b>14</b>
<b>8.2.3</b>	Information flow sequences	<b>14</b>
<b>8.3</b>	Functional Entity actions	<b>19</b>
<b>8.3.1</b>	Actions of FE1	<b>19</b>
<b>8.3.2</b>	Actions of FE2	<b>19</b>
<b>8.3.3</b>	Actions of FE3	<b>20</b>
<b>8.3.4</b>	Actions of FE4	<b>20</b>
<b>8.3.5</b>	Actions of FE5	<b>20</b>
<b>8.4</b>	Functional entity behaviour	<b>20</b>
<b>8.4.1</b>	Behaviour of FE1	<b>21</b>
<b>8.4.2</b>	Behaviour of FE2	<b>22</b>
<b>8.4.3</b>	Behaviour of FE3	<b>23</b>
<b>8.4.4</b>	Behaviour of FE4	<b>24</b>
<b>8.4.5</b>	Behaviour of FE5	<b>25</b>
<b>8.5</b>	Allocation of Functional Entities to physical equipment	<b>26</b>
<b>8.6</b>	Interworking considerations	<b>26</b>
<b>9</b>	ANF-PUMO stage 2 specification	<b>26</b>
<b>9.1</b>	Functional model	<b>26</b>
<b>9.1.1</b>	Functional model description	<b>26</b>
<b>9.1.2</b>	Description of Functional Entities	<b>27</b>
<b>9.1.3</b>	Relationship of functional model to basic call functional model	<b>27</b>
<b>9.2</b>	Information flows	<b>27</b>
<b>9.2.1</b>	Definition of information flows	<b>27</b>
<b>9.2.2</b>	Relationship of information flows to basic call information flows	<b>28</b>
<b>9.2.3</b>	Information flow sequences	<b>28</b>
<b>9.3</b>	Functional Entity actions	<b>29</b>
<b>9.3.1</b>	Actions of FE1	<b>29</b>
<b>9.3.2</b>	Actions of FE2	<b>29</b>
<b>9.4</b>	Functional entity behaviour	<b>29</b>
<b>9.4.1</b>	Behaviour of FE1	<b>29</b>
<b>9.4.2</b>	Behaviour of FE2	<b>30</b>
<b>9.5</b>	Allocation of Functional Entities to physical equipment	<b>30</b>
<b>9.6</b>	Interworking considerations	<b>30</b>