

ISO 15000-1:2021-02 (E)

Electronic business eXtensible Markup Language (ebXML) - Part 1: Messaging service core specification

Contents		Page
Foreword		vii
Introduction		ix
1. Scope		1
2. Normative references		1
3. Terms and definitions		3
4. Relevant messaging concepts		6
4.1. Web services and their role in an eBusiness messaging framework		6
4.2. Caveats and assumptions		7
4.3. XML notation		7
4.4. Namespace prefixes		7
4.5. Example domains		8
5. Messaging model		8
5.1. Model components		8
5.1.1. Components of the model		8
5.1.2. Messaging roles		9
5.1.3. Abstract messaging operations		10
5.2. Message exchange patterns		10
5.2.1. Rationale		10
5.2.2. General definition		11
5.2.3. MEP bindings		11
5.2.4. Relationship to SOAP MEPs		13
5.2.5. The One-Way/Push MEP		13
5.2.6. The One-Way/Pull MEP		14
5.2.7. The Two-Way/Sync MEP		15
5.2.8. Other transport-channel-bound MEPs		16
6. Message pulling and partitioning		17
6.1. Objectives		17
6.2. Supporting message pulling		17
6.3. Combining pulling with security and reliability		19
6.4. Message partition channels		20
6.4.1. Concept and purpose		20
6.4.2. Some use cases		22
6.4.3. Definition and usage requirements		23
7. Processing modes		24
7.1. General		24
7.2. Messaging service processing model		25
7.3. Processing mode features		26
7.4. Default features for processing mode		27
8. Message packaging		28
8.1. Message envelope and message parts		28
8.1.1. MIME structure and SOAP profile		28
8.1.2. MIME and XML considerations		31

8.1.3.	ebXML SOAP envelope extension	32
8.1.4.	ebMS header	33
8.1.5.	Payload containers	34
8.2.	The eb:Messaging container element	35
8.2.1.	General	35
8.2.2.	eb:Messaging element specification	36
8.2.3.	eb:Messaging/eb:UserMessage	37
8.2.4.	eb:Messaging/eb:SignalMessage	43
8.2.5.	Message unit bundling	44
8.3.	Examples of ebMS messages (informative)	45
8.3.2.	UserMessage example	45
8.3.3.	PullRequest message example	47
8.3.4.	Error message example	47
8.3.5.	Receipt message example	48
8.3.6.	"Bundled" message example	48
9.	Error handling	50
9.1.	General	50
9.2.	Packaging of ebMS errors	50
9.2.1.	eb:Error element	50
9.2.2.	eb:Error/@origin	50
9.2.3.	eb:Error/@category	51
9.2.4.	eb:Error/@errorCode	51
9.2.5.	eb:Error/@severity	51
9.2.6.	eb:Error/@refToMessageInError	51
9.2.7.	eb:Error/@shortDescription	51
9.2.8.	eb:Error/Description	51
9.2.9.	eb:Error/ErrorDetail	51
9.3.	ebMS Error message	51
9.4.	Extensibility of the eb:Error element	52
9.4.1.	Adding new ebMS errors	52
9.5.	Generating ebMS errors	52
9.6.	Error reporting	52
9.7.	Standard ebMS errors	53
9.7.1.	General	53
9.7.2.	ebMS processing errors	53
9.7.3.	Security processing errors	54
9.7.4.	Reliable messaging errors	55
10.	Security module	55
10.1.	General	55
10.2.	Security element	55
10.3.	Signing messages	56
10.4.	Signing SOAP with attachments messages	56
10.5.	Encrypting messages	57
10.6.	Encrypting SOAP with attachments messages	57
10.7.	Signing and encrypting messages	57
10.8.	Security token authentication	57
10.9.	Security policy errors	57
10.10.	Secured message examples	58
10.10.1.	Digitally signed and encrypted ebXML message	58
10.10.2.	Digitally signed and encrypted ebXML SOAP with attachments message	60
10.10.3.	Digitally signed receipt signal message	62
10.11.	Message authorization	63
10.12.	Securing the PullRequest signal	65
10.12.1.	Authentication	65
10.12.2.	Authorization	65
10.12.3.	Preventing replay attacks	65
10.13.	Countermeasure technologies	65
10.13.1.	Persistent digital signature	65
10.13.2.	Persistent signed receipt	66
10.13.3.	Non-persistent authentication	66

10.13.4.	Non-persistent integrity	66
10.13.5.	Persistent confidentiality	66
10.13.6.	Non-persistent confidentiality	66
10.13.7.	Persistent authorization	66
10.13.8.	Non-persistent authorization	66
10.14.	Security considerations	66
11.	Reliable messaging module	68
11.1.	The reliable messaging model	68
11.1.1.	General	68
11.1.2.	Message processing	68
11.1.3.	The reliable messaging processor in the MSH	68
11.2.	Reliable delivery of ebMS messages	71
11.2.1.	General	71
11.2.2.	Reliability contracts for the RMP	71
11.2.3.	Reliability contracts for the MSH	72
11.2.4.	Reliability for signal messages	73
11.2.5.	Handling of delivery failures	73
11.3.	Reliability of ebMS MEPs	74
11.3.1.	General	74
11.3.2.	Reliability of the One-Way/Push MEP	75
11.3.3.	Reliability of the One-Way/Pull MEP	76
11.3.4.	Reliability of the Two-Way/Sync MEP	77
11.3.5.	Reliability of other transport-channel-bound MEPs	78
Annex A (informative)	The ebXML SOAP extension element schema	79
Annex B (informative)	Reliable messaging bindings	83
Annex C (informative)	SOAP format and bindings	90
Annex D (informative)	Processing modes	94
Annex E (informative)	P-Mode values and ebMS MEP bindings	103
Annex F (informative)	Compatibility mapping to ebMS 2.0	106
Annex G (informative)	Conformance	114
Bibliography	115