

ISO/IEC 16023:2000-05 (E)

Information technology - International symbology specification - MaxiCode

Contents		Page
Introduction		1
1	Scope	1
2	Normative References	1
3	Definitions and Mathematical Symbols	1
3.1	Definitions	1
3.1.1	Codeword	1
3.1.2	Extended Channel Interpretation (ECI)	1
3.1.3	Mode Indicator	1
3.1.4	Module	2
3.2	Mathematical Symbols and Operations	2
4	Requirements	2
4.1	Symbology Characteristics	2
4.1.1	Basic Characteristics	2
4.1.2	Summary of Additional Features	3
4.2	Symbol Description	4
4.2.1	Symbol Structure	4
4.2.2	Symbol Character and Module Sequence	5
4.3	General Encodation Procedures	6
4.4	Character Assignments	7
4.4.1	Codeword Representation	7
4.4.2	Default Character Interpretation	7
4.4.3	Code Sets	7
4.4.4	Symbology Control Characters	8
4.5	User Considerations for Encoding Data in a MaxiCode Symbol	9
4.5.1	User Selection of Error Correction Level	9
4.5.2	User Selection of Mode	9
4.5.3	User Selection of Extended Channel Interpretation	10
4.5.4	User Selection of Structured Append	10
4.5.5	User Assessment of Encodation Capacity	10
4.6	Extended Channel Interpretation	10
4.6.1	ECI and Modes 2 and 3	10
4.6.2	Encodation Modes and ECIs	10
4.6.3	Encoding ECIs in MaxiCode	11
4.6.4	ECIs and Structured Append	11
4.6.5	Post-Decode Protocol	11
4.7	Message Structure	11
4.7.1	Primary Message	11
4.7.2	Secondary Message	11
4.7.3	Structuring the Data	12
4.8	Modes	12
4.8.1	Mode 0: Obsolete	12
4.8.2	Mode 1: Obsolete	12
4.8.3	Modes 2 and 3: Structured Carrier Message	12
4.8.4	Mode 4: Standard Symbol	13
4.8.5	Mode 5: Full EEC	13
4.8.6	Mode 6: Reader Programming	13
4.8.7	Mode Indicators	13
4.9	Structured Append	13

4.9.1	Basic Principles	13
4.9.2	Structured Append and Modes 2 and 3	13
4.9.3	Structured Append in Modes 4 to 6	14
4.9.4	Buffered and Unbuffered Operation	14
4.10	Error Detection and Correction	14
4.10.1	Enhanced Error Correction (EEC) in the Primary Message	14
4.10.2	Error Correction in the Secondary Message	14
4.10.3	Generating the Error Correction Codewords	14
4.10.4	Error Correction Capacity	15
4.11	Dimensions	15
4.11.1	Symbol Dimensions	15
4.11.2	Hexagonal Module Dimensions	15
4.11.3	Dark Hexagon Dimensions and Tolerances	16
4.11.4	Finder Pattern Dimensions	16
4.11.5	Quiet Zones	17
4.11.6	Overall Symbol Size	17
4.11.7	Practical Printing Guidance	17
4.12	User Guidelines	17
4.12.1	Human Readable Interpretation	17
4.12.2	Autodiscrimination Capability	17
4.13	Symbol Quality	17
4.13.1	Obtaining the Test Image	17
4.13.2	Symbol Quality Parameters	17
4.13.3	Overall Symbol Grade	19
4.13.4	Process Control Measurements	19
4.14	Reference Decode Algorithm	19
4.15	Transmitted Data	22
4.15.1	Basic Interpretation	22
4.15.2	Protocol for Extended Channel Interpretation	22
4.15.3	Symbology Identifier	22
4.15.4	Transmitted Data Example	23
Annexe A (Normative)		24
MaxiCode Basic Character Encodation: Default Character Set		24
Annexe B (Normative)		26
Mode 2 and Mode 3: Structured Carrier Message		26
B.1	The Structure of the Primary Message	26
B.2	Modes 2 and 3 Messages Beginning with "[>RS01GS"	27
B.2.1	Encoding	27
B.2.2	Decoding	27
B.3	Modes 2 and 3 Messages Not Beginning with "[>RS01GS"	28
B.3.1	Encoding	28
B.3.2	Decoding	28
B.4	Modes 2 and 3 and Structured Append	28
B.4.1	Encoding Considerations	28
B.4.2	Decoding Considerations	28
Annexe C (Normative)		29
2D	Matrix Bar Code Print Quality - Guideline	29
C.1	Obtaining the Test Image	29
C.2	Assessing Symbol Parameters	29
C.2.1	Decode	29
C.2.2	Symbol Contrast	30
C.2.3	"Print" Growth	30
C.2.4	Grid Nonuniformity	30
C.2.5	Unused Error Correction	31

C.3	Overall Symbol Grade	31
	Annexe D (Normative)	31
	Error Correction Algorithm	31
	Annexe E (Normative)	32
	Symbology Identifiers	32
	Annexe F (Informative)	32
	Use of Numeric Shift, Shift , Latch, and Lock-In Characters	32
F.1	Numeric Shift	32
F.2	Switching from Code Set A to Code Set B	33
F.3	Switching from Code Set B to Code Set A	33
F.4	Using Lock-In to Latch to Code Sets C, D or E	33
F.5	Illustrative Example	33
	Annexe G (Informative)	34
	User Assessment of Encodation Capacity	34
	Annexe H (Informative)	35
A	MaxiCode Encoding Example	35
	Annexe J (Informative)	38
	Practical Printing Considerations	38
J.1	12 dots per Millimeter	38
J.2	8 dots per Millimeter	39
J.3	Generic Rules for Other Pixel Sizes	40
J.4	Determining the Hexagon Font for a Given Dot Pitch	40
	Annexe K (Informative)	41
	AutodiscriminationCompatibility	41
	Annexe L (Informative)	42
	Useful Process Control Techniques	42
L.1	Symbol Contrast	42
L.2	Symbol Size	42
L.2.1	Checking Print Growth	42
L.2.2	Checking Finder Position and Orientation Patterns	42
L.2.3	Checking Overall Symbol Size	42
L.3	Symbol Distortion	43
L.4	Print Growth and Defects	43