

ISO/IEC 5055:2021-03 (E)

Information technology - Software measurement - Software quality measurement - Automated source code quality measures

Contents	Page
1 Scope	1
1.1 Purpose	1
1.2 Overview of Structural Quality Measurement in Software	1
2 Conformance	2
3 Normative References	3
4 Terms and Definitions	4
5 Symbols (and Abbreviated Terms)	7
6 Weaknesses Included in Quality Measures and Representation Metamodels	8
6.1 Purpose	8
6.2 Software Product Inputs	8
6.3 Automated Source Code Quality Measure Elements	8
6.4 Automated Source Code Maintainability Measure Element Descriptions	9
6.5 Automated Source Code Performance Efficiency Measure Element Descriptions	11
6.6 Automated Source Code Reliability Measure Element Descriptions	15
6.7 Automated Source Code Security Measure Element Descriptions	23
6.8 Introduction to the Specification of Quality Measure Elements	32
6.9 Knowledge Discovery Metamodel (KDM)	32
6.10 Software Patterns Metamodel Standard (SPMS)	36
6.11 Reading guide	37
7 List of ASCQM Weaknesses	38
7.1 Weakness Category Maintainability	38
7.1.1 CWE-407 Algorithmic Complexity	38
7.1.2 CWE-478 Missing Default Case in Switch Statement	38
7.1.3 Weakness CWE-480 Use of Incorrect Operator	38
7.1.4 CWE-484 Omitted Break Statement in Switch	39
7.1.5 CWE-561 Dead Code	39
7.1.6 CWE-570 Expression is Always False	39
7.1.7 CWE-571 Expression is Always True	39
7.1.8 CWE-783 Operator Precedence Logic Error	40
7.1.9 CWE-1075 Unconditional Control Flow Transfer Outside of Switch Block	40
7.1.10 CWE-1121 Excessive McCabe Cyclomatic Complexity Value	40
7.1.11 CWE-1054 Invocation of a Control Element at an Unnecessarily Deep Horizontal Layer (Layer-skipping Call)	41
7.1.12 CWE-1064 Invokable Control Element with Signature Containing an Excessive Number of Parameters	41
7.1.13 CWE-1084 Invokable Control Element with Excessive File or Data Access Operations	41
7.1.14 CWE-1051 Initialization with Hard-Coded Network Resource Configuration Data	42
7.1.15 CWE-1090 Method Containing Access of a Member Element from Another Class	42
7.1.16 CWE-1074 Class with Excessively Deep Inheritance	42
7.1.17 CWE-1086 Class with Excessive Number of Child Classes	43
7.1.18 CWE-1041 Use of Redundant Code (Copy-Paste)	43
7.1.19 CWE-1055 Multiple Inheritance from Concrete Classes	43
7.1.20 CWE-1045 Parent Class with a Virtual Destructor and a Child Class without a Virtual Destructor	44
7.1.21 CWE-1052 Excessive Use of Hard-Coded Literals in Initialization	44

7.1.22	CWE-1048 Invokable Control Element with Large Number of Outward Calls (Excessive Coupling or Fan-out)	44
7.1.23	CWE-1095 Loop Condition Value Update within the Loop	45
7.1.24	CWE-1085 Invokable Control Element with Excessive Volume of Commented-out Code ..	45
7.1.25	CWE-1047 Modules with Circular Dependencies	45
7.1.26	CWE-1080 Source Code File with Excessive Number of Lines of Code	46
7.1.27	CWE-1062 Parent Class Element with References to Child Class	46
7.1.28	CWE-1087 Class with Virtual Method without a Virtual Destructor	46
7.1.29	CWE-1079 Parent Class without Virtual Destructor Method	47
7.1.30	Maintainability Detection Patterns	47
7.2	Weakness Category Performance Efficiency	48
7.2.1	CWE-401 Improper Release of Memory Before Removing Last Reference ('Memory Leak')	48
7.2.2	Weakness CWE-404 Improper Resource Shutdown or Release	48
7.2.3	CWE-424 Improper Protection of Alternate Path	49
7.2.4	CWE-772 Missing Release of Resource after Effective Lifetime	49
7.2.5	CWE-775 Missing Release of File Descriptor or Handle after Effective Lifetime	49
7.2.6	CWE-1073 Non-SQL Invokable Control Element with Excessive Number of Data Resource Access	49
7.2.7	CWE-1057 Data Access Operations Outside of Designated Data Manager Component	50
7.2.8	CWE-1043 Storable and Member Data Element Excessive Number of Aggregated Storable and Member Data Elements	50
7.2.9	CWE-1072 Data Resource Access without use of Connection Pooling	50
7.2.10	CWE-1060 Excessive Number of Inefficient Server-Side Data Accesses	51
7.2.11	CWE-1091 Use of Object without Invoking Destructor Method	51
7.2.12	CWE-1046 Creation of Immutable Text Using String Concatenation	51
7.2.13	CWE-1042 Static Member Data Element outside of a Singleton Class Element	52
7.2.14	CWE-1049 Excessive Data Query Operations in a Large Data Table	52
7.2.15	CWE-1067 Excessive Execution of Sequential Searches of Data Resource	52
7.2.16	CWE-1089 Large Data Table with Excessive Number of Indices	53
7.2.17	CWE-1094 Excessive Index Range Scan for a Data Resource	53
7.2.18	CWE-1050 Excessive Platform Resource Consumption within a Loop	53
7.2.19	CWE-1060 Excessive Number of Inefficient Server-Side Data Accesses	54
7.2.20	Performance Efficiency Detection Patterns	54
7.3	Weakness Category Reliability	54
7.3.1	CWE-119 Improper Restriction of Operations within the Bounds of a Memory Buffer	54
7.3.2	CWE-120 Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')	55
7.3.3	CWE-123 Write-what-where Condition	55
7.3.4	CWE-125 Out-of-bounds Read	56
7.3.5	CWE-130 Improper Handling of Length Parameter Inconsistency	56
7.3.6	CWE-131 Incorrect Calculation of Buffer Size	56
7.3.7	CWE-170 Improper Null Termination	57
7.3.8	CWE-194 Unexpected Sign Extension	57
7.3.9	CWE-195 Signed to Unsigned Conversion Error	57
7.3.10	CWE-196 Unsigned to Signed Conversion Error	58
7.3.11	CWE-197 Numeric Truncation Error	58
7.3.12	CWE-248 Uncaught Exception	58
7.3.13	CWE-252 Unchecked Return Value	59
7.3.14	CWE-366 Race Condition within a Thread	59
7.3.15	CWE-369 Divide by Zero	59
7.3.16	CWE-390 Detection of Error Condition Without Action	59
7.3.17	CWE-391 Unchecked Error Condition	60
7.3.18	CWE-392 Missing Report of Error Condition	60
7.3.19	CWE-394 Unexpected Status Code or Return Value	60
7.3.20	CWE-401 Improper Release of Memory Before Removing Last Reference ('Memory Leak')	61
7.3.21	CWE-404 Improper Resource Shutdown or Release	61
7.3.22	CWE-415 Double Free	61
7.3.23	CWE-416 Use After Free	62
7.3.24	CWE-424 Improper Protection of Alternate Path	62
7.3.25	CWE-456 Missing Initialization of a Variable	62
7.3.26	CWE-459 Incomplete Cleanup	63

7.3.27	CWE-476 NULL Pointer Dereference	63
7.3.28	CWE-480 Use of Incorrect Operator	63
7.3.29	CWE-484 Omitted Break Statement in Switch	64
7.3.30	CWE-543 Use of Singleton Pattern Without Synchronization in a Multithreaded Context ...	64
7.3.31	CWE-562 Return of Stack Variable Address	64
7.3.32	CWE-567 Unynchronized Access to Shared Data in a Multithreaded Context	64
7.3.33	CWE-595 Comparison of Object References Instead of Object	65
7.3.34	CWE-597 Use of Wrong Operator in String Comparison	65
7.3.35	CWE-662 Improper Synchronization	65
7.3.36	CWE-667 Improper Locking	66
7.3.37	CWE-672 Operation on a Resource after Expiration or Release	67
7.3.38	CWE-681 Incorrect Conversion between Numeric Types	67
7.3.39	CWE-682 Incorrect Calculation	67
7.3.40	CWE-703 Improper Check or Handling of Exceptional Conditions	68
7.3.41	CWE-704 Incorrect Type Conversion or Cast	68
7.3.42	CWE-758 Reliance on Undefined, Unspecified, or Implementation-Defined Behavior	68
7.3.43	CWE-764 Multiple Locks of a Critical Resource	69
7.3.44	CWE-772 Missing Release of Resource after Effective Lifetime	69
7.3.45	CWE-775 Missing Release of File Descriptor or Handle after Effective Lifetime	69
7.3.46	CWE-786 Access of Memory Location Before Start of Buffer	70
7.3.47	CWE-787 Out-of-bounds Write	70
7.3.48	CWE-788 Access of Memory Location After End of Buffer	70
7.3.49	CWE-805 Buffer Access with Incorrect Length Value	71
7.3.50	CWE-820 Missing Synchronization	71
7.3.51	CWE-821 Incorrect Synchronization	71
7.3.52	7.3.52 CWE-822 Untrusted Pointer Dereference	72
7.3.53	7.3.53 CWE-823 Use of Out-of-range Pointer Offset	72
7.3.54	CWE-824 Access of Uninitialized Pointer	72
7.3.55	CWE-825 Expired Pointer Dereference	73
7.3.56	CWE-833 Deadlock	73
7.3.57	CWE-835 Loop with Unreachable Exit Condition ('Infinite Loop')	73
7.3.58	CWE-908 Use of Uninitialized Resource	74
7.3.59	CWE-1083 Data Access from Outside Designated Data Manager Component	74
7.3.60	CWE-1058 Invokable Control Element in Multi-Thread Context with non-Final Static Storable or Member Element	74
7.3.61	CWE-1096 Singleton Class Instance Creation without Proper Locking or Synchronization	75
7.3.62	CWE-1087 Class with Virtual Method without a Virtual Destructor	75
7.3.63	CWE-1079 Parent Class without Virtual Destructor Method	75
7.3.64	CWE-1045 Parent Class with a Virtual Destructor and a Child Class without a Virtual Destructor	76
7.3.65	CWE-1051 Initialization with Hard-Coded Network Resource Configuration Data	76
7.3.66	CWE-1088 Synchronous Access of Remote Resource without Timeout	76
7.3.67	CWE-1066 Missing Serialization Control Element	77
7.3.68	CWE-1070 Serializable Storable Data Element with non-Serializable Item Elements	77
7.3.69	CWE-1097 Persistent Storable Data Element without Associated Comparison Control Element	77
7.3.70	CWE-1098 Data Element containing Pointer Item without Proper Copy Control Element ...	77
7.3.71	CWE-1082 Class Instance Self Destruction Control Element	78
7.3.72	CWE-1077 Floating Point Comparison with Incorrect Operator	78
7.3.73	CWE-665 Improper Initialization	78
7.3.74	CWE-457 Use of Uninitialized Variable	79
7.3.75	Reliability Detection Patterns	79
7.4	Weakness Category Security	80
7.4.1	Improper Restriction of Operations within the Bounds of a Memory Buffer	80
7.4.2	CWE-120 Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')	81
7.4.3	CWE-123 Write-what-where Condition	81
7.4.4	CWE-125 Out-of-bounds Read	82
7.4.5	CWE-129 Improper Validation of Array Index	82
7.4.6	CWE-130 Improper Handling of Length Parameter Inconsistency	82
7.4.7	CWE-131 Incorrect Calculation of Buffer Size	83
7.4.8	CWE-134 Use of Externally-Controlled Format String	83

7.4.9	CWE-194 Unexpected Sign Extension	83
7.4.10	CWE-195 Signed to Unsigned Conversion Error	83
7.4.11	CWE-196 Unsigned to Signed Conversion Error	84
7.4.12	CWE-197 Numeric Truncation Error	84
7.4.13	CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') ...	84
7.4.14	CWE-23 Relative Path Traversal	85
7.4.15	CWE-252 Unchecked Return Value	85
7.4.16	CWE-259 Use of Hard-coded Password	85
7.4.17	CWE-321 Use of Hard-coded Cryptographic Key	86
7.4.18	CWE-36 Absolute Path Traversal	86
7.4.19	CWE-366 Race Condition within a Thread	86
7.4.20	CWE-369 Divide by Zero	87
7.4.21	CWE-401 Improper Release of Memory Before Removing Last Reference ('Memory Leak')	87
7.4.22	CWE-404 Improper Resource Shutdown or Release	87
7.4.23	CWE-424 Improper Protection of Alternate Path	88
7.4.24	CWE-434 Unrestricted Upload of File with Dangerous Type	88
7.4.25	CWE-456 Missing Initialization of a Variable	88
7.4.26	CWE-457 Use of Uninitialized Variable	89
7.4.27	CWE-477 Use of Obsolete Function	89
7.4.28	CWE-480 Use of Incorrect Operator	89
7.4.29	CWE-502 Deserialization of Untrusted Data	90
7.4.30	CWE-543 Use of Singleton Pattern Without Synchronization in a Multithreaded Context ..	90
7.4.31	CWE-564 SQL Injection: Hibernate	90
7.4.32	CWE-567 Unsynchronized Access to Shared Data in a Multithreaded Context	90
7.4.33	CWE-570 Expression is Always False	91
7.4.34	CWE-571 Expression is Always True	91
7.4.35	CWE-606 Unchecked Input for Loop Condition	91
7.4.36	CWE-643 Improper Neutralization of Data within XPath Expressions ('XPath Injection') ...	92
7.4.37	CWE-652 Improper Neutralization of Data within XQuery Expressions ('XQuery Injection')	92
7.4.38	CWE-662 Improper Synchronization	92
7.4.39	CWE-665 Improper Initialization	93
7.4.40	CWE-667 Improper Locking	93
7.4.41	CWE-672 Operation on a Resource after Expiration or Release	94
7.4.42	CWE-681 Incorrect Conversion between Numeric Types	94
7.4.43	CWE-682 Incorrect Calculation	94
7.4.44	CWE-732 Incorrect Permission Assignment for Critical Resource	95
7.4.45	CWE-77 Improper Neutralization of Special Elements used in a Command ('Command Injection')	95
7.4.46	CWE-772 Missing Release of Resource after Effective Lifetime	95
7.4.47	CWE-775 Missing Release of File Descriptor or Handle after Effective Lifetime	96
7.4.48	CWE-778 Insufficient Logging	96
7.4.49	CWE-78 Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')	96
7.4.50	CWE-783 Operator Precedence Logic Error	97
7.4.51	CWE-786 Access of Memory Location Before Start of Buffer	97
7.4.52	CWE-787 Out-of-bounds Write	97
7.4.53	CWE-788 Access of Memory Location After End of Buffer	98
7.4.54	CWE-789 Uncontrolled Memory Allocation	98
7.4.55	CWE-79 Improper Neutralization of Input During Web Generation ('Cross-site Scripting')	98
7.4.56	CWE-798 Use of Hard-coded Credentials	98
7.4.57	CWE-805 Buffer Access with Incorrect Length Value	99
7.4.58	CWE-820 Missing Synchronization	99
7.4.59	CWE-821 Incorrect Synchronization	100
7.4.60	CWE-822 Untrusted Pointer Dereference	100
7.4.61	CWE-823 Use of Out-of-range Pointer Offset	100
7.4.62	CWE-824 Access of Uninitialized Pointer	101
7.4.63	CWE-825 Expired Pointer Dereference	101
7.4.64	CWE-835 Loop with Unreachable Exit Condition ('Infinite Loop')	101
7.4.65	CWE-88 Argument Injection or Modification	101

7.4.66	CWE-89 Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection')	102
7.4.67	CWE-90 Improper Neutralization of Special Elements used in an LDAP Query ('LDAP Injection')	102
7.4.68	CWE-91 XML Injection (aka Blind XPath Injection)	102
7.4.69	CWE-99 Improper Control of Resource Identifiers ('Resource Injection')	103
7.4.70	CWE-611 Improper Restriction of XML External Entity Reference ('XXE')	103
7.4.71	CWE-1057 Data Access Control Element from Outside Designated Data Manager Component	103
7.4.72	CWE-415 Double Free	104
7.4.73	CWE-416 Use After Free	104
7.4.74	Security Detection Patterns	104
8	ASCQM Weakness Detection Patterns	107
8.1	Specification of Detection Patterns	107
8.2	ASCQM Check Index of Array Access	107
8.3	ASCQM Check Input of Memory Manipulation Primitives	108
8.4	ASCQM Ban String Manipulation Primitives without Boundary Checking Capabilities	109
8.5	ASCQM Check Input of String Manipulation Primitives with Boundary Checking Capabilities	109
8.6	ASCQM Ban Use of Expired Pointer	110
8.7	ASCQM Ban Input Acquisition Primitives without Boundary Checking Capabilities	111
8.8	ASCQM Check Offset used in Pointer Arithmetic	112
8.9	ASCQM Sanitize User Input used as Pointer	113
8.10	ASCQM Initialize Pointers before Use	114
8.11	ASCQM Check NULL Pointer Value before Use	115
8.12	ASCQM Ban Use of Expired Resource	116
8.13	ASCQM Ban Double Release of Resource	116
8.14	ASCQM Implement Copy Constructor for Class with Pointer Resource	117
8.15	ASCQM Ban Free Operation on Pointer Received as Parameter	118
8.16	ASCQM Ban Delete of VOID Pointer	119
8.17	ASCQM Ban Variable Increment or Decrement Operation in Operations using the Same Variable	119
8.18	ASCQM Ban Reading and Writing the Same Variable Used as Assignment Value	120
8.19	ASCQM Handle Return Value of Resource Operations	121
8.20	ASCQM Ban Incorrect Numeric Conversion of Return Value	122
8.21	ASCQM Handle Return Value of Must Check Operations	123
8.22	ASCQM Check Return Value of Resource Operations Immediately	124
8.23	ASCQM Ban Useless Handling of Exceptions	125
8.24	ASCQM Ban Incorrect Object Comparison	125
8.25	ASCQM Ban Assignment Operation Inside Logic Blocks	126
8.26	ASCQM Ban Comparison Expression Outside Logic Blocks	126
8.27	ASCQM Ban Incorrect String Comparison	127
8.28	ASCQM Ban Logical Operation with a Constant Operand	128
8.29	ASCQM Implement Correct Object Comparison Operations	128
8.30	ASCQM Ban Comma Operator from Delete Statement	129
8.31	ASCQM Release in Destructor Memory Allocated in Constructor	130
8.32	ASCQM Release Memory after Use with Correct Operation	131
8.33	ASCQM Implement Required Operations for Manual Resource Management	132
8.34	ASCQM Release Platform Resource after Use	133
8.35	ASCQM Release Memory After Use	134
8.36	ASCQM Implement Virtual Destructor for Classes Derived from Class with Virtual Destructor	135
8.37	ASCQM Implement Virtual Destructor for Parent Classes	135
8.38	ASCQM Release File Resource after Use in Operation	136
8.39	ASCQM Implement Virtual Destructor for Classes with Virtual Methods	137
8.40	ASCQM Ban Self Destruction	138
8.41	ASCQM Manage Time-Out Mechanisms in Blocking Synchronous Calls	138
8.42	ASCQM Ban Non-Final Static Data in Multi-Threaded Context	139
8.43	ASCQM Ban Non-Serializable Elements in Serializable Objects	140
8.44	ASCQM Ban Hard-Coded Literals used to Connect to Resource	141
8.45	ASCQM Ban Unintended Paths	142

8.46	ASCQM Ban Incorrect Float Number Comparison	143
8.47	ASCQM Singleton Creation without Proper Locking in Multi-Threaded Context	143
8.48	ASCQM Ban Incorrect Numeric Implicit Conversion	145
8.49	ASCQM Data Read and Write without Proper Locking in Multi-Threaded Context .146	8.50
8.51	ASCQM Ban Incorrect Synchronization Mechanisms	147
8.52	ASCQM Ban Resource Access without Proper Locking in Multi-Threaded Context. 148	
8.53	8.52 ASCQM Ban Incorrect Type Conversion	149
8.54	ASCQM Ban Return of Local Variable Address	150
8.55	ASCQM Ban Storage of Local Variable Address in Global Variable	151
8.56	ASCQM Ban While TRUE Loop Without Path to Break	151
8.57	ASCQM Ban Unmodified Loop Variable Within Loop	152
8.58	ASCQM Check and Handle ZERO Value before Use as Divisor	153
8.59	ASCQM Ban Creation of Lock on Private Non-Static Object to Access Private Static Data	154
8.60	ASCQM Release Lock After Use	154
8.61	ASCQM Ban Sleep Between Lock Acquisition and Release	155
8.62	ASCQM Ban Creation of Lock on Non-Final Object	157
8.63	ASCQM Ban Creation of Lock on Inappropriate Object Type	157
8.64	ASCQM NULL Terminate Output of String Manipulation Primitives	158
8.65	ASCQM Release File Resource after Use in Class	159
8.66	ASCQM Use Break in Switch Statement	160
8.67	ASCQM Catch Exceptions	161
8.68	ASCQM Ban Empty Exception Block	162
8.69	ASCQM Initialize Resource before Use	162
8.70	ASCQM Ban Incompatible Lock Acquisition Sequences	164
8.71	ASCQM Ban Use of Thread Control Primitives with Known Deadlock Issues	164
8.72	ASCQM Ban Buffer Size Computation Based on Bitwise Logical Operation	165
8.73	ASCQM Ban Buffer Size Computation Based on Array Element Pointer Size	166
8.74	ASCQM Ban Buffer Size Computation Based on Incorrect String Length Value	167
8.75	ASCQM Ban Sequential Acquisitions of Single Non-Reentrant Lock	168
8.76	ASCQM Ban Initialize Variables	169
8.77	ASCQM Ban Allocation of Memory with Null Size	170
8.78	ASCQM Ban Double Free on Pointers	170
8.79	ASCQM Initialize Variables before Use	171
8.80	ASCQM Ban Self Assignment	172
8.81	ASCQM Check Boolean Variables are Updated in Different Conditional Branches before Use	173
8.82	ASCQM Ban Not Operator on Operand of Bitwise Operation	174
8.83	ASCQM Ban Not Operator on Non-Boolean Operand of Comparison Operation	174
8.84	ASCQM Ban Incorrect Joint Comparison	175
8.85	ASCQM Secure XML Parsing with Secure Options	176
8.86	ASCQM Secure Use of Unsafe XML Processing with Secure Parser	178
8.87	ASCQM Sanitize User Input used in Path Manipulation	179
8.88	ASCQM Sanitize User Input used in SQL Access	180
8.89	ASCQM Sanitize User Input used in Document Manipulation Expression	181
8.90	ASCQM Sanitize User Input used in Document Navigation Expression	183
8.91	ASCQM Sanitize User Input used to access Directory Resources	184
8.92	ASCQM Sanitize Stored Input used in User Output	185
8.93	ASCQM Sanitize User Input used in User Output	187
8.94	ASCQM Sanitize User Input used in System Command	188
8.95	ASCQM Ban Use of Deprecated Libraries	189
8.96	ASCQM Sanitize User Input used as Array Index	190
8.97	ASCQM Check Input of Memory Allocation Primitives	191
8.98	ASCQM Sanitize User Input used as String Format	192
8.99	ASCQM Sanitize User Input used in Loop Condition	193
8.100	ASCQM Sanitize User Input used as Serialized Object	195
8.101	ASCQM Log Caught Security Exceptions	196
8.102	ASCQM Ban File Creation with Default Permissions	197
8.103	ASCQM Ban Use of Prohibited Low-Level Resource Management Functionality	198
8.104	ASCQM Ban Excessive Size of Index on Columns of Large Tables	200
8.105	ASCQM Implement Index Required by Query on Large Tables	201
8.106	ASCQM Ban Excessive Number of Index on Columns of Large Tables	202
	ASCQM Ban Excessive Complexity of Data Resource Access	202

8.107	ASCQM Ban Expensive Operations in Loops	203
8.108	ASCQM Limit Number of Aggregated Non-Primitive Data Types	205
8.109	ASCQM Ban Excessive Number of Data Resource Access from non-stored SQL Procedure	206
8.110	ASCQM Ban Excessive Number of Data Resource Access from non-SQL Code	207
8.111	ASCQM Ban Incremental Creation of Immutable Data	208
8.112	ASCQM Ban Static Non-Final Data Element Outside Singleton	208
8.113	ASCQM Ban Conversion References to Child Class	209
8.114	ASCQM Ban Circular Dependencies between Modules	210
8.115	ASCQM Limit Volume of Commented-Out Code	211
8.116	ASCQM Limit Size of Operations Code	212
8.117	ASCQM Limit Volume of Similar Code	212
8.118	ASCQM Limit Algorithmic Complexity via Cyclomatic Complexity Value	213
8.119	ASCQM Limit Number of Data Access	214
8.120	ASCQM Ban Excessive Number of Children	215
8.121	ASCQM Ban Excessive Number of Inheritance Levels	216
8.122	ASCQM Ban Usage of Data Elements from Other Classes	216
8.123	ASCQM Ban Control Flow Transfer	217
8.124	ASCQM Ban Loop Value Update within Incremental and Decremental Loop	218
8.125	ASCQM Limit Number of Parameters	219
8.126	ASCQM Ban Unreferenced Dead Code	220
8.127	ASCQM Ban Excessive Number of Concrete Implementations to Inherit From	220
8.128	ASCQM Limit Number of Outward Calls	221
8.129	ASCQM Sanitize User Input used in Expression Language Statement	221
8.130	ASCQM Ban Hard-Coded Literals used to Initialize Variables	223
8.131	ASCQM Ban Logical Dead Code	223
8.132	ASCQM Ban Exception Definition without Ever Throwing It	224
8.133	ASCQM Ban Switch in Switch Statement	225
8.134	ASCQM Limit Algorithmic Complexity via Module Design Complexity Value	226
8.135	ASCQM Limit Algorithmic Complexity via Essential Complexity Value	227
8.136	ASCQM Use Default Case in Switch Statement	228
9	Calculation of the Quality Measures	229
	Annex A Consortium for IT Software Quality (CISQ)	230
	Annex B Common Weakness Enumeration (CWE)	231
	Annex C Related Quality Measures	232
	References	235