

ISO/IEC 21794-2:2021 (E)

Information technology — Plenoptic image coding system (JPEG Pleno) — Part 2: Light field coding

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
4.1	Symbols
4.2	Abbreviated terms
5	Conventions
5.1	Naming conventions for numerical values
5.2	Operators
5.2.1	Arithmetic operators
5.2.2	Logical operators
5.2.3	Relational operators
5.2.4	Precedence order of operators
5.2.5	Mathematical functions
6	General
6.1	Functional overview on the decoding process
6.2	Encoder requirements
6.3	Decoder requirements
7	Organization of the document
Annex A	(normative) JPEG Pleno Light Field superbox
A.1	General
A.2	Organization of the JPEG Pleno Light Field superbox
A.3	Defined boxes
A.3.1	Overview
A.3.2	JPEG Pleno Profile and Level box
A.3.3	JPEG Pleno Light Field Header box
A.3.3.1	General
A.3.3.2	Light Field Header box
A.3.3.2.1	General
A.3.3.2.2	Bits Per Component box
A.3.3.3	Camera Parameter box
A.3.3.3.1	General
A.3.3.3.2	JPEG Pleno camera parameters
A.3.3.3.3	Camera modelling and calibration
A.3.3.3.3.1	General
A.3.3.3.3.2	Intrinsic camera parameters
A.3.3.3.3.3	Extrinsic camera parameters
A.3.3.3.4	Camera Parameter box definition
A.3.4	Contiguous Codestream box
Annex B	(normative) 4D transform mode
B.1	General

B.2	4D transform mode encoding
B.2.1	High-level coding architecture
B.2.2	Optimize partitioning
B.2.3	Forward 4D-DCT
B.2.3.1	Level shift
B.2.3.2	Forward 4D-DCT function
B.2.4	Quantization and entropy encoding.
B.2.5	Sample encoding procedure
B.3	4D transform mode decoding
B.3.1	General
B.3.2	Codestream syntax
B.3.2.1	General
B.3.2.2	Markers, marker segments, and headers
B.3.2.3	Key to graphical descriptions
B.3.2.4	Defined marker segments
B.3.2.5	Construction of the codestream
B.3.2.6	Delimiting markers and marker segments
B.3.2.6.1	General
B.3.2.6.2	Start of codestream (SOC)
B.3.2.6.3	Light field configuration (LFC)
B.3.2.6.4	Colour component scaling (SCC)
B.3.2.6.5	Codestream pointer set (PNT)
B.3.2.6.6	Start of block (SOB)
B.3.2.6.7	End of codestream (EOC)
B.3.3	Codestream parsing
B.3.4	4D partitioning general structure
B.3.4.1	General
B.3.4.2	Partition tree decoding
B.3.4.3	Contiguous codestream of a 4D-block
B.3.5	Arithmetic decoding procedure
B.3.5.1	General
B.3.5.2	Probability models
B.3.5.3	Procedures to read symbols
B.3.5.4	Arithmetic decoder procedures and definitions
B.3.6	4D bit-plane hexadeca-tree decoding
B.3.7	Inverse 4D-DCT procedure
B.3.7.1	General
B.3.7.2	Inverse 4D-DCT
B.3.7.3	Inverse level shift

Annex C (normative) JPEG Pleno light field reference view decoding

C.1	General
C.2	Organization of JPEG Pleno Light Field Reference View superbox
C.3	Defined boxes
C.3.1	JPEG Pleno Light Field Reference View Description box
C.3.2	Common Codestream Elements box
C.3.3	Contiguous Codestream box
C.4	Reference view encoding
C.5	Reference view decoding

Annex D (normative) JPEG Pleno light field normalized disparity view decoding

D.1	General
D.2	Organization of JPEG Pleno Light Field Normalized Disparity View Superbox
D.3	Defined boxes
D.3.1	JPEG Pleno Light Field Normalized Disparity View Description box
D.3.2	Common Codestream Elements box
D.3.3	Contiguous Codestream box
D.4	Representation of the normalized disparity data
D.5	Encoding of normalized disparity data
D.6	Decoding of normalized disparity data

Annex E (normative) JPEG Pleno Light Field Intermediate View superbox

E.1	General
E.2	Organization of JPEG Pleno Light Field Intermediate View superbox

E.3	Defined boxes
E.3.1	JPEG Pleno Light Field Prediction Parameter box
E.3.2	JPEG Pleno Light Field Residual View Description box
E.3.3	Common Codestream Elements box
E.3.4	Contiguous Codestream box
E.4	View warping
E.4.1	General
E.4.2	Notation
E.4.3	Horizontal and vertical baseline
E.4.4	View warping algorithm
E.4.5	View warping operations for intermediate views at the decoder
E.5	View merging
E.5.1	General
E.5.2	Occlusion classes
E.5.3	Merging weights
E.5.3.1	General
E.5.3.2	Merging weight matrix for LS based view merging
E.5.3.3	Merging weight matrix for geometric distance-based view merging
E.6	Texture view merging as a linear combination
E.7	Texture view merging using median operator
E.8	Normalized disparity view merging
E.9	Inpainting
E.9.1	General
E.9.2	Algorithm
E.9.3	Inpainting for normalized disparity views
E.9.4	Inpainting for texture views
E.10	Sparse filtering at the decoder
E.11	View prediction residual
E.11.1	General
E.11.2	View prediction residual encoding
E.11.3	View prediction residual decoding
E.11.4	Applying view prediction residual to predicted view
E.12	Intermediate normalized disparity view prediction at decoder
E.13	Intermediate texture view prediction at decoder
E.14	Intermediate texture view prediction at encoder
E.14.1	General
E.14.2	Hierarchical view structure
E.14.3	Residual rate allocation in hierarchical encoding

Page count: 117