

ISO/IEC 17982:2021 (E)

Information technology — Telecommunications and information exchange between systems — Close capacitive coupling communication physical layer (CCCC PHY)

Contents

| | |
|-------|--|
| | Foreword |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms, definitions and abbreviated terms |
| 3.1 | Terms and definitions |
| 3.2 | Abbreviated terms |
| 4 | Conventions and notations |
| 5 | Conformance |
| 6 | Architecture |
| 7 | Reference plate-electrode assembly |
| 8 | PHY parameters |
| 8.1 | Voltage conditions |
| 8.2 | Bit representation |
| 8.2.1 | Bit duration |
| 8.2.2 | Bit encoding |
| 8.3 | Transmission |
| 8.4 | DC balance of a P-PDU |
| 8.5 | Reception of a P-PDU |
| 9 | P-PDU |
| 9.1 | Structure |
| 9.2 | Space |
| 9.3 | Level adjust |
| 9.4 | Pre-amble and Sync |
| 9.5 | Attribute |
| 9.6 | TDS number |
| 9.7 | Sequence number |
| 9.7.1 | Initial and range |
| 9.7.2 | Acknowledgement |
| 9.8 | Payload |
| 9.9 | CRC |
| 9.10 | Post-amble |
| 9.11 | Null P-PDU |
| 9.12 | Data P-PDU |
| 10 | PHY data unit (P-DU) |
| 11 | Segmentation and reassembly |
| 12 | TDS |
| 13 | LBT and synchronisation |
| 13.1 | LBT |
| 13.2 | Synchronisation |

14 Association procedure

15 Communication

15.1 General

15.2 Full duplex communication

15.3 Broadcast communication

Annex A (normative) Tests

A.1 Reference plate-electrode test

A.2 P-PDU DC balance test

A.3 Protocol test

A.3.1 Test setup

A.3.2 Test scenario 1

A.3.3 Test scenario 2

A.3.4 Test scenario 3

A.3.5 Test scenario 4

A.3.6 Test scenario 5

A.3.7 Test scenario 6

A.3.8 Test scenario 7

A.3.9 Test scenario 8

Annex B (informative) Guidance for implementation of this document

Page count: 58