

# ISO/IEC 29500-2:2021 (E)

## Document description and processing languages — Office Open XML file formats — Part 2: Open packaging conventions

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
3.1	Basics
3.2	Abstract package model
3.3	Physical package model
3.4	Digital signature and thumbnail
3.5	Implementations
3.6	Core properties
4	Conformance
5	Overview
6	Abstract package model
6.1	General
6.2	Parts
6.2.1	General
6.2.2	Part names
6.2.2.1	General
6.2.2.2	Syntax
6.2.2.3	Part name equivalence and integrity in an abstract package
6.2.3	Media types
6.2.4	Growth hint
6.2.5	XML usage
6.3	Part addressing
6.3.1	General
6.3.2	Pack scheme
6.3.3	Resolving a pack IRI to a resource
6.3.4	Composing a pack IRI
6.3.5	Equivalence
6.4	Resolving relative references
6.4.1	General
6.4.2	Base IRIs
6.4.3	Examples
6.4.3.1	General
6.4.3.2	Leading slash: "/b/bar.xml"
6.4.3.3	No leading slash: "bar.xml"
6.4.3.4	Dot segment: "./bar.xml"
6.4.3.5	Dot segment: "../bar.xml"
6.5	Relationships
6.5.1	General
6.5.2	Relationships part
6.5.2.1	Relationships part
6.5.2.2	Package Relationships part
6.5.2.3	Part Relationships part
6.5.3	Relationship markup

- 6.5.3.1 General
- 6.5.3.2 Support for versioning and extensibility
- 6.5.3.3 Relationships element
- 6.5.3.4 Relationship element
- 6.5.4 Examples
  - 6.5.4.1 Relationships part associated with the entire package
  - 6.5.4.2 Relationships part associated with a part
  - 6.5.4.3 Relationships parts related to digital signature markup
  - 6.5.4.4 Relationships targeting external resources
  - 6.5.4.5 Multiple relationships that have the same target
- 7 Physical package model
  - 7.1 General
  - 7.2 Physical mapping guidelines
    - 7.2.1 Using features of physical formats
    - 7.2.2 Mapped components
    - 7.2.3 Mapping media types to parts
      - 7.2.3.1 General
      - 7.2.3.2 Media Types stream markup
        - 7.2.3.2.1 General
        - 7.2.3.2.2 Support for versioning and extensibility
        - 7.2.3.2.3 Types element
        - 7.2.3.2.4 Default element
        - 7.2.3.2.5 Override element
      - 7.2.3.3 Media Types stream markup example
      - 7.2.3.4 Setting a part media type in the Media Types stream
      - 7.2.3.5 Determining a part media type from the Media Types stream
    - 7.2.4 Interleaving
    - 7.2.5 Mapping part names to physical package item names
      - 7.2.5.1 General
      - 7.2.5.2 Logical item names
      - 7.2.5.3 Mapping part names to logical item names
      - 7.2.5.4 Mapping logical item names and physical package item names
      - 7.2.5.5 Mapping logical item names to part names
  - 7.3 Mapping to a ZIP file
    - 7.3.1 General
    - 7.3.2 Mapping part data
    - 7.3.3 ZIP item names
    - 7.3.4 Mapping logical item names to ZIP item names
    - 7.3.5 Mapping ZIP item names to logical item names
    - 7.3.6 ZIP package limitations
    - 7.3.7 Mapping the Media Types stream
    - 7.3.8 Mapping the growth hint
- 8 Core properties
  - 8.1 General
  - 8.2 Core Properties part
  - 8.3 Core properties markup
    - 8.3.1 General
    - 8.3.2 Support for versioning and extensibility
    - 8.3.3 coreProperties element
    - 8.3.4 Core property elements
      - 8.3.4.1 General
      - 8.3.4.2 Core property elements as defined by ISO 15836-1
      - 8.3.4.3 Core property elements as defined by ISO 15836-2
      - 8.3.4.4 Core property elements defined in this document
        - 8.3.4.4.1 category element
        - 8.3.4.4.2 contentStatus element
        - 8.3.4.4.3 keywords element
        - 8.3.4.4.4 value element
        - 8.3.4.4.5 lastModifiedBy element
        - 8.3.4.4.6 lastPrinted element
        - 8.3.4.4.7 revision element
        - 8.3.4.4.8 version element

<b>9</b>	<b>Thumbnails</b>
<b>10</b>	<b>Digital signatures</b>
10.1	General
10.2	Overview of OPC-specific restrictions and extensions to “XML-Signature Syntax and Processing”
10.3	Choosing content to sign
10.4	Digital signature parts
10.4.1	General
10.4.2	Digital Signature Origin part
10.4.3	Digital Signature XML Signature part
10.4.4	Digital Signature Certificate part
10.5	Digital signature markup
10.5.1	General
10.5.2	Support for versioning and extensibility
10.5.3	Signature element
10.5.4	SignedInfo element
10.5.5	CanonicalizationMethod element
10.5.6	SignatureMethod element
10.5.7	Reference element
10.5.7.1	General
10.5.7.2	Reference element as a child of a SignedInfo element
10.5.7.3	Reference element as a child of a Manifest element
10.5.8	Transform element
10.5.8.1	General
10.5.8.2	Transform element representing a Relationships transform
10.5.9	RelationshipReference element
10.5.10	RelationshipsGroupReference element
10.5.11	DigestMethod element
10.5.12	Object element
10.5.12.1	General
10.5.12.2	OPC-specific Object element
10.5.12.3	Application-defined Object element
10.5.13	Manifest element
10.5.14	SignatureProperty element
10.5.15	SignatureTime element
10.5.16	Format element
10.5.17	Value element
10.5.18	XPath element
10.6	Relationships transform algorithm
10.7	Digital signature example
10.8	Generating signatures
10.9	Validating signatures

**Annex A (informative) Preprocessing for generating relative references**

**Annex B (normative) Constraints and clarifications on the use of ZIP features**

<b>B.1</b>	<b>General</b>
<b>B.2</b>	<b>Archive file header consistency</b>
<b>B.3</b>	<b>Data descriptor signature</b>
<b>B.4</b>	<b>Requirements on package implementers</b>

**Annex C (normative) Schemas - W3C XML**

<b>C.1</b>	<b>General</b>
<b>C.2</b>	<b>Media Types stream</b>
<b>C.3</b>	<b>Core Properties part</b>
<b>C.4</b>	<b>Digital signature XML signature markup</b>
<b>C.5</b>	<b>Relationships part</b>

**Annex D (informative) Schemas - RELAX NG**

<b>D.1</b>	<b>General</b>
<b>D.2</b>	<b>Media Types stream</b>
<b>D.3</b>	<b>Core Properties part</b>

- D.4 Digital signature XML signature markup
- D.5 Relationships part
- D.6 Additional resources
  - D.6.1 XML
  - D.6.2 XML digital signature core

**Annex E (normative) Standard namespaces and media types**

**Annex F (informative) Physical package model design considerations**

- F.1 General
- F.2 Access styles
  - F.2.1 General
  - F.2.2 Direct access consumption
  - F.2.3 Streaming consumption
  - F.2.4 Streaming creation
  - F.2.5 Simultaneous creation and consumption
- F.3 Layout styles
  - F.3.1 General
  - F.3.2 Simple ordering
  - F.3.3 Interleaved ordering
- F.4 Communication styles
  - F.4.1 General
  - F.4.2 Sequential delivery
  - F.4.3 Random access

**Annex G (informative) Differences between ISO/IEC 29500-2 and ECMA-376:2006**

- G.1 General
- G.2 XML elements
- G.3 XML attributes
- G.4 XML enumeration values
- G.5 XML simple types
- G.6 Part names

**Annex H (informative) Package example**

- H.1 General
- H.2 Abstract package
- H.3 Physical package

Page count: 65