

# ISO/IEC 20830:2021 (E)

## Information technology — Automatic identification and data capture techniques — Han Xin Code bar code symbology specification

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms, definitions, and symbols
3.1	Terms and definitions
3.2	Mathematical and logical symbols
4	Symbology description
4.1	Symbology characteristics
4.1.1	Basic characteristics
4.1.1.1	General
4.1.1.2	Encodable characters
4.1.1.3	Representation of data
4.1.1.4	Symbol size in modules
4.1.1.5	Maximum data capacity
4.1.1.6	Selectable error correction
4.1.2	Summary of additional features
4.2	Symbol structure
4.2.1	General
4.2.2	Symbol Versions and Sizes
4.2.3	Finder Pattern
4.2.4	Position Detection Pattern separator
4.2.5	Alignment Pattern
4.2.6	Assistant Alignment Pattern
4.2.7	Structural Information Region
4.2.8	Data Region
4.2.9	Quiet Zone
5	Requirements
5.1	Encode procedure overview
5.2	Data analysis
5.3	Mode
5.3.1	General
5.3.2	Numeric mode
5.3.3	Text mode
5.3.4	Binary byte mode
5.3.5	Common Chinese Characters in Region One mode
5.3.6	Common Chinese Characters in Region Two mode
5.3.7	GB18030 2-byte Region mode
5.3.8	GB18030 4-byte Region mode
5.3.9	Extended Channel Interpretation (ECI) mode
5.3.10	Unicode mode
5.3.11	GS1 mode
5.3.12	URI mode
5.4	Data encoding
5.4.1	General
5.4.2	Constructing the information bit stream
5.4.3	Constructing information codewords sequence

- 5.4.4 Numeric mode encoding
- 5.4.5 Text mode encoding
- 5.4.6 Binary mode encoding
- 5.4.7 Common Chinese Characters in Region One mode encoding
- 5.4.8 Common Chinese Characters in Region Two mode encoding
- 5.4.9 GB18030 2-byte Region mode encoding
- 5.4.10 GB18030 4-byte Region mode encoding
- 5.4.11 ECI mode encoding
- 5.4.11.1 General
- 5.4.11.2 ECI designator
- 5.4.11.3 Multi-ECI
- 5.4.12 Unicode mode
- 5.4.12.1 General
- 5.4.12.2 Mode indicator and terminator
- 5.4.12.3 Data analysis and encoding algorithm
- 5.4.13 GS1 mode encoding
- 5.4.13.1 General
- 5.4.13.2 Data representation rule
- 5.4.13.3 Mode indicator and terminator
- 5.4.13.4 Encoding algorithm
- 5.4.14 URI mode
- 5.4.14.1 General
- 5.4.14.2 Mode indicator and terminator
- 5.4.14.3 Data analysis and encoding algorithm
- 5.4.15 Mixed modes encoding
- 5.5 Error detection and correction
- 5.5.1 General
- 5.5.2 Generating the error correction codewords
- 5.5.3 Error correction capacity
- 5.6 User considerations for encoding data in a Han Xin Code symbol
- 5.6.1 General
- 5.6.2 User selection of error correction level
- 5.6.3 User selection of mode
- 5.6.4 User selection of Extended Channel Interpretation
- 5.6.5 User selection of symbol size
- 5.7 Construction of final data bit stream
- 5.8 Symbol construction
- 5.8.1 General
- 5.8.2 Fixed Pattern placement
- 5.8.3 Data placement
- 5.8.4 Masking
- 5.8.4.1 General
- 5.8.4.2 Masking pattern
- 5.8.4.3 Evaluation of data masking results
- 5.8.5 Structural Information placement

## 6 Symbol dimensions

- 6.1 Dimensions
- 6.2 Quiet zone

## 7 User guidelines

- 7.1 Human readable interpretation
- 7.2 Autodiscrimination capability
- 7.3 Principle of Han Xin Code symbol printing and scanning

## 8 Symbol quality

- 8.1 General
- 8.2 Symbol quality parameters
- 8.2.1 General
- 8.2.2 Fixed Pattern damage
- 8.2.3 Symbol grade
- 8.2.4 Grid non-uniformity
- 8.3 Process control measurements

9 Decoding procedure overview

10 Reference decode algorithm for Han Xin Code

- 10.1 General
- 10.2 Image preprocessing
- 10.3 Locate Finder Pattern and determine the orientation
- 10.4 Structural Information decoding
- 10.5 Establish the sampling grid
- 10.6 Sampling
- 10.7 Masking releasing
- 10.8 Restore data codewords
- 10.9 Error correction decoding
- 10.10 Data codeword decoding

11 Transmitted data

- 11.1 General
- 11.2 Basic interpretation
- 11.3 Protocol for Extended Channel Interpretation
- 11.4 Protocol for GS1 data transmission

Annex A (normative) Alignment Pattern parameters of symbol of different versions

Annex B (normative) Data capacity and error correction characteristics of Han Xin Code

Annex C (informative) Information capacity of Han Xin Code

Annex D (normative) Error correction codeword generator polynomials

Annex E (normative) Structural Information

- E.1 General
- E.2 Error correction encoding of Structural Information
- E.3 Error correction decoding of Structural Information

Annex F (informative) Autodiscrimination compatibility

Annex G (informative) Error correction decoding algorithm

Annex H (informative) User guidance for Han Xin Code printing and scanning

- H.1 General principles
- H.2 Selection of Error Correction Level

Annex I (normative) Print quality of Han Xin Code — Symbology-specific aspects

- I.1 General
- I.2 Fixed Pattern damage
  - I.2.1 Testing region
  - I.2.2 Grading of Fixed Pattern damage
- I.3 Grading of Structural Information region
  - I.3.1 General
  - I.3.2 Grading of Structural Information in one group
  - I.3.3 Grading of Structural Information region
- I.4 Scan grade

Annex J (informative) Useful process control techniques

- J.1 General
- J.2 Symbol contrast
- J.3 Assessing Axial Nonuniformity
- J.4 Visual inspection for symbol distortion and defects

Annex K (informative) Han Xin Code encoding examples

- K.1 General
- K.2 Example 1
- K.3 Example 2
- K.4 Example 3

**Annex L (informative) Symbology identifier**

**Annex M (normative) Charsets of URI mode**

**Annex N (normative) Source codes for Unicode mode in C programming**

- N.1      Source codes of encoding process**
- N.2      Source codes of decoding process**

**Annex O (informative) Implement Source code for URI mode in C programming**

- O.1      Source codes of encoding process**
- O.2      Source codes of decoding process**

**Page count: 196**